

Certificate of Analysis

Sample Name:	Orgabay Liposomal Nicotinamide Riboside	Eurofins Sample:	13040866
Project ID	PROHEALTHL-20230619-0001	Receipt Date	27-Jun-2023
PO Number		Receipt Condition	Ambient temperature
Lot Number	UDT-021-0905	Login Date	19-Jun-2023
Sample Serving Size	2000 mg	Date Started	03-Jul-2023
Description	Orgabay Liposomal Nicotinamide Riboside with Trans-Pterostilbene and TMG 2000 MG	Sampled	Sample results apply as received
		Online Order	901-2023-E036506

Analysis	Result
Aerobic Plate Count	
Aerobic Plate Count	<10 CFU/g
E. coli	
Escherichia Coli	Absent /10 g
Salmonella USP	
Salmonella	Absent /10 g
Staphylococcus	
Staphylococcus Aureus	Absent /10 g
Yeast and Mold Count	
Combined Yeast and Mold Count	<10 CFU/g
Preparatory Testing of Nutritional and Dietary Supplements	
Staphylococcus Suitability Result	PASS
Salmonella Suitability Result	PASS
Aerobic Plate Suitability Result	PASS
E. coli Suitability Result	PASS
Total Combined Yeast-Molds Count	PASS

Method References	Testing Location
-------------------	------------------

Aerobic Plate Count (USPC2021)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Certificate of Analysis

Method References	Testing Location
-------------------	------------------

E. coli (USPE2022)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Preparatory Testing of Nutritional and Dietary Supplements (USPA_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Preparatory Testing of Nutritional and Dietary Supplements (USPC_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Preparatory Testing of Nutritional and Dietary Supplements (USPE_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Preparatory Testing of Nutritional and Dietary Supplements (USPM_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Preparatory Testing of Nutritional and Dietary Supplements (USPS_PT)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

Salmonella USP (USPS2022)

Eurofins Micro Lab - Madison
6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Certificate of Analysis

Method References**Testing Location****Staphylococcus (USPA2022)****Eurofins Micro Lab - Madison**

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Yeast and Mold Count (USPM2021)**Eurofins Micro Lab - Madison**

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Testing Location(s)**Released on Behalf of Eurofins by****Food Integrity Innovation-Madison****Edward Ladwig - President Eurofins Food Chemistr**

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.