


## Instructions for Use

### Stop Infection Before It Starts




### Clean

Wash your hands and the injured area with soap and water, or clean it with an antiseptic wash, then pat dry. Make sure to put on medical gloves if you're treating someone else. [Learn More](#) about how to properly clean a wound.



### Treat

Once your cut or wound has been cleaned, the next step is to apply antibiotic ointment, such as [NEOSPORIN® First Aid Antibiotic Ointment](#). Apply a thin layer to your wound to kill bacteria and stop infection before it starts.



## **Protect**

Protect your injury by covering it with a BAND-AID® Brand adhesive bandage or with sterile gauze and tape. Keep your wound covered—changing your bandage every day or as necessary—until it is fully healed to help reduce scabs, which in turn will help reduce scarring.



## Relief for Minor Burns

Follow these steps to treat & relieve pain from small burns.

- Start by gently removing any clothing covering the burn.
- Run cool water over it or apply a clean, wet cloth for 10–20 minutes to help reduce pain and swelling.
- After cooling, dry the burn gently and apply a layer of NEOSPORIN<sup>®</sup> + Burn Relief First Aid Antibiotic Ointment.
- Protect the burn from rubbing and pressure with non-stick gauze that can be held in place with tape or wrap. Change the dressing daily.

Some burns require more care. Visit a doctor or hospital if your burn is larger than 3 inches, caused by electricity or a chemical, or if it's on your face, hands, feet, or over a shoulder/knee joint.<sup>1</sup>