

SAFETY DATA SHEET

1. Identification

Product identifier	DiDi Seven
Other means of identification	Not available.
Recommended use	Spot cleaner
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company name	Element Media Direct
Address	4325 S Spruce Circle Salt Lake City, UT 84124 503 560 7148
Supplier	
Company name	Hi Valley Chemical
Address	1134 850 N Centerville, UT 84014 United States
Distributor	
Company name	Interwood Direct
Address	PH7 3800 Yonge St Toronto, ON M4N 3P7

2. Hazard identification

Physical hazards	Flammable liquids	Category 4
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
WHMIS 2015 defined hazards	Not classified	

Label elements



Signal word	Danger
Hazard statement	Combustible liquid. Causes skin irritation. Causes serious eye damage.
Precautionary statement	
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection.
Response	In case of fire: Use dry sand, dry chemical, or alcohol resistant foam to extinguish. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	Store in a well-ventilated place.
Disposal	Dispose of container in accordance with local, regional, national and international regulations.
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	Not applicable.

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Not applicable.

Hazard(s) not otherwise classified (HNOC)

Not applicable.

Supplemental information

Exempt - Consumer product

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II). This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, or any consumer product as defined in section 2 of the Canada Consumer Product Safety Act.

This product is not subject to 29 CFR HCS 1910.1200 regulations.
The following HCS exemptions for consumer products apply; 29 CFR 1910.1200(b)(5)(v) and (b)(6)(ix).

3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), light hydrotreated		64742-47-8	30 - 60 *
Ethanol, 2,2',2'''-nitrotris-		102-71-6	1 - 5 *
Sodium carbonate		497-19-8	1 - 5 *
Sodium dodecylbenzenesulfonate		68081-81-2	0.5 - 1.5 *
Sodium hydrosulfite		7775-14-6	10 - 30 *
Sodium hydroxide		1310-73-2	0.1 - 1 *
Sodium lauryl sulfate		151-21-3	10 - 30 *
Sodium metabisulfite		7681-57-4	1 - 5 *
Tetrasodium ethylenediamine tetraacetate		64-02-8	0.5 - 1.5 *

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Treat patient symptomatically.
General information	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Combustible.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen sulfide.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop the flow of material, if this is without risk. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling	Keep away from open flames, hot surfaces and sources of ignition. Do not get in eyes, on skin, or on clothing. Wear appropriate personal protective equipment. Use only in well-ventilated areas. When handling, do not eat, drink or smoke.
Conditions for safe storage, including any incompatibilities	Keep away from heat and sources of ignition. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure controls/Personal protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA	200 mg/m ³	Vapor.
Ethanol, 2,2",2""-nitrotris- (CAS 102-71-6)	TWA	5 mg/m ³	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m ³	
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m ³	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA	200 mg/m ³	Non-aerosol.
Ethanol, 2,2",2""-nitrotris- (CAS 102-71-6)	TWA	5 mg/m ³	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m ³	
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m ³	

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Ethanol, 2,2",2""-nitrotris- (CAS 102-71-6)	TWA	5 mg/m ³
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m ³
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m ³

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Ethanol, 2,2",2""-nitrotris- (CAS 102-71-6)	TWA	3.1 mg/m3
		0.5 ppm
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Type	Value
Ethanol, 2,2",2""-nitrotris- (CAS 102-71-6)	TWA	5 mg/m3
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Type	Value	Form
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	15 minute	250 mg/m3	Vapor.
	8 hour	200 mg/m3	Vapor.
Ethanol, 2,2",2""-nitrotris- (CAS 102-71-6)	15 minute	10 mg/m3	
	8 hour	5 mg/m3	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
Sodium metabisulfite (CAS 7681-57-4)	15 minute	10 mg/m3	
	8 hour	5 mg/m3	

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	PEL	2 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value
Ethanol, 2,2",2""-nitrotris- (CAS 102-71-6)	TWA	5 mg/m3
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA	100 mg/m3
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines**Canada - Alberta OELs: Skin designation**

Distillates (petroleum), light hydrotreated (CAS
64742-47-8) Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

Distillates (petroleum), light hydrotreated (CAS
64742-47-8) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

Can be absorbed through the skin.

Appropriate engineering controls Ensure adequate ventilation.**Individual protection measures, such as personal protective equipment****Eye/face protection** Safety goggles or glasses.**Skin protection****Hand protection** Rubber gloves. Confirm with a reputable supplier first.**Other** As required by employer code.**Respiratory protection** Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).**Thermal hazards** Not applicable.**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke.

9. Physical and chemical properties

Appearance	Paste.
Physical state	Liquid.
Form	Paste.
Color	White
Odor	Soapy
Odor threshold	Not available.
pH	9.9 (1%)
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	1.2
Partition coefficient (n-octanol/water)	Not available.
Flash point	172.4 °F (78.0 °C)
Evaporation rate	< 0.01 (Ether = 1)
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	> 0.13 mm Hg @ 38°C
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Auto-ignition temperature	464 °F (240 °C)
Decomposition temperature	Not available.
Viscosity	Viscous
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity May react with incompatible materials.

Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix with other chemicals.
Incompatible materials	Strong oxidizing agents. Acids. Chlorinated products.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen sulphide.

11. Toxicological information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not classified.

Components	Species	Test Results
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 5.3 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg, ECHA
Ethanol, 2,2",2""-nitrilotris- (CAS 102-71-6)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	6400 mg/kg, ECHA
Sodium carbonate (CAS 497-19-8)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Guinea pig	800 mg/m ³ , 2 Hours, ECHA
	Rat	2300 mg/m ³ , 2 Hours, ECHA
<i>Oral</i>		
LD50	Rat	2800 mg/kg, ECHA, HSDB
Sodium dodecylbenzenesulfonate (CAS 68081-81-2)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg, OECD SIDS
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Mouse	2160 - 2250 mg/kg, OECD SIDS
	Rat	1080 - 1980 mg/kg, OECD SIDS

Components	Species	Test Results
Sodium hydrosulfite (CAS 7775-14-6)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 22 mg/L, 4 Hours, ECHA > 5.5 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	2500 mg/kg, ECHA
Sodium hydroxide (CAS 1310-73-2)		
Acute		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Not available	
Sodium lauryl sulfate (CAS 151-21-3)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	1200 mg/kg, ECHA
Sodium metabisulfite (CAS 7681-57-4)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Rat	> 5.5 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	1540 mg/kg, ECHA
Tetrasodium ethylenediamine tetraacetate (CAS 64-02-8)		
Acute		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	1658 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Ethanol, 2,2',2'''-nitritoltris- (CAS 102-71-6)	Irritant
Sodium hydroxide (CAS 1310-73-2)	Irritant
Sodium metabisulfite (CAS 7681-57-4)	Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Not classified.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Not available.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity See below

Ecotoxicological data

Components		Species	Test Results
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)			
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/L, 96 hours
Ethanol, 2,2',2'''-nitritoltris- (CAS 102-71-6)			
Algae	IC50	Algae	216 mg/L, 72 Hours
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	10610 - 13010 mg/L, 96 hours
Sodium carbonate (CAS 497-19-8)			
Crustacea	EC50	Daphnia	265 mg/L, 48 Hours
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	156.6 - 298.9 mg/L, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	300 mg/L, 96 hours
Sodium hydrosulfite (CAS 7775-14-6)			
Algae	IC50	Algae	120 mg/L, 72 Hours
Crustacea	EC50	Daphnia	98 mg/L, 48 Hours
Sodium hydroxide (CAS 1310-73-2)			
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	34.59 - 47.13 mg/L, 48 hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	125 mg/L, 96 hours
Sodium lauryl sulfate (CAS 151-21-3)			
Algae	IC50	Algae	53 mg/L, 72 Hours
Crustacea	EC50	Daphnia	1.8 mg/L, 48 Hours
Aquatic			
Fish	LC50	Carp, hawk fish (Cirrhinus mrigala)	1.36 mg/L, 96 hours
Sodium metabisulfite (CAS 7681-57-4)			
Algae	IC50	Algae	48 mg/L, 72 Hours
Tetrasodium ethylenediamine tetraacetate (CAS 64-02-8)			
Algae	EC50	Algae	1.01 mg/L, 72 Hours

Components	Species	Test Results
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna) 610 mg/L, 24 hours
Fish	LC50	Bluegill (Lepomis macrochirus) 472 - 500 mg/L, 96 hours
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential		
Mobility in soil	No data available.	
Mobility in general	Not available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.
U.S. Department of Transportation (DOT)	Not regulated as dangerous goods.
Transportation of Dangerous Goods (TDG - Canada)	Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations	Exempt- consumer product This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II). This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, or any consumer product as defined in section 2 of the Canada Consumer Product Safety Act.
Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number	
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	1 TONNES
Export Control List (CEPA 1999, Schedule 3)	Not listed.
Greenhouse Gases	Not listed.
Precursor Control Regulations	Not regulated.
WHMIS 2015 Exemptions	Exempt
US federal regulations	Consumer product. This product is not subject to 29 CFR HCS 1910.1200 regulations. The following HCS exemptions for consumer products apply; 29 CFR 1910.1200(b)(5)(v) and (b)(6)(ix).
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated.
CERCLA Hazardous Substance List (40 CFR 302.4)	
Sodium hydroxide (CAS 1310-73-2)	Listed.
SARA 304 Emergency release notification	Not regulated.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)	Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Sodium hydroxide (CAS 1310-73-2) Listed.
Sodium metabisulfite (CAS 7681-57-4) Listed.

US - Illinois Chemical Safety Act: Listed substance

Sodium hydroxide (CAS 1310-73-2)

US - Louisiana Spill Reporting: Listed substance

Sodium hydroxide (CAS 1310-73-2) Listed.

US - Minnesota Haz Subs: Listed substance

Ethanol, 2,2",2""-nitrioltris- (CAS 102-71-6) Listed.
Sodium hydroxide (CAS 1310-73-2) Listed.
Sodium metabisulfite (CAS 7681-57-4) Listed.

US - Texas Effects Screening Levels: Listed substance

Distillates (petroleum), light hydrotreated (CAS 64742-47-8) Listed.
Ethanol, 2,2",2""-nitrioltris- (CAS 102-71-6) Listed.
Sodium carbonate (CAS 497-19-8) Listed.
Sodium dodecylbenzenesulfonate (CAS 68081-81-2) Listed.
Sodium hydrosulfite (CAS 7775-14-6) Listed.
Sodium hydroxide (CAS 1310-73-2) Listed.
Sodium lauryl sulfate (CAS 151-21-3) Listed.
Sodium metabisulfite (CAS 7681-57-4) Listed.
Tetrasodium ethylenediamine tetraacetate (CAS 64-02-8) Listed.

US. Massachusetts RTK - Substance List

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)
Ethanol, 2,2",2""-nitrioltris- (CAS 102-71-6)
Sodium hydrosulfite (CAS 7775-14-6)
Sodium hydroxide (CAS 1310-73-2)
Sodium metabisulfite (CAS 7681-57-4)

US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)
Ethanol, 2,2",2""-nitrioltris- (CAS 102-71-6)
Sodium hydrosulfite (CAS 7775-14-6)
Sodium hydroxide (CAS 1310-73-2)
Sodium metabisulfite (CAS 7681-57-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)
Ethanol, 2,2",2""-nitrioltris- (CAS 102-71-6)
Sodium hydrosulfite (CAS 7775-14-6)
Sodium hydroxide (CAS 1310-73-2)
Sodium metabisulfite (CAS 7681-57-4)

US. Rhode Island RTK

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)
Ethanol, 2,2",2""-nitrioltris- (CAS 102-71-6)
Sodium hydrosulfite (CAS 7775-14-6)
Sodium hydroxide (CAS 1310-73-2)
Sodium metabisulfite (CAS 7681-57-4)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 2
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

**Disclaimer**

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

25-March-2021

Version #

01

Effective date

25-March-2021

Prepared by

Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Further information

Not available.

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.