

Safety Data Sheet acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

1 Identification

- **Product identifier**
- **Trade name:** Sally Hansen Color Therapy Parent Model Formula
- **Article number:** ENG080456
- **Application of the substance / the mixture** Cosmetic product
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Coty Global HQ
Buitenveldertselaan 3-5
1082 VA Amsterdam
- **Information department:** Coty SDS Info Team
- **Emergency telephone number:**
CHEMTREC Emergency number: +1-703-527-3887
CHEMTREC US/NA Emergency number(toll free): 800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02 GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Butyl acetate

ethyl acetate

isopropyl alcohol

Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer

- **Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

Trade name: Sally Hansen Color Therapy Parent Model Formula

(Contd. of page 1)

- Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Wash thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 Call a poison center/doctor if you feel unwell.
 Specific treatment (see on this label).
 If skin irritation or rash occurs: Get medical advice/attention.
 If eye irritation persists: Get medical advice/attention.
 Wash contaminated clothing before reuse.
 In case of fire: Use for extinction: CO₂, powder or water spray.
 Store in a well-ventilated place. Keep container tightly closed.
 Store in a well-ventilated place. Keep cool.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

123-86-4	Butyl acetate	>25-≤50%
141-78-6	ethyl acetate	≥20-≤25%
9004-70-0	Nitrocellulose	>2.5-≤10%
67-63-0	isopropyl alcohol	>2.5-<10%
12001-26-2	Mica	>2.5-≤10%
13463-67-7	titanium dioxide	>2.5-≤10%
28407-73-0	Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer	≥0.1-<1%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
 Supply fresh air and to be sure call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

Trade name: Sally Hansen Color Therapy Parent Model Formula

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

123-86-4	Butyl acetate	5 ppm
141-78-6	ethyl acetate	1,200 ppm
67-63-0	isopropyl alcohol	400 ppm
12001-26-2	Mica	9 mg/m ³
13463-67-7	titanium dioxide	30 mg/m ³
115-86-6	triphenyl phosphate	9 mg/m ³
1309-37-1	Iron Oxides (CI 77491)	15 mg/m ³
65997-17-3	Calcium Aluminum Borosilicate	15 mg/m ³
7631-86-9	Silica	18 mg/m ³
123-42-2	4-hydroxy-4-methylpentan-2-one	150 ppm
1333-86-4	Carbon black	9 mg/m ³
66-25-1	hexanal	6 ppm
7664-38-2	Phosphoric Acid	3 mg/m ³
18282-10-5	Tin Oxide	7.6 mg/m ³

· **PAC-2:**

123-86-4	Butyl acetate	200 ppm
141-78-6	ethyl acetate	1,700 ppm
67-63-0	isopropyl alcohol	2000* ppm
12001-26-2	Mica	99 mg/m ³
13463-67-7	titanium dioxide	330 mg/m ³
115-86-6	triphenyl phosphate	360 mg/m ³
1309-37-1	Iron Oxides (CI 77491)	360 mg/m ³

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

Trade name: Sally Hansen Color Therapy Parent Model Formula

(Contd. of page 3)

65997-17-3	Calcium Aluminum Borosilicate	170 mg/m ³
7631-86-9	Silica	740 mg/m ³
123-42-2	4-hydroxy-4-methylpentan-2-one	350 ppm
1333-86-4	Carbon black	99 mg/m ³
66-25-1	hexanal	66 ppm
7664-38-2	Phosphoric Acid	30 mg/m ³
18282-10-5	Tin Oxide	85 mg/m ³

· PAC-3:

123-86-4	Butyl acetate	3000* ppm
141-78-6	ethyl acetate	10000** ppm
67-63-0	isopropyl alcohol	12000** ppm
12001-26-2	Mica	590 mg/m ³
13463-67-7	titanium dioxide	2,000 mg/m ³
115-86-6	triphenyl phosphite	2,100 mg/m ³
1309-37-1	Iron Oxides (CI 77491)	2,200 mg/m ³
65997-17-3	Calcium Aluminum Borosilicate	990 mg/m ³
7631-86-9	Silica	4,500 mg/m ³
123-42-2	4-hydroxy-4-methylpentan-2-one	2100* ppm
1333-86-4	Carbon black	590 mg/m ³
66-25-1	hexanal	86 ppm
7664-38-2	Phosphoric Acid	150 mg/m ³
18282-10-5	Tin Oxide	510 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Storage class: 3

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

Trade name: Sally Hansen Color Therapy Parent Model Formula

(Contd. of page 4)

At this time, the other constituents have no known exposure limits.

123-86-4 Butyl acetate

PEL Long-term value: 710 mg/m³, 150 ppm

REL Short-term value: 950 mg/m³, 200 ppm

Long-term value: 710 mg/m³, 150 ppm

TLV Short-term value: 712 mg/m³, 150 ppm

Long-term value: 238 mg/m³, 50 ppm

141-78-6 ethyl acetate

PEL Long-term value: 1400 mg/m³, 400 ppm

REL Long-term value: 1400 mg/m³, 400 ppm

TLV Long-term value: 1440 mg/m³, 400 ppm

67-63-0 isopropyl alcohol

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm

Long-term value: 492 mg/m³, 200 ppm

BEI

12001-26-2 Mica

PEL Long-term value: 20 mppcf ppm

<1% crystalline silica

REL Long-term value: 3* mg/m³

*respirable dust; containing < 1% quartz

TLV Long-term value: 3* NIC-0.1** mg/m³

*resp.fraction; **no asbestos, <1%crystalline silica

· Ingredients with biological limit values:

67-63-0 isopropyl alcohol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

Trade name: Sally Hansen Color Therapy Parent Model Formula

(Contd. of page 5)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Fluid
· Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.

· pH-value:	Not determined.
--------------------	-----------------

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	77-78 °C (170.6-172.4 °F)

· Flash point:	-1 °C (30.2 °F)
-----------------------	-----------------

· Flammability (solid, gaseous):	Not applicable.
---	-----------------

· Ignition temperature:	370 °C (698 °F)
--------------------------------	-----------------

· Decomposition temperature:	Not determined.
-------------------------------------	-----------------

· Auto igniting:	Product is not selfigniting.
-------------------------	------------------------------

· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
-------------------------------	--

· **Explosion limits:**

· Lower:	1.2 Vol %
· Upper:	11.5 Vol %

· Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
---	---------------------

· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.

· **Solubility in / Miscibility with**

· Water:	Not miscible or difficult to mix.
-----------------	-----------------------------------

· Partition coefficient (n-octanol/water):	Not determined.
---	-----------------

· **Viscosity:**

· Dynamic:	Not determined.
· Kinematic:	Not determined.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

Trade name: Sally Hansen Color Therapy Parent Model Formula

(Contd. of page 6)

· Solvent content:	
· Organic solvents:	54.6 %
· Water:	0.0 %
· VOC content:	54.57 % 545.7 g/l / 4.55 lb/gal
· Solids content:	24.4 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

123-86-4 Butyl acetate

Oral	LD50	13,100 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>21 mg/l (rat)

141-78-6 ethyl acetate

Oral	LD50	5,620 mg/kg (rabbit)
Inhalative	LC50/4 h	1,600 mg/l (rat)

67-63-0 isopropyl alcohol

Oral	LD50	5,840 mg/kg (rat) (bw (//OECD 401))
Dermal	LD50	12,956 mg/kg (rabbit) (bw (//OECD 402))
Inhalative	LC50/4 h	>24.578 mg/l (rat) (air (//OECD 403))

12001-26-2 Mica

Oral	LD50	>15,000 mg/kg (rat) (bw)
------	------	--------------------------

13463-67-7 titanium dioxide

Oral	LD50	>5,000 mg/kg (rat) (bw (OECD 425))
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>3.43 mg/l (rat) (air (OECD 403))

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

Trade name: Sally Hansen Color Therapy Parent Model Formula

(Contd. of page 7)

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

67-63-0	isopropyl alcohol	3
13463-67-7	titanium dioxide	2B
1309-37-1	Iron Oxides (CI 77491)	3
7631-86-9	Silica	3
1333-86-4	Carbon black	2B

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**· **DOT, IMDG, IATA**

UN1263

· **UN proper shipping name**· **DOT**· **IMDG, IATA**

Paint

PAINT

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

Trade name: Sally Hansen Color Therapy Parent Model Formula

(Contd. of page 8)

· **Transport hazard class(es)**· **DOT**

· **Class** 3 Flammable liquids
 · **Label** 3

· **IMDG, IATA**

· **Class** 3 Flammable liquids
 · **Label** 3

· **Packing group**· **DOT, IMDG, IATA** II· **Environmental hazards:** Not applicable.· **Special precautions for user** Warning: Flammable liquids· **Hazard identification number (Kemler code):** 33· **EMS Number:** F-E, S-E· **Stowage Category** B· **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.· **Transport/Additional information:**· **DOT**

· **Quantity limitations** On passenger aircraft/rail: 5 L
 On cargo aircraft only: 60 L

· **IMDG**· **Limited quantities (LQ)** 5L· **Excepted quantities (EQ)** Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 1263 PAINT, 3, II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Sara**· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

67-63-0 | isopropyl alcohol

7429-90-5 | Aluminum Powder

7664-38-2 | Phosphoric Acid

· **TSCA (Toxic Substances Control Act):**

123-86-4 | Butyl acetate

ACTIVE

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

Trade name: Sally Hansen Color Therapy Parent Model Formula

(Contd. of page 9)

141-78-6	ethyl acetate	ACTIVE
9004-70-0	Nitrocellulose	ACTIVE
77-90-7	Tributyl acetylacrylate	ACTIVE
67-63-0	isopropyl alcohol	ACTIVE
17852-98-1	D&C Red 6 Lake	ACTIVE
13463-67-7	titanium dioxide	ACTIVE
10101-66-3	Manganese Violet	ACTIVE
12003-38-2	Synthetic Fluorophlogopite	ACTIVE
5281-04-9	D&C Red NO.7 CALCIUM LAKE	ACTIVE
12225-21-7	FD&C Yellow NO.5 Aluminum Lake	ACTIVE
6417-83-0	CI 15880	ACTIVE
115-86-6	triphenyl phosphate	ACTIVE
1309-37-1	Iron Oxides (CI 77491)	ACTIVE
28407-73-0	Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer	ACTIVE
25869-00-5	Ferric Ammonium Ferrocyanide	ACTIVE
7429-90-5	Aluminum Powder	ACTIVE
9010-92-8	Styrene/acrylates copolymer	ACTIVE
8001-79-4	Castor oil	ACTIVE
68921-42-6	FD&C Blue No.1 Aluminium Lake	ACTIVE
65997-17-3	Calcium Aluminum Borosilicate	ACTIVE
81-48-1	Violet 2	ACTIVE
5232-99-5	Etocrylene	ACTIVE
7631-86-9	Silica	ACTIVE
123-42-2	4-hydroxy-4-methylpentan-2-one	ACTIVE
1333-86-4	Carbon black	ACTIVE
66-25-1	hexanal	ACTIVE
1332-58-7	Kaolin	ACTIVE
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
7664-38-2	Phosphoric Acid	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

13463-67-7 titanium dioxide

1333-86-4 Carbon black

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

67-63-0 isopropyl alcohol

A4

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

Trade name: Sally Hansen Color Therapy Parent Model Formula

(Contd. of page 10)

13463-67-7	titanium dioxide	A4
115-86-6	triphenyl phosphate	A4
1309-37-1	Iron Oxides (CI 77491)	A4
7429-90-5	Aluminum Powder	A4
1333-86-4	Carbon black	A4
1332-58-7	Kaolin	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

13463-67-7	titanium dioxide
1333-86-4	Carbon black

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

Butyl acetate

ethyl acetate

isopropyl alcohol

Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer

· **Hazard statements**

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2020

Reviewed on 02/04/2019

Trade name: Sally Hansen Color Therapy Parent Model Formula

(Contd. of page 11)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Coty SDS Global Service

· **Contact:** Sandra SALICIS

· **Date of preparation / last revision** 11/21/2020 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3