

B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

SECTION 1. IDENTIFICATION

Product name : B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs,

Fresh Scent, 85 Count

Product code : ASIN: B09CLR75K6

Manufacturer or supplier's details

Company name of supplier : Amazon.com Services LLC

Address : 410 Terry Ave. N.

Seattle WA 98109

Telephone : (888) 282-7963

Emergency telephone : Poison Control Center: (800) 222-1222

E-mail address : ProductSafety@amazon.com

Recommended use of the chemical and restrictions on use

Recommended use : Detergent

Consumer cleaning product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Serious eye damage : Category 1

Respiratory sensitization : Category 1

GHS label elements

Hazard pictograms





Signal Word : Danger



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version SDS Number: Date of last issue: 08/03/2022 Revision Date: Date of first issue: 08/03/2022 1.0 08/03/2022 10825983-00001

Hazard Statements May form combustible dust concentrations in air.

> H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing diffi-

culties if inhaled.

Precautionary Statements Prevention:

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves, eye protection and face protec-

P285 In case of inadequate ventilation wear respiratory protec-

tion.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P341 IF INHALED: If breathing is difficult, remove per-

son to fresh air and keep comfortable for breathing.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.

P332 + P313 If skin irritation occurs: Get medical attention. P342 + P311 If experiencing respiratory symptoms: Call a doc-

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Sodium carbonate	497-19-8	>= 50 - < 70
Disodium carbonate, compound with	15630-89-4	>= 20 - < 30
hydrogen peroxide (2:3)		
Fatty Alcohol Alkoxylate	Not Assigned	>= 5 - < 10
Silicic acid, sodium salt	1344-09-8	>= 1 - < 5
Subtilisin	9014-01-1	>= 0.1 - < 1



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

Amylase, α - | 9000-90-2 | >= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

Harmful if swallowed. Causes skin irritation.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version SDS Number: Date of last issue: 08/03/2022 Revision Date: 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Do not use a solid water stream as it may scatter and spread

Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Metal oxides

Carbon oxides Sulfur oxides

Nitrogen oxides (NOx)

Silicon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are relea-

sed into the atmosphere in sufficient concentration.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version SDS Number: Date of last issue: 08/03/2022 Revision Date: 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

SECTION 7. HANDLING AND STORAGE

Technical measures Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Use only with adequate ventilation.

Advice on safe handling Do not get on skin or clothing.

> Do not breathe dust. Avoid breathing dust. Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Do not store with the following product types: Materials to avoid

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Subtilisin	9014-01-1	С	0.00006 mg/m ³ (crystalline active enzyme)	ACGIH
		ST	0.00006 mg/m ³	NIOSH REL

Engineering measures Ensure adequate ventilation, especially in confined areas.

> Minimize workplace exposure concentrations. Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts,

dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version 1.0

Revision Date: 08/03/2022

SDS Number: 10825983-00001

Date of last issue: 08/03/2022 Date of first issue: 08/03/2022

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.

Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : not required

Eye protection : Wear the following personal protective equipment:

Chemical resistant goggles must be worn. If splashes are likely to occur, wear:

Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Packed powder

Color : white, blue



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

Odor : characteristic

Odor Threshold : No data available

pH : 10.4 - 11.0 (77 °F / 25 °C)

Concentration: 1 %

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : $> 199 \, ^{\circ}\text{F} / > 93 \, ^{\circ}\text{C}$

Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : 1.00 - 1.11 g/cm³ (68 °F / 20 °C)

Solubility(ies)

Water solubility : completely soluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : does not ignite

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Vapors may form explosive mixture with air.

Dust can form an explosive mixture in air.

Can react with strong oxidizing agents.

Conditions to avoid : Avoid dust formation.

Incompatible materials : Oxidizing agents

Acids

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,273 mg/kg

Method: Calculation method

Components:

Sodium carbonate:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.74 mg/l

Exposure time: 4.5 h
Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Disodium carbonate, compound with hydrogen peroxide (2:3):

Acute oral toxicity : LD50 (Rat): 893 mg/kg



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Fatty Alcohol Alkoxylate:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Method: Expert judgment

Silicic acid, sodium salt:

Acute inhalation toxicity : LC50 (Rat): > 2 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: OPPTS 870.1300

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OPPTS 870.1200

Remarks: Based on data from similar materials

Subtilisin:

Acute oral toxicity : LD50 (Rat): 1,800 mg/kg

Amylase, α-:

Acute oral toxicity : LD50 (Rat): > 1,911 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Skin corrosion/irritation

Causes skin irritation.

Components:

Sodium carbonate:

Species : Human

Result : No skin irritation

Disodium carbonate, compound with hydrogen peroxide (2:3):

Species : Rabbit

Result : No skin irritation

Fatty Alcohol Alkoxylate:

Result : Skin irritation



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2022

 1.0
 08/03/2022
 10825983-00001
 Date of first issue: 08/03/2022

Silicic acid, sodium salt:

Species : Rabbit Result : Skin irritation

Subtilisin:

Result : Skin irritation

Remarks : Based on harmonised classification in EU regulation

1272/2008, Annex VI

Amylase, α-:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Sodium carbonate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Disodium carbonate, compound with hydrogen peroxide (2:3):

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Silicic acid, sodium salt:

Species : Rabbit

Result : Irreversible effects on the eye

Subtilisin:

Result : Irreversible effects on the eye

Remarks : Based on harmonised classification in EU regulation

1272/2008, Annex VI

Amylase, α-:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Disodium carbonate, compound with hydrogen peroxide (2:3):

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Silicic acid, sodium salt:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

Subtilisin:

Assessment : Probability of respiratory sensitization in humans based on

animal testing

Remarks : Based on harmonised classification in EU regulation

1272/2008, Annex VI

Amylase, α-:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Assessment : May cause sensitization by inhalation.

Remarks : Based on harmonised classification in EU regulation

1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Components:

Silicic acid, sodium salt:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Subtilisin:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Amylase, α-:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Sodium carbonate:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Silicic acid, sodium salt:



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 08/03/2022

 1.0
 08/03/2022
 10825983-00001
 Date of first issue: 08/03/2022

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

Components:

Silicic acid, sodium salt:

Assessment : May cause respiratory irritation.

Subtilisin:

Assessment : May cause respiratory irritation.

Remarks : Based on harmonised classification in EU regulation

1272/2008, Annex VI

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Silicic acid, sodium salt:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 180 Days

Subtilisin:

Species : Rat

NOAEL : >= 360 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Amylase, α-:

Species : Rat

NOAEL : >= 1,100 mg/kg

Application Route : Ingestion Exposure time : 91 Days

Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 200 - 227 mg/l

Exposure time: 48 h

Disodium carbonate, compound with hydrogen peroxide (2:3):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70.7 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 4.9 mg/l

Exposure time: 48 h

Silicic acid, sodium salt:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 260 - 310 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,700 mg/l

Exposure time: 48 h

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 345.4

mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 3,454 mg/l

Exposure time: 0.5 h

Subtilisin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 14.6 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.170 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.830

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.317

mg/l



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.042 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.324 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Amylase, α -:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 212 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 49 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 25 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Persistence and degradability

Components:

Disodium carbonate, compound with hydrogen peroxide (2:3):

Biodegradability : Result: rapidly degradable

Subtilisin:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 100 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Amylase, α-:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 99 % Exposure time: 28 d

Method: OECD Test Guideline 301E



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

Bioaccumulative potential

Components:

Subtilisin:

Partition coefficient: n-

octanol/water

log Pow: -3.1

Amylase, α-:

Partition coefficient: n-

octanol/water

log Pow: -1.3

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version 1.0

Revision Date: 08/03/2022

SDS Number: 10825983-00001

Date of last issue: 08/03/2022 Date of first issue: 08/03/2022

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Acute toxicity (any route of exposure) Respiratory or skin sensitization

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Sodium carbonate 497-19-8 Sodium sulphate 7757-82-6 Disodium carbonate, compound with hydrogen peroxide (2:3) 15630-89-4 Sodium citrate, dihydrate 6132-04-3 Alanine, N,N-bis(carboxymethyl)-, trisodium salt 164462-16-2 Fatty Alcohol Alkoxylate Not Assigned Polyvinyl alcohol 9002-89-5 7732-18-5 water Silicic acid, sodium salt 1344-09-8

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

SECTION 16. OTHER INFORMATION

Further information



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count


Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

NFPA 704:

Flammability Health 3 0 Instability

Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

ACGIH / C : Ceiling limit

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concern-



B09CLR75K6 Amazon Basics Dishwasher Detergent Pacs, Fresh Scent, 85 Count

Version Revision Date: SDS Number: Date of last issue: 08/03/2022 1.0 08/03/2022 10825983-00001 Date of first issue: 08/03/2022

ing the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 08/03/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8