Specification sheet

Product specifications

Product information

[HP ENVY Photo 7155 All-in-One Printer](#)

Functions

Print, Scan, Copy, Web, Photo

Copies, maximum

Up to 50 copies

Power

Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz)

Power consumption

13.95 watts (printing), 3.60 watts (ready), 0.93 watts (sleep), 0.20 watts (off)[1]

Energy efficiency

ENERGY STAR® qualified

Operating temperature range

41 to 104ºF

Operating humidity range

20 to 80% RH

Dimensions (W X D X H)

17.87 x 6.34 x 16.14 in

Dimensions Maximum (W X D X H)

17.87 x 6.34 x 16.14 in

Weight

14.30 lb

Package weight

18.92 lb

What's in the box

HP ENVY Photo 7155 All-in-One Printer; HP 64 Setup Black Instant Ink Ready Cartridges (~185 pages); HP 64 Setup Tri-color Instant Ink Ready Cartridges (~120 pages); Ink Caution Flyer; Power Cord; Setup card; Getting started guide; Instant Ink Flyer; Media Pack

Cable included

No, please purchase USB cable separately.

Warranty

One-year limited hardware warranty; For more info please visit us at http://support.hp.com

Software included

HP Printer Software, HP Update, Shop for Supplies Online, HP Photo Creations

First page out (ready) black

As fast as 16 sec

First page out (ready) color

As fast as 18 sec

Resolution (black)

Up to 1200 x 1200 rendered dpi (when printing from a computer)

Resolution (color)

Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected HP photo papers and Print in Max dpi)

Monthly duty cycle

Up to 1000 pages

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and

enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

Print speed, black (ISO, laser comparable)

Up to 14 ppm

Recommended monthly page volume

300 to 400

Print Technology

HP Thermal Inkjet

Display

2.65" (6.75 cm) Capacitive touchscreen color graphics

Number of print cartridges

2: 1 black, 1 Tri-color (cyan, magenta, yellow)

Replacement cartridges

HP 64 Black Ink Cartridge (~200 pages); HP 64 Tri-color Ink Cartridge (~165 pages); HP 64XL Black Ink Cartridge (~600 pages); HP 64XL Tri-color Ink Cartridge (~415 pages). Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies [2]

Dynamic security

Dynamic security enabled printer. Intended to be used with cartridges using only HP original electronic circuitry. Cartridges with modified or non-HP electronic circuitry may not work, and those that work today may not work in the future.

http://www.hp.com/go/learnaboutsupplies

Compatible ink types

Dye-based (color); pigment-based (black)

Print languages

HP PCL 3 GUI

Automatic paper sensor

Yes

Print speed, color (ISO, laser comparable)

Up to 9 ppm

Paper trays, standard

2 (Main and Photo Trays)

Paper trays, maximum

2 (Main and Photo Trays)

Mobile Printing Capability

HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing

Connectivity, standard

1 USB 2.0 client ; 1 Wi-Fi 802.11b/g/n, dual band wifi 2.4/5Ghz, BLE,SD card slot

Minimum system requirements

OS X v10.10 Yosemite, OS X v10.11 El Capitan, OS X v10.12 Sierra, 1 GB HD, Internet

Microsoft® Windows® 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer. Windows Vista®: 800 MHz 32-bit (x86) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8. Windows Vista x64 has been removed from support on the CD & Web packs. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher.

Compatible operating systems

Windows 10 (32-bit and 64-bit), Windows 8.1 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows XP (32-bit) (Professional and Home Editions); OS X v10.10 Yosemite, OS X v10.11 El Capitan, macOS 10.12 Sierra; Linux (For more information, see http://hplipopensource.com/hplip-web/index.html)

Memory card compatibility

Secure Digital

Memory, standard

256 MB DDR3

Supported network protocols

IPv4, IPv6, Bonjour, Custom Raw Port/Port9100, mDNS, Embedded Web Server, Wireless Network Supported,SLP, WS-Print, Wireless b/g/n, WEP/WPA (AES), SNMP, Internet Printing Protocol, Bluetooth LE

Duplex printing

Automatic

Envelope input capacity

Up to 5 envelopes

Borderless printing

Yes (up to 8.5 x 11 in, 216 x 297 mm)

Finished output handling

Sheetfed

Media sizes supported

A4; A5; B5; DL; C6; A6

Media sizes, custom

3.85 x 8.5 to 5 x 14 in

Media types

Plain Paper; HP Photo Papers; HP Matte Brochure or Professional Paper; HP Matte Presentation Paper; HP Glossy Brochure or Professional Paper; Other Photo Inkjet Papers; Other Matte Inkjet Papers; Other Glossy Inkjet Papers, Plain Paper, Light/Recycled

Recommended media weight

18 to 22 lb

Supported media weight

16 to 80 lb

Media weights by paper path

Tray 1: A4: 75 to 90 g/m²; HP envelopes: 75 to 90 g/m²; HP Photo Paper: up to 300 g/m²; HP 10 x 15 cm photo paper: up to 300 g/m²

Scanner type

Flatbed

Scan file format

RAW, JPG, PDF

Scan resolution, hardware

Up to 1200 dpi

Scan resolution, optical

Up to 1200 dpi

ADF Capacity

No ADF

Digital sending features

scan to SD

Digital send file Formats

PDF; BMP; PNG; TIF; JPG

Copy speed color (draft)

Up to 18 cpm

Copy resolution (black text)

300 x 300 dpi

Copy resolution (colour text and graphics)

600 x 600 dpi