

Instruction / Installation Sheet
DataComm Electronics 45-6001-WH-S 1-Gang Recessed Cable Plate with Bracket

DATA COMM™
ELECTRONICS

DataComm Electronics, Inc.
6349 Peachtree Street
Norcross, GA 30071-1725
888.223.7977
770.662.8205
www.DataCommElectronics.com



- This product is designed for use with low voltage cables **ONLY**.
- **DO NOT** run or pull a TV cord or other electrical cords inside the wall.
- It is a violation of the National Electric Code (NEC) to run power cords or extension cords behind the wall.

Parts Included

1. One (1) Recessed Cable Plate
2. One (1) Low Voltage Mounting Bracket

Tools Needed

1. Drywall saw
2. 6 Ft. tape measure
3. Pencil
4. Screwdriver

Use DataComm Electronics 1-gang recessed cable plate with mounting bracket behind your flat panel TV, (see **Figure 1**), your amplifier or other audio and video devices. The 45-6001-WH-S can be installed upright or upside down.

Installing the Low Voltage Mounting Bracket

- Determine the location of your flat panel TV, amplifier or audio/video device.
- Hold the included low voltage mounting bracket with the face against the wall in your desired location.
- Use pencil and trace the two flat sides of the bracket (see **fig. 2**)
- Rotate the bracket 180°, aligning start and end points from your first mark and repeat previous step (see **figure 3**)
- Cut along the traced line with a drywall saw or utility knife.
- Insert low voltage mounting bracket into opening. Tighten down each of the screws. As the wings tighten they will catch the back of the drywall, securing the plate in place.

Installing the 1-Gang Recessed Cable Plate

- Run your low voltage cables through the low voltage mounting bracket.
- Pull cables through the recessed low voltage cable plate.
- Place the recessed low voltage cable plate onto the low voltage mounting bracket and secure with the included screws.

CAUTION

- **Never install low voltage wiring during lightning storms.**
- **Never install low voltage wiring in wet locations unless the wire is specifically designed for wet locations.**
- **Never touch un-insulated low voltage wires or terminals unless the wire has been disconnected at its source.**
- **Use caution when installing low voltage cables.**

IMPORTANT INSTRUCTIONS

- **Read and understand all instructions.**
- **Follow all warning and instructions marked on the product.**
- **Do not use this product near water, for example near a bath tub, wash bowl, kitchen sink, or laundry tub, in a wet basement, or near a swimming pool.**
- **SAVE THESE INSTRUCTIONS.**

This product is patent protected by U.S. Patent numbers D553475, D554475 and 7390964

RoHS Compliant




fig. 2



fig. 3




Figure 4