

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Effective Date: March 2019

Void After: March 2024

Product: Plumbing Fixture Fittings

File No. 10110

Issued To: Kaiping Haoju Sanitary Ware Industrial Co., Ltd.
#200-206,
Jiaxing Industrial Zone,
Shuikou Town
Kaiping Guandong, GD 529321
China

Identification: Plumbing supply fittings complying with this Standard shall be marked with the manufacturer's recognized name, trademark, or other mark or, in the case of private labeling, the name, trademark or other mark of the customer for whom the fitting was manufactured. The marking shall be accomplished by use of a permanent mark or by placing a permanent label on the product. Markings on plumbing supply fittings shall be visible after installation.

Single-handle, single-control, and automatic compensating mixing bath and shower valves shall have identifiable temperature control settings in which the settings are indicated by words ("cold", "warm", "hot", etc.), by numbers, or graphically.

Packages shall be marked with the manufacturer's name, trademark, or other mark as well as the model number or, in the case of private


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Void After: March 2024

Product: Plumbing Fixture Fittings

File No. 10110

Issued To: Kaiping Haoju Sanitary Ware Industrial Co., Ltd.

labeling, the name, trademark, or mark of the customer for whom the fitting was manufactured as well as the model number.

Automatic compensating valves shall be accompanied by instructions for their installation, adjustment, and servicing, which shall specify how the handle position or limit setting is to be adjusted.

Listed products shall bear the cUPC® certification mark.

Characteristics: Fittings may include lavatory, sink, bath & shower, lawn and sediment faucets. To be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada

Products are in compliance with the following standard(s):

ASME A112.18.1-2018/CSA B125.1-18



IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Void After: March 2024

Product: Plumbing Fixture Fittings

File No. 10110

Issued To: Kaiping Haoju Sanitary Ware Industrial Co., Ltd.

MODELS:

Note: Models are in compliance with ICC/ANSI A117.1.

<u>Model No.</u>	<u>Description</u>
B00101**	Basin Faucet
B00701**	Basin Faucet
B00702**	Basin Faucet
B01501**	Basin Faucet
B01502**	Basin Faucet
B01601**	Basin Faucet
B10901**	Basin Faucet
B11704**	Basin Faucet
B11804**	Basin Faucet
K10202**	kitchen faucet
K11101**	kitchen faucet
K11202**	kitchen faucet
K11301**	kitchen faucet
K11801**	kitchen faucet
K12101**	kitchen faucet
K12201**	kitchen faucet
K13701**	kitchen faucet
K62202**	kitchen faucet
K873HY1**	kitchen faucet
S00801**	bath/tub shower faucet
S13302**	bath/tub shower faucet
S13601**	bath/tub shower faucet
S13901**	bath/tub shower faucet
S14502**	bath/tub shower faucet

Suffixes:

"""" denotes different finishes.

C = Polished Chrome

BN = Brushed Nickel

ORB = Oil Rubbed Bronze (RB)

"""" denotes different flow rate.

For basin faucet:

1.2 = 1.2 GPM

1.5 = 1.5 GPM

2.2 = 2.2 GPM

For kitchen faucet:

1.75 = 1.75 GPM



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Void After: March 2024

Product: Plumbing Fixture Fittings

File No. 10110

Issued To: Kaiping Haoju Sanitary Ware Industrial Co., Ltd.

2. 2 = 2.2 GPM

For shower set:

1.75 = 1.75 GPM

2.5 = 2.5 GPM



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Void After: March 2024

Product: Plumbing Fixture Fittings

File No. 10110

Issued To: Kaiping Haoju Sanitary Ware Industrial Co., Ltd.

ADDITIONAL COMPANY INFO:

DAKOTA PLUMBLING PRODUCTS, LLC

<u>Model No.</u>	<u>Description</u>
DF015B250(**)	Basin Faucet
DF015B350(**)	Basin Faucet
DF054B250(**)	Basin Faucet
DF10K200(**)	kitchen faucet
DF10K201(**)	kitchen faucet
DF10K300(**)	kitchen faucet
DF10K301(**)	kitchen faucet
DF10K302(**)	kitchen faucet
DF10K303(**)	kitchen faucet
DF10K304(**)	kitchen faucet
DF10K305(**)	kitchen faucet
DF10K306(**)	kitchen faucet
DF10K307(**)	kitchen faucet
DF10K400(**)	kitchen faucet
DF10K401(**)	kitchen faucet
DF1355B125(**)	Basin Faucet
DF231B250(**)	Basin Faucet
DF231B350(**)	Basin Faucet
DF30B550(**)	Basin Faucet
DF322POK(**)	kitchen faucet
DF32B250(**)	Basin Faucet
DF32B350(**)	Basin Faucet
DF34B250(**)	Basin Faucet
DF34B350(**)	Basin Faucet
DF34TS125(**)	bath/tub shower faucet
DF34TS225(**)	bath/tub shower faucet
DF40B250(**)	Basin Faucet
DF40TS225(**)	bath/tub shower faucet
DF426S125(**)	bath/tub shower faucet
DF778S125(**)	bath/tub shower faucet

Suffixes:

"""" denotes different finishes.

C = Polished Chrome

BN = Brushed Nickel

ORB = Oil Rubbed Bronze (RB)

"""" denotes different flow rate.

For basin faucet:

1.2 = 1.2 GPM



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Void After: March 2024

Product: Plumbing Fixture Fittings

File No. 10110

Issued To: Kaiping Haoju Sanitary Ware Industrial Co., Ltd.

1.5 = 1.5 GPM
2.2 = 2.2 GPM

For kitchen faucet:
1.75 = 1.75 GPM
2. 2 = 2.2 GPM

For shower set:
1.75 = 1.75 GPM
2.5 = 2.5 GPM

Li Seng Household Product Limited

<u>Model No.</u>	<u>Description</u>
981001B**	Basin Faucet
981001K**	kitchen faucet
981001S**	bath/tub shower faucet
981002B**	Basin Faucet
981002K**	kitchen faucet
981002S**	bath/tub shower faucet
981003B**	Basin Faucet
981003K**	kitchen faucet
981003S**	bath/tub shower faucet
981004B**	Basin Faucet
981004K**	kitchen faucet
981004S**	bath/tub shower faucet
981005B**	Basin Faucet
981005S**	bath/tub shower faucet
981006B**	Basin Faucet
981007B**	Basin Faucet
981009B**	Basin Faucet
984005K**	kitchen faucet
984006K**	kitchen faucet
984007K**	kitchen faucet
984008B**	Basin Faucet
984008K**	kitchen faucet
984009K**	Kitchen Faucet
984010K**	Kitchen Faucet
984011K**	drink water faucet

Suffixes:

"""" denotes different finishes.

C = Polished Chrome



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Void After: March 2024

Product: Plumbing Fixture Fittings

File No. 10110

Issued To: Kaiping Haoju Sanitary Ware Industrial Co., Ltd.

BN = Brushed Nickel
ORB = Oil Rubbed Bronze (RB)

"""" denotes different flow rate.

For basin faucet:

1.2 = 1.2 GPM
1.5 = 1.5 GPM
2.2 = 2.2 GPM

For kitchen faucet:

1.75 = 1.75 GPM
2.2 = 2.2 GPM

For shower set:

1.75 = 1.75 GPM
2.5 = 2.5 GPM

Montieri International Ltd.

<u>Model No.</u>	<u>Description</u>
MBF.001**	basin faucet
MBF.001a**	basin faucet
MBF.001b**	basin faucet
MBF.002**	basin faucet
MBF.003**	basin faucet
MBF.004**	basin faucet
MBF.005**	basin faucet
MBT.001**	basin faucet
MBT.002**	basin faucet
MK.002**	kitchen faucet
MK.003**	kitchen faucet
MK.004**	kitchen faucet
MK.005**	kitchen faucet
MK.006**	kitchen faucet
MK.007**	kitchen faucet
MK.008**	kitchen faucet
MK.009**	kitchen faucet
MK.010**	kitchen faucet
MKF.001**	kitchen faucet
MS.002**	bath/tub shower faucet
MS.003**	bath/tub shower faucet
MS.004**	bath/tub shower faucet
MSF.001**	bath/tub shower faucet
MSF.001a**	bath/tub shower faucet

Suffixes:



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Void After: March 2024

Product: Plumbing Fixture Fittings

File No. 10110

Issued To: Kaiping Haoju Sanitary Ware Industrial Co., Ltd.

"""" denotes different finishes.

C = Polished Chrome

BN = Brushed Nickel

ORB = Oil Rubbed Bronze (RB)

"""" denotes different flow rate.

For basin faucet:

1.2 = 1.2 GPM

1.5 = 1.5 GPM

2.2 = 2.2 GPM

For kitchen faucet:

1.75 = 1.75 GPM

2.2 = 2.2 GPM

For shower set:

1.75 = 1.75 GPM

2.5 = 2.5 GPM