

PRODUCT SPECIFICATIONS

Functions

Print, copy, scan, fax

Print speed, black (ISO, laser comparable)

Up to 20 ppm

Print speed, color (ISO, laser comparable)

Up to 10 ppm

Print speed, black (draft)

Up to 29 ppm

Print speed, color (draft)

Up to 25 ppm

Print speed, black (normal)

Up to 20 ppm

Print speed, color (normal)

Up to 10 ppm

First page out (ready) black

As fast as 13 sec

First page out (ready) color

As fast as 16 sec

Resolution (black)

1200 x 1200 rendered dpi

Resolution (color)

Up to 4800 x 1200 optimized dpi on HP Advance Photo Paper 1200 x 1200 dpi input

Resolution technology

HP Thermal Inkjet

Monthly duty cycle

Up to 20,000 pages

Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Color InkJet devices.

Recommended monthly page volume

Up to 800 pages

Print Technology

HP Thermal Inkjet

Display

2.7" (6.86 cm) Capacitive Touchscreen CGD

Processor speed

1.2 GHz

Number of print cartridges

4 (1 each black, cyan, magenta, yellow)

Replacement cartridges

HP 910 Black Original Ink Cartridge (~300 pages) 3YL61AN; HP 910 Cyan Original Ink Cartridge 3YL58AN; HP 910 Magenta Original Ink Cartridge 3YL59AN; HP 910 Yellow Original Ink Cartridge 3YL60AN (CMY composite ~315 pages); HP 910XL Black Original Ink Cartridge (~825 pages) 3YL65AN; HP 910XL Cyan Original Ink Cartridge 3YL62A; HP 910XL Magenta Original Ink Cartridge 3YL63A; HP 910XL Yellow Original Ink Cartridge 3YL64AN

(CMY composite pages ~825); HP 916XL Black Original Ink Cartridge 3YL66AN (~1,500 pages). Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

Compatible ink types

Pigment-based (black and color)

Print languages

HP PCL3 GUI

Automatic paper sensor

No

Paper trays, standard

1

Paper trays, maximum

1

Mobile Printing Capability

HP Smart; Apple AirPrint™; Wi-Fi® Direct Printing; Mopria™ Certified

Connectivity, standard

1 USB 2.0; 1 Ethernet; 1 Wireless 802.11a/b/g/n; 1 RJ-11 Fax

Security management

SSL/TLS (HTTPS); IPP over TLS; 802.1x Authentication for Ethernet (PEAP and EAP-TLS); WPA2-Enterprise; WPA2-Personal; Certificates configuration; Control panel lock; Password protect EWS; Unused protocol and service disablement; Signed firmware; Administrator settings

Memory, standard

256 MB

Minimum system requirements

OS X v10.11 El Capitan; macOS Sierra v10.12 (previously OS X); macOS High Sierra v10.13; macOS Mojave v10.14; 1.5 GB HD; Internet access

Windows 10, 8.1, 8, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer

Compatible operating systems

Windows 10, 8.1, 8, 7, Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016

Supported network protocols

9100; LPR; SNMP; SLP; Internet Printing Protocol (IPP); WS-Print; Wireless

Paper handling input, standard

225-sheet input tray, 35-sheet ADF

Paper handling output, standard

60-sheet output tray

Duplex printing

Automatic (standard)

Envelope input capacity

Up to 10 envelopes

Borderless printing

Yes, on photo paper only, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)

Finished output handling

Sheet feed

Media sizes supported

Letter; Legal; Government Legal; Executive; Statement; 4 x 6 in; 5 x 7 in; 13 x 18 cm; 8 x 10 in; 10 x 15 cm; L; Photo 2L; Envelope(#10, Monarch, 5.5 bar); Card (4 x 6 in, 5 x 8 in)

Media sizes, custom

Tray 1: 3 x 5 to 8.5 x 14 in

Media types

Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Thick Plain Paper,Light/Recycled Plain Paper,HP Tri-fold Brochure Paper, Glossy

Recommended media weight

16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)

Supported media weight

16 to 28 lb (plain paper); 60 to 75 lb (photo); 20 to 24 lb (envelope); 90 to 110 lb (card)

Scanner type

Flatbed, ADF

Scan file format

JPG, BMP, TIFF, PDF, RTF, TXT, PNG

Scan resolution, hardware

Up to 1200 x 1200 dpi

Scan resolution, optical

Up to 1200 dpi

Scan size (flatbed), maximum

8.5 x 11.7 in

Scan size (ADF), maximum

8.5 x 14 in

ADF Capacity

Standard, 35 sheets

Digital sending features

Scan to thumb drive/PC

Digital send file Formats

PDF; TIFF; JPEG

Copy resolution (black text)

Up to 600 dpi

Copy resolution (colour text and graphics)

Up to 600 dpi

Copy reduce / enlarge settings

25 to 400%

Copies, maximum

Up to 99 copies

Faxing

Yes, color

Fax transmission speed

4 sec per page

Fax memory

Up to 100 pages

Fax resolution

Up to 300 x 300 dpi

Speed dials, maximum number

Up to 99 numbers

Broadcast locations

20

Power

Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz

Power consumption

Up to 21 watts (printing), 5.80 watts (ready), 1.00 watts (sleep), 0.08 watts (manual-off)

Product disclaimer

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future.

<http://www.hp.com/go/learnaboutsupplies>

Energy efficiency

ENERGY STAR® qualified; EPEAT® Silver

Operating temperature range

41 to 104°F

Operating humidity range

20 to 75% RH

Software included

HP Printer Software, Shop for Supplies Online

Warranty

One-year limited hardware warranty; For more info please visit us at <http://support.hp.com>

Dimensions (W X D X H)

18.11 x 13.43 x 9.21 in

Dimensions Maximum (W X D X H)

18.12 x 20.13 x 9.17 in

Weight

18.04 lb

Package weight

22.88 lb

What's in the box

HP OfficeJet Pro 8035 All-in-One Printer Oasis; HP 910 Setup Black Instant Ink Ready Cartridge; HP 910 Setup Cyan Instant Ink Ready Cartridge; HP 910 Setup Magenta Instant Ink Ready Cartridge; HP 910 Setup Yellow Instant Ink Ready Cartridge; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide; Instant Ink Flyer.