

# ULTREAN

## CENTRIFUGAL JUICER



Ultrean Support: [Support@ultrean.com](mailto:Support@ultrean.com)

Model No.: GS-329

# Thank You

Thank you for purchasing our Juicer.

Ultrean is committed to providing our customers with a  
hassle-free service.

If you have any questions about your new Juicer or this manual,  
please feel free to contact us at [support@ultrean.com](mailto:support@ultrean.com).

We hope you can enjoy using your Ultrean Juicer starting  
from now!

Visit us at

 <https://www.ultrean.com>

 @UltreanOfficial

More surprises are waiting for you.

Questions or Concerns? | Preguntas or dudas?

[support@ultrean.com](mailto:support@ultrean.com)

# TABLE OF CONTENTS

PACKAGE CONTENTS.....	1
SAFETY INFORMATION.....	1
DIAGRAM OF THE MAIN COMPONENT.....	3
SPECIFICATIONS.....	4
DISASSEMBLY / ASSEMBLY .....	4
OPERATION.....	7
CARE & MAINTENANCE.....	9
TROUBLESHOOTING .....	10
LIMITED WARRANTY.....	11
DISCLAIMER.....	12
CUSTOMER SUPPORT.....	13

# PACKAGE CONTENTS

Centrifugal Juicer	x 1
Juice Jug (1.1L)	x 1
Pulp Container (2L)	x 1
Cleaning Brush	x 1
User Manual	x 1

# SAFETY INFORMATION

## IMPORTANT SAFEGUARDS

Read all the instructions carefully before using it for the first time. We recommend that you keep the manual for future reference, even if you are familiar with the product. The basic safety precautions should always be followed. Failure to comply with this manual may cause fire, electric shock, damage to the electrical appliance and serious injury.

## SAFETY USE & CARE


- **HOUSEHOLD Use Only.** The manufacturer is not responsible for any injury or damage resulting from incorrect use or handling (see also Warranty).
- This appliance should not be used by children aging 8 and younger or by persons with reduced physical, sensory, or mental capabilities or lack of experience and knowledge, unless they are supervised or are given instruction concerning the use of this appliance in a safe way and understand the hazards involved. Children shall not play with the appliance.
- Make sure all parts are correctly assembled before you switch on the juicer.
- **DO NOT** immerse the juicer motor base or cord of the appliance in water or other liquids.
- **DO NOT** operate with wet or damp hands.
- Never leave the juicer unattended when it is operating.

- NEVER use your fingers or other objects into the feeding chute while the appliance is running. Only use the tamper if food becomes stuck in the opening, or use another piece of fruit or vegetable to push it down.
- When this method is not possible, turn the power off and disassemble the juicer to remove the remaining food.
- The juicer will automatically shut off the motor if it is jammed or overheated during the juicing process.
- NEVER stick fingers or other objects in the juicer spout.
- The juicer will only operate when the safety clamp is fully upright and locked.
- DO NOT unlock the clamp until the motor is completely stopped.
- The centrifugal bowl must be handled with care, as it contains extremely sharp parts. Use caution when attaching or detaching the bowl.
- DO NOT place any part of this appliance on or near a hot area. For example, hot gas or electric burner, or in a heated oven.
- DO NOT allow the cord to hang over the edge of a table/counter, where it may be tripped over or pulled.
- Always operate the product on a flat, stable surface.

## ELECTRICAL SAFETY

- Plug the appliance into a 120V, 60 Hz supply only. Check if the local power supply voltage matches the voltage of electrical appliances before use. Connecting it to other power sources may damage the appliance and will invalidate the warranty.
- Ensure that the cord is fully extended.
- Make sure to turn the power off and unplug from the outlet before cleaning, assembling or disassembling the juicer.
- Never use the appliance if the centrifugal bowl, cord or any parts have been damaged.
- DO NOT leave the appliance running nonstop for more than 3 minutes at a time. Allow it to rest for 20 minutes before starting your next recipe to prolong product lifetime.
- Check regularly that neither cord nor plug is damaged and do not use if they are, or if the appliance has been dropped or damaged in any other way.

# DIAGRAM OF THE MAIN COMPONENT



- 1. Tamper
- 2. 75mm Extra Large Feeding Chute
- 3. Stainless Steel Centrifugal Bowl with the Blades
- 4. Filter Bowl with the Spout
- 5. Safety Clamp
- 6. 2L Pulp Container
- 7. Motor Base
- 8. Speed Control Knob
- 9. 1.1L Juice Jug

# SPECIFICATIONS

Product Name	Ultrean Centrifugal Juicer
Model Number	GS-329
Rated Voltage	120V
Rated Frequency	60Hz
Rated Power	800W
Dimensions	32.2*20.5*41.4cm (12.7*8.1*16.3in)
Net Weight	3.8kg (8.3lbs)


## DISASSEMBLY / ASSEMBLY

### Disassembly

#### PRIOR TO FIRST USE


★ Before using the juicer for the first time, wash all detachable parts with a damp soft cloth or sponge to remove any dust or other remnants from the manufacturing process.

1




Place the juicer on a flat and dry surface and make it stand firmly on the four stabilized suckers underneath. Ensure the motor is switched off and the cord is unplugged from the outlet.

2




Loose the Safety Clamp (5) into a horizontal position.

3




Slowly pull the Tamper (1) out of the Feeding Chute (2).

4




Remove the juicer lid.

5



Take out the Stainless Steel Centrifugal Bowl with the Blades (3) from the Filter Bowl with the Spout (4).  
Be careful of the sharp blades at the bottom of the centrifugal bowl.


6



Remove the Filter Bowl with the Spout (4) and the Pulp Container (6) from the Motor Base (7).


## Assembly

1




Place the juicer on a flat and dry surface and make it stand firmly on the four stabilized suckers underneath. Ensure the motor is switched off and the cord is unplugged from the outlet.

2



Place the Filter Bowl with the Spout (4) on top of the Motor Base (7).


3



Carefully lock the Stainless Steel Centrifugal Bowl with the Blades (3) in the Filter Bowl with the Spout (4).


- Be careful not to touch the sharp blades at the bottom of the centrifuge bowl.
- Push the centrifugal bowl down and make sure that the centrifuge bowl sits properly on its base so that the gear on the bottom of the bowl engages the gear in the base.
- Make sure that the centrifuge bowl doesn't sit too loosely on the base and that it rotates evenly.

4




Place the lid on top of the appliance so that it covers the centrifuge bowl unit. Make sure that the lid fits tightly onto the base. Turn the Safety Clamp (5) to the vertical position and make sure that it engages the lid and locks it fast. The Safety Clamp (5) makes a clicking sound when it locks correctly.

5



Slide down the Tamper (1) into the Feeding Chute (2).

6



Insert the Pulp Container (6) under the lid and push it under the drain edge on the base so that it locks on the foot of the Motor Base (7) tightly.

★ Your juicer is now ready for use.

# OPERATION

## Preparing fruits and vegetables for juicing

- Always wash fruits and vegetables thoroughly before juicing, and large fruits and vegetables should be cut into pieces that can fit into the chute.
- Sugar cane and other hard fruits and vegetables are not recommended to use this juicer.
- Fruits with thick peels such as oranges and lemons must be peeled before juicing. It is particularly important to remove all the peel (including the pith), as even small amounts of peel can impart an unpleasant taste to the juice.
- It is also necessary to remove large pits (such as plum and apricot pits) to avoid damaging the appliance. Seeds and thin peels are not necessary to be removed.

## Start juicing

- Start the appliance by turning the Speed Control Knob to position " I " (low speed) or position " II " (high speed).
    - The position " I " (low speed) is suitable for juicing soft fruits and vegetables.
    - The position " II " (high speed) is suitable for juicing harder fruits and vegetables.
1. Wash the fruit and/or vegetables you selected and cut them into pieces.
  2. Place the fully assembled juicer on a flat, stable work surface, plug it into an appropriate socket.
  3. Make sure the juice jug has been placed under the spout.
  4. Switch the appliance on by turning the control knob clockwise to position " I " (low speed) or position " II " (high speed).
  5. Slowly feed the diced fruits and/or vegetables into the appliance through the chute, gently press them down by using the tamper towards the stainless steel centrifugal bowl.

### NOTE:

**Do not push too hard, as this could affect the juice quality and damage the centrifugal bowl.**

6. Switch the appliance off by turning the control knob counterclockwise to the "0" position.
7. Wait until the stainless steel centrifugal bowl has completely stopped after you have processed all ingredients and the juice flow has stopped.
8. If the pulp container needs to be emptied while juicing, switch off the appliance, carefully remove the container, empty it and then reassemble it before you continue juicing.
9. Long vegetables such as carrots should be fed into the funnel pointy end first.

**Caution:** Always switch off the power by turning the "ON/OFF" button to the "0" position before taking off the lid.

**Please note:** Do not leave the appliance running nonstop for more than 3 minutes at a time. Allow it to rest for 20 minutes before starting your next recipe.

## Helpful Hints for Juicing

- Line the fruit pulp container with a plastic bag before juicing, it will be easier to clean the pulp container.
- To enjoy juice with the highest possible vitamin content, use freshly harvested fruits and vegetables of the season and drink the fresh Juice immediately
- Good candidates for juicing include pineapple, apples, cucumbers, celery, carrots, spinach, melons, tomatoes, and most citrus fruits.
- The different varieties of apple produce juice with different flavors and consistency. Experiment with different combinations to find your own favorite.
- Leafy green vegetables such as cabbage and spinach can be juiced. Roll the leaves into cylinders of appropriate size before feeding them into the chute.
- Fibrous fruits and vegetables as well as those with very firm flesh such as bananas, mangoes, papayas, and avocados are not well-suited to juicing, as the result is often mashed fruit instead of juice.

- All types of juice should be consumed right after juicing, as fresh juice quickly loses important nutrients when exposed to the oxygen in the air. Taste can also be affected.
- Pure apple juice turns brown quickly when exposed to air. To prevent discoloration, serve apple juice immediately after juicing or add a little lemon juice.
- Remember that fruit pulp can be used in cakes, vegetable lasagne, muffins, etc.

## CARE & MAINTENANCE

### To clean your Juicer



#### CAUTION

To protect against electrical shock, **DO NOT IMMERSE THE JUICER IN WATER OR ANY OTHER LIQUIDS**. Your centrifugal juicer should be cleaned regularly for the best performance and long life. Regular cleaning will also reduce the risk of fire hazard.

- Remove the plug from the electrical outlet and allow the appliance to cool before cleaning.
  - The best way to clean the motor base is to clean them with a damp, soapy cloth. Make sure to only use mild, soapy water. If necessary, a little detergent. **DO NOT** immerse the motor base in any form of liquid!
- The centrifuge bowl, fruit pulp container, lid, and all other detachable parts can be washed up by hand or in a dishwasher.
- Be careful not to touch the sharp parts at the bottom of the centrifuge bowl.
- Do not use any kind of abrasive cleaner on the appliance or its accessories. Never use a metal scouring sponge or scrubbing brushes to clean the appliance or its accessories, as it may damage the surface.
- Allow all parts of the appliance to dry completely before reassembling it after cleaning.

Other than the recommended cleaning, no further user maintenance should be necessary. Any other servicing should be performed by an authorized service representative.

## To store your Juicer

Unplug the unit, allow it to cool, clean, and dry completely before storing it. Store the centrifugal juicer in its box in a clean, dry place. Never store centrifugal juicer while it is hot or still plugged in. Never wrap the cord tightly around the appliance. Do not put any stress on the cord where it enters the unit, as it could cause the cord to fray and break.

# TROUBLESHOOTING

Troubleshoot your problem by using the chart below. If the Juicer still does not operate correctly, it may be defective. Please contact a qualified technician. DO NOT try to repair it by yourself. Otherwise, there is a risk of electric shock.

## Customer Support

If you believe you received a defective unit, please contact our Customer Service Team at [support@ultrean.com](mailto:support@ultrean.com) for a solution.

TROUBLE	POSSIBLE CAUSE	POSSIBLE RECTIFICATION
The motor does not operate after being switched on	The appliance is connected to the not working power supply	Connect the appliance to the power supply
	Safety clamp is not locked in place properly	Turn the safety clamp to the vertical position and make sure the clamp is locked in place properly
	The appliance running nonstop for more than 3 minutes at a time	Make sure to wait 20 minutes for next juicing process
The motor is running with a loud noise and excessive vibration	The components of the juicer are not assembled properly	Check that all components are assembled properly and in the correct position
Juicer is jammed	The fruit is overripe, or too much pulp in the Filter	Unplug the juicer and wait for the blade to stop spinning and inspect the spout. Clear the blockage so the juice can flow freely

# LIMITED WARRANTY

All Ultrean products come with a limited warranty against manufacturing and workmanship defects. This warranty does not apply to misuse, accident, tampering or vandalism, improper or lack of maintenance, damage in return transit, mishandling, unsupervised use by children under 18 years of age, or the product that has been used for commercial, rental, or any other use for which the product is not intended for. And electrical problems arise as a result of faults in your electrical supply.

If you think your Juicer has a manufacturing or workmanship defect, please contact us at [support@ultrean.com](mailto:support@ultrean.com). Ultrean will replace any product found to be defective due to manufacturer flaws based on eligibility.

## DEFAULT WARRANTY PERIOD: 12 MONTHS

\*For your own reference, we strongly recommend that you record your order number and date of purchase.

Date of Purchase: \_\_\_\_\_

Order Number/ID: \_\_\_\_\_

Due to the constant improvement of our products in terms of function and design, Ultrean reserves the right to make changes to the product without prior warning.

# DISCLAIMER



## WARNING

IMPROPER USE OF ULTREAN' S PRODUCTS INVOLVES SERIOUS RISKS INCLUDING INJURY AND DISABILITY. YOU UNDERSTAND THAT BY KEEPING, USING, OR ALLOWING USE OF ULTREAN' S PRODUCTS, YOU AGREE TO THE FOLLOWING.

(1) ULTREAN ACCEPTS NO RESPONSIBILITY FOR ANY INJURY WHICH MIGHT OCCUR WHILE USING ULTREAN' S PRODUCTS.

(2) WITH USE OF ULTREAN' S PRODUCTS; IT IS POSSIBLE TO BE UNDER DANGEROUS CONDITIONS AS STATED ABOVE.



## ASSUMPTION OF RISK

By buying, using, or allowing the use of Ultrean' s products, you understand and agree that Ultrean' s products may be dangerous if improperly used.

**YOU EXPRESSLY AND VOLUNTARILY ASSUME THE RISK OF PERSONAL INJURY SUSTAINED WHILE PARTICIPATING IN SUCH ACTIVITIES WHETHER OR NOT CAUSED BY THE NEGLIGENCE OR OTHER FAULT OF ULTREAN.**

Additionally, you agree to indemnify, defend, and hold Ultrean harmless from any third-party claims arising from your high-risk activities.



## USE LIMITATION

You may not modify, reproduce Ultrean' s products. You shall carefully inspect Ultrean' s products before each use to ensure it has not been damaged and fully functional. Make sure to read and understand all the safety warnings in the manual and on the product.

★ Ultrean' s Products Disclaimer, all rights reserved.

*Thank you for trusting Ultrean  
for your household and kitchen needs!*

(May you have a FANTASTIC culinary experience with your new Ultrean centrifugal juicer!)



**START** experiment with different fruit & vegetable combinations to find your own favorite juice



**SUBSCRIBE** to our newsletter to get yourself updated with the latest great deals, gifts and valuable information about Ultrean products

<https://www.ultrean.com>



**GOT QUESTIONS or CONCERNS?** Explore our FAQ page

<https://www.ultrean.com/faqs/a6>



**GET IN TOUCH** With our Chefs & Experts

Email: [support@ultrean.com](mailto:support@ultrean.com)

**12  
Months**

**WARRANTY ISSUE**

Email: [support@ultrean.com](mailto:support@ultrean.com)

We'll do our best to make you one of our HAPPY customers!