
Safety Precautions

During Installation


Do not install the Water Heater where there is direct sunlight or rain. It has to be installed indoor only.

Figure 3



Do not install the Water Heater where water splashes on the Water Heater.

Figure 4



Installation

Before installing, ensure that the following tools are available:

Tools Required

Figure 5




Adjustable Wrench



Teflon Tape



Ruler



Hammer



Bubble Level Indicator



Measuring Tape




Impact Drill Tool

Mounting the Water Heater


- It is recommended as per IS 302-1 to have 6 inches clearance from the wall.
- Select a place to mount Water Heater vertically with water connection at the bottom.

Figure 6




- Water Heater must be located within 3 ft. (approx.) from a 230 V electrical outlet with proper grounding.
- Make sure that the wall can withstand at least twice the weight of the Water Heater when completely filled with water.

Figure 7




- Use **Mounting Template** to mark holes (Fig. 8 : Step 1).
- Use a drill bit with diameter of 10 mm to drill 2 holes at least 60 mm deep in the wall (Fig. 8 : Step 3). The two holes should be aligned horizontally.

Figure 8




- Insert the Expansion anchor into the hole (Fig. 9 : Step 1).
- Insert the Mounting screw into the Expansion anchor, tighten the Mounting screw by rotating it till it gets fixed steadily and maintain a distance of 15 mm (between concrete wall and Mounting screw head) to mount the Water Heater (Fig. 9 : Step 2).

Figure 9



- Mount the Water Heater on the Mounting screw through the Metal Bracket. Tug downwards on the Water Heater to ensure that the Water Heater is fixed steadily on the Metal Bracket.

Figure 10



CAUTION

- Ensure the Water Heater is mounted on the Metal Bracket behind the Rear cover as shown in Figure 10.
- Damage to the product may occur, if the Water Heater is placed on the Rear cover.

DANGER



Hot water is dangerous, especially for young children, the aged or the disabled. The Water Heater allows you to control the temperature of your hot water. Water temperatures over 52°C can cause severe burns instantly or death from scalds. Do not leave a child or an infirm person in the bath unsupervised.