

Mini Smart Wi-Fi Plug, Energy Monitoring

Tapo P115



Energy Monitoring



Auto-Off Timer



Voice Control



Remote Control



Set schedules



Away Mode



Flame-Retardant



Share to Family



// Features


Energy Monitoring

Keep track of the real-time energy consumption of your connected devices and reduce unnecessary energy loss while lowering your electric bills with the Schedule and Timer features. You can also improve safety by automatically shutting off connected devices when the power usage exceeds the set threshold.



Voice Control^Δ


Control your devices with simple voice commands using Amazon Alexa, Google Assistant or the SmartThings app, without having to leave your spot.



// Features

Live Smarter by Presetting Time

The Schedule and Timer features enable you to create weekly schedules and countdown plans, adding convenience to your life. With the enhanced Auto-Off feature, your connected devices will automatically turn off if left on for a set time, ensuring your safety and saving energy.



Smart Charge Guard


With the Charge Guard feature, the plug will automatically turn off when the connected device is estimated to be fully charged, helping to reduce battery loss and extend battery life.



// Features


Remote Control

Instantly turn connected devices on/off wherever you are via the Tapo app. Designed to simplify your life and help eliminate potential safety hazards.



Away Mode

Intelligently simulate someone being at home by randomly turning the plugged-in device on and off, making it appear as if someone is home.



// Specifications


General

- LED&Button: Status LED, Power Button
- Material: V-0 (UL-94) Flame-Retardant PC
- Power Supply: 100-125 V~ 50/60 Hz, 15 A
- Max Load: 15A, 1800W (General Use/Resistive Load),
8A Incandescent, 1/6 HP Motor[†]
- Protocol: IEEE 802.11b/g/n, Bluetooth (for setup only)
- Wireless Type: 2.4 GHz
- System Requirements: Android 5.0 or higher, iOS 11.0 or higher

Others

- Package Contents:

2 Pack:	4 Pack:
Tapo P115 × 2	Tapo P115 × 4
Quick Start Guide	Quick Start Guide
- Certifications: FCC, ETL, RoHS
- Operating Temperature: 0 °C– 40 °C (32°F–104°F)
- Operating Humidity: 10%–90%RH, Non-condensing
- Dimensions : 2.6* 1.5* 1.6 in. (60*38*40 mm)



[‡]Voice control is only supported with certain voice assistants.

[†]The total power of the connected electrical equipment should not exceed the max load current, and maximum power supported varies based on the appliance.

Please do not use in damp environments or outdoors.

For more information, please visit <https://www.tapo.com/>

Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders. ©2024 TP-Link