INTSUPERMAI Attic Ceiling Ladder

User Manual



Application

It can be used when the ladder is pulled down. It is suitable for the attic, roof top, trusses, company, warehouse, hospital, school, etc. It is ideal for installation and modification of the house. This attic ladder can be suitable for indoor and outdoor home decoration.

Attention


Before operating the unit, please read this instruction book thoroughly, and retain it for future reference. Before you purchase it, please clearly understand the size of the product.

Features

- ✧ High quality environmental protection material.
- ✧ Key position adopts thickened material.
- ✧ Electrostatic coating process, anti-corrosion and antioxidant.

- ✧ Hydraulic rod and spring lets door-closing mute and andante.
- ✧ Rubber anti-slide foot makes up or down safe and does not spoil the floor.
- ✧ All the designs are thinking of you and your family safety and convenient operating.

Parameters



Color	Black+White
Wall Rough Open Size	27.5*47.5in/700*1200mm
Floor to the Bottom of the Opening Height	10 ft/3m
Thickness of Wall Rough Open Size	greater-than-equal 5.5 in.
Step Size	15.7*5.1 in.
Width from the Hole Edge to Wall	greater-than-equal 1.97 in.
Length of the Rod	46.5 in.
Weight Capacity	600lb

Steps may be slightly angled at minimum and maximum height.

Maintenance Information

Users are responsible for the proper operation and maintenance of the equipment they use. Some equipment will quickly become damaged and unsafe if abused or subjected to improper demands. If equipment is regularly maintained and not abused, you will get the maximum safety and service performance from loft wall ladder stairs.

- Do not overload ladder stairs.
- Do not knock it vigorously.
- Do not disassemble it casually.
- Do not open the tripod forcibly.
- Do not play movement on ladder stairs.

These uses create severe impact and shock loads that may lead to steps and equipment failure.

Check Equipment

Periodically turn ladder stairs on its end or side and check the following:

- Look for broken welds or deck boards.
- Tighten loose nuts and bolts.
- Look for ladder stairs frame distortion caused by overloads and impact loads.


All the check is for your safety.


Watch out when you install the ladder stairs.
Do not stand under the ladder when you install the ladder stairs.

Item Included

1. Ceiling Mounted Attic Extension Ladder with accnessories×1
2. Handrail×2
3. Pull rod×1
4. Manual×1

Installation method






Installation Process

Prepare accessories

For individual customization, the installation accessories will vary.



Triangle plate



Screw rod nut



Turnlock accessories

Fixed screw rod





Put the ladder flat on the ground, put the carton under it, put screw rod the mounting hole in the corner of the frame, screw a nut and tighten it, then fix the other three straps in the same way


Install lock lever





Twist the ring-pull lock Rod, pad a gasket, and then put the lock rod into the lock hole on the door panel Put another large gasket on the pad and get stuck with iron pin

Install ladder





Tie two ropes to the ladder, 2-3 people upstairs slowly pull the ladder, and the four corners are pulled at the same time to fasten the ceiling by the edge of the ladder frame downstairs.





Put the triangle plate on screw rod tighten the nut, fix the two diagonal screws first, then fix the other two corners, one for each corner, tighten it, and install it

Tips: during subsequent use, check whether the fixed nut is loose regularly according to the usage frequency of the ladder,