




Multifunctional Baby Carrier

Instruction Manual



Please check all parts and ensure that they are intact before use.

Content

English 01

Deutsch 05


Français 09

Italiano 13

Espanol 17

Remarks

- Read all instructions before assembling and using this Baby Carrier.
- Keep this instructions for future use.
- Check carefully to assure all buckles, snaps, straps, and adjustments are secure before each use.
- Check carefully incase any ripped seams, torn straps or fabric and damaged fasteners before each use.
- Ensure the right position of baby in Baby Carrier, and note that baby legs in "M" shape properly.



- Never use Baby Carrier while engaging in activities such as cooking and cleaning which involve a heat source or exposure to chemicals.
- Never use Baby Carrier when driving or taking a motor vehicle.
- Never use Baby Carrier when balance or mobility is impaired because of exercise, drowsiness, or medical conditions
- Child must face towards you until he or she can hold head upright.
- Premature infants, infants with respiratory problems. And infants under 4 months are at greatest risk of suffocation.


Warning

FALL AND SUFFOCATION HAZARD

- Be sure to put your baby in a place that is easy to observe from time to time. Avoid covering your baby's nose, mouth and neck to prevent suffocation.
- Choose a suitable size. If it is too tight, it may cause your baby to breathe poorly. If it is too loose, it is easy to slip down.
- If you use the front type, the baby's head should be in the parent's chest position, choose the back type, the baby's head should be slightly higher than the parents' shoulders.
- At the beginning of the use of the strap, the parents should always use the hand to support the baby's head, try to ensure that the head does not shake back and forth, so as not to damage the cervical vertebrae. When parents sit down, they should pay attention to the placement of the baby's legs and feet.

Features:**The operation of Hip Seat (0-36months)**

1. Adjust the lateral belt and buckle the left and right belt on the safety buckle.
2. Adjust the position of Hip Seat, and confirm everything is ready then finished.
3. Let your baby sit on it comfortably.
4. Apply the extra safety belt if needed

**The operation of the whole carrier (3-36months)**

Note: For 0-3 months new born baby, you can choose to use the carrier itself without the hip seat.

1. Put the hip seat in front of abdomen and buckle it, make it flat.
2. Put the baby on the hip seat
3. Hold the baby in one hand and pull the shoulder strap to the shoulder in one hand



4. After pulling the shoulder straps on both sides to the shoulder, lock the safety buckle of the back.
5. Front holding method about 3-36 months
6. Back holding method about 3-36 months



How to hold baby

Suit for 0-36 months/3.5kg-30kg baby



Age is for reference only, mainly depends on baby's weight.

Bemerkungen

- Lesen Sie alle Anweisungen, bevor Sie diesen Tragesitz zusammenbauen und benutzen.
- Bewahren Sie diese Anleitung für den späteren Gebrauch auf.
- Vergewissern Sie sich vor jedem Gebrauch, dass alle Schnallen, Druckknöpfe, Gurte und Einstellungen sicher sind.
- Überprüfen Sie vor jedem Gebrauch sorgfältig, ob Nähte, Gurte oder Stoff gerissen und Verschlüsse beschädigt sind.
- Achten Sie auf die richtige Position des Babys im Tragesitz und darauf, dass die Beine des Babys die "M"-Form haben.



- Benutzen Sie den Tragesitz niemals bei Tätigkeiten wie Kochen oder Putzen, bei denen das Baby einer Wärmequelle oder Chemikalien ausgesetzt ist.
- Benutzen Sie den Tragesitz niemals, wenn Sie Auto fahren oder ein Kraftfahrzeug benutzen.
- Benutzen Sie den Tragesitz niemals, wenn das Gleichgewicht oder die Beweglichkeit aufgrund von körperlicher Anstrengung, Schläfrigkeit oder medizinischen Beschwerden beeinträchtigt ist.
- Das Kind muss Ihnen zugewandt sein, bis es den Kopf aufrecht halten kann.
- Frühgeborene Säuglinge, Säuglinge mit Atemproblemen. Und Säuglinge unter 4 Monaten sind dem größten Erstickenrisiko ausgesetzt.

Warnung STURZ- UND ERSTICKUNGSGEFAHR

- Legen Sie Ihr Baby an einen Ort, der von Zeit zu Zeit leicht zu beobachten ist. Vermeiden Sie Nase, Mund und Hals Ihres Babys zu bedecken, um Erstickengefahr zu vermeiden.
- Wählen Sie eine geeignete Größe. Wenn sie zu eng ist, kann Ihr Baby schlecht atmen. Ist er zu locker, kann er leicht herunterrutschen.
- Wenn Sie den vorderen Typ verwenden, sollte sich der Kopf des Babys in der Brustposition der Eltern befinden, Wenn Sie die Rückenlehne wählen, sollte der Kopf des Babys etwas höher als die Schultern der Eltern sein. Schultern.
- Zu Beginn der Verwendung des Gurtes sollten die Eltern immer die Hand benutzen, um Sie sollten darauf achten, dass der Kopf des Babys nicht hin und her wackelt, um die Halswirbelsäule nicht zu beschädigen. Wenn Eltern sich hinsetzen, sollten sie darauf achten, dass die Beine und Füße des Babys richtig platziert sind.