

- Display

**Panel Size:** Wide Screen 68.6cm (27.0) 16:9

**Color Saturation :** 100%(sRGB)

**Panel Backlight / Type :** In-Plane Switching

**True Resolution :** 2560x1440 \*

**Display Surface** Non-glare

**Pixel Pitch :** 0.233mm

**Brightness(Max) :** 350 cd/m<sup>2</sup>

**Contrast Ratio (Max) :** 1000:1

**Viewing Angle (CR≥10) :** 178°(H)/178°(V)

**Response Time :** 4ms (Gray to Gray)

**Display Colors :** 16.7M (real 8 bit)

**Flicker free**

- Video Feature

**Trace Free Technology :** Yes

**Color Temperature Selection :** 4 Modes

**GamePlus(modes) :** Yes (Crosshair/Timer/FPS Counter)

**Low Blue Light :** Yes

**HDCP support :**

**GameVisual :** 6 Modes(Scenery/Racing/Cinema/RTS/RPG/FPS/sRGB Modes)

- Audio Features

**Stereo Speakers :** 2W x 2 Stereo RMS

- Convenient Hotkey

GamePlus

5-way OSD Navigation Joystick

Turbo key

- I/O Ports

**Signal Input :** HDMI, DisplayPort

**Earphone jack :** 3.5mm Mini-Jack

**USB Port(s) :** 3.0x1, 1 x upstream

- Signal Frequency

**Digital Signal Frequency :** Display port, Thunderbolt™ 3 : 120KHz(H)/ 48~60Hz(V)

34~209KHz(H)/30~165Hz (V)

- Power Consumption

Power On: <90W  
Power Saving/Off:0.5W  
Voltage: 100-240V, 50/60Hz

- Mechanical Design

**Chassis Colors :** Black  
**Tilt :** +20°~-5°  
**Swivel :** +60°~-60°  
**Pivot :** 0°~+90°  
**Height Adjustment :** 0~120 mm  
**VESA Wall Mounting :** 100x100mm  
**Super Narrow Bezel Design :** Yes

- Security

Kensington lock

- Dimensions

Phys. Dimension with Stand(WxHxD): 619.77x552.53x237.9 mm  
Phys. Dimension without Stand(WxHxD): 619.77x362.96x65.98 mm(For VESA Wall Mount)  
Box Dimension (WxHxD): 756x456x300 mm

- Weight

Net Weight(Esti.): 7.0kg  
Gross Weight(Esti.):10.6kg

- Accessories

Power cord  
Power adapter  
DisplayPort cable  
USB 3.0 cable  
Quick start guide  
HDMI cable  
Support CD  
Warranty Card

- Compliance and Standards

BSMI, CB, CCC, CE, CEL level 1, ErP, FCC, J-MOSS, KCC, PSE, RoHS, UL/cUL, VCCI, WEEE, WHQL (Windows 8.1, Windows 8, Windows 7), RCM, TUV Flicker-free, eStandby, TUV Low Blue Light

- Note

1) Refresh Rate

DisplayPort: 2560x1440(up to 165Hz)

HDMI: 2560x1440(60Hz)

2) Signal Frequency

DisplayPort 34~209KHz(H)/30~165Hz(V)

HDMI: 30~140KHz(H)/24~60Hz(V)



- Products certified by the Federal Communications Commission and Industry Canada will be distributed in the United States and Canada. Please visit the ASUS USA and ASUS Canada websites for information about locally available products.
- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- Specifications and features vary by model, and all images are illustrative. Please refer specification pages for full details.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.