



How to connect Android smartphone with our projector




Step1. Connect your phone with projector
(Insert the port of HDMI and USB-T)




Step2. Use your remote control to choose connection way
(The third lighted icon at the bottom of the screen)




Step3. Choose and enter the input mode of HDMI
(The name of input model display on the upper left corner)



Step4. To download and installing the APP named EZcast from your App store, open it.



Step5. Open the setting of your phone, and then click "About Phone"




Step6. Continuous click on the item of "Build number" over 7 times, enter lock screen password.

Step7

Back to the menu of step 5, click "System&Updates", then click "Developer options".



(Because there are different operation systems from Android phones, so maybe will have different steps on open "Developer options", but you actually can find it if you have done it correctly on step 6.)



Step8

Open the options named "USB debugging", then you will get a notification about open USB debugging confirmation, choose "OK"

(If choose cancel, you can not connect your smartphone with projector)







Step9

Open the App "EZcast", click the logo of , then click "OK" on the page you see.

Back to the page same as step 8, Open the options named "Select USB configuration", then choose the options of "MTP", and click "Start Now" in EZcast App, then you can find your


phone are displaying on the projection screen, if not, please open the App "EZcast", click the logo  again, then click the button named "Fail?.....model", and enter next step

HOW TO MIRROR USING USB DEBUGGING MODE



OK


Fail? Try on USB tethering mode



Step10

Open the options named "USB tethering".

(Notice: Please make sure that the status of this button is on, otherwise can not display your phone on the projection screen)



← Tethering & personal hotspot

Portable WLAN hotspot >

WLAN bridge

Share current WLAN network with other devices.

Off >

Bluetooth tethering

Not sharing Internet connection



USB tethering

Share your phone's Internet connection using a USB cable.



Step11

Open the options named "Select USB configuration", then Choose the options of RNDIS(USB Ethernet).

Then back to EZcast and choose "start now", then you will find your phone is displayed on the projection screen)

How to connect iPhone with our projector




Step1. Connect your phone with projector (Insert the port of HDMI and USB-T)

Step2.

Use your remote control to choose connection way (The third lighted icon at the bottom of the screen)






Step3.Choose and enter the input mode of HDMI
(The name of input model display on the upper left corner)

Step 4.

Open your settings,then you will receive a notification about trust the projector or not,choose trust.And go to next step.



Step 5.

Open your remote central,click "Screen Mirroring",then you will find that your phone are displayed in the projection screen.

***If you have any problem,please Email us:
service4you20@hotmail.com***