




USER MANUAL

P6 PRO PROJECTOR

V2.0

ENGLISH



Packing List



1 P6 Pro




2 Remote



3 User Manual



4 AV Cable




5 HDMI Cable




6 Power Cable

Notice







Recommended




NOT Recommended




Function Overview




Quick start




Plug power cable into outlet




Connect your device to the projector correctly




Press power button to turn on the projector




Select correct input source to project your device



Adjust keystone and focus ring to get the best image performance




Adjust kickstand accordingly



Press the power button twice to turn off the projector

Input Source

A USB or SD card connection



Input Source

VGA

AV

HD-1


HD-2

USB

SD

Screen Mirror

B HDMI connection



Input Source

VGA

AV

HD-1


HD-2

USB

SD

Screen Mirror

C VGA connection



Input Source

VGA

AV

HD-1


HD-2

USB

SD

Screen Mirror

D Screen mirroring



Input Source

VGA

AV

HD-1


HD-2

USB

SD

Screen Mirror

WIFI Connection(Android)




- 1 Go to settings, turn on "WLAN" on your Android device



- 2 Connect your Android device to the WiFi projector-xxxxxx



- 3 Enter password:12345678



- 4 Turn on the wireless projection function in phone's status bar or setting page, search "projector-XXXX" and click it to connect




- 5 Click "projector-xxxxxx" on your Android device, the screen mirroring will success in seconds


WIFI Connection(IOS)



- 1 Turn on WLAN(WIFI) and mobile data on your phone



- 2 Enter your phone setting, turn on wireless projection and search "projector-xxxxxx"



- 3 Enter password:12345678




- 4 Open Control Center and tap Screen Mirroring on your IOS device. Select "projector-xxxxxx" from the searching list



- 5 Click "projector-xxxxxx" on your IOS device, the screen mirroring will success in seconds

Use Wired Mirroring Connection(IOS)


Input Source
VGA
AV
HD-1
HD-2
USB
SD
Screen Mirror



- 1 Select source as "Multi-Screen" after power on
- 2 Connect projector and iphone by original USB data cable by USB 5V input .
- 3 2 . Get "Trust" from iphone by the first time,enter your pass word , same as unlock screen password

Use Wired Mirroring Connection(Android)

Input Source
VGA
AV
HD-1
HD-2
USB
SD
Screen Mirror



- 1 Select source as "Multi-Screen" after power on
- 2 Plug original data micro-usb cable to connect.Turn on mutli-screen on your Android device settings directly
- 3 Choose "projector-xxxxxx" and Start Mirroring


Finish the wired projection of Android device

How to connect to your own WIFI

 Please connect to your home WiFi network to save your mobile traffic.



- 1 Turn on WLAN(WIFI) and mobile data on your phone



- 2 Enter your phone WLAN (WIFI) setting and search "projector-xxxxxx"



- 3 Enter password: 12345678



- 4 Open your phone browser and input IP " 192.168.49.1 ", then enter WIFI AP to scan WIFI




- 5 Click "Wifi AP"



- 6 Click "Scan"




- 7 Connect your home WIFI



- 8 Turn on Screen Mirroring function

Choose and connect "projector-xxxxxx" and Start Mirroring

Installation and debugging



Adjust the image projected onto the screen

1. If the projected picture is off the screen

Please aim the lens of the projector at the center of the screen.

2. If the picture is distorted


As shown in Figure 2, please place the projector on a horizontal surface

As shown in Figure 3, use the remote control to adjust by its ± 50 data ladder correction function.




Precaution

When the projector is suspended from the ceiling or in a rear projection system, please change the projection direction in the settings






Trapezoidal correction function

① $\pm 15^\circ$ manual keystone correction



Adjust $\pm 15^\circ$ image performance by using manual keystone correction

② $\pm 50^\circ$ electronic keystone correction





1. Press the menu button on remote control


2. Click the function of the gear shape ①

3. Allows auto keystone correction vertically and Horizontally ②

Projector connection



Projection distance & size



Specification

Image system	Lamp	Native Resolution	Resolution Supported
LCD	LED	1920*1080	576i、576P、720i、720P、1080i、1080P、4K

Projection Distance	Projection Size	Focus	Aspect Ratio
5.6FT-30.2FT(1.7M-9.2M)	50"-300"	Manual	4:3/16:9/auto

Speaker	Keystone Correction	Unit size	Installation Type
5W*4ohm	±50°	12.1*9.1*4.1INCH	Front / Rear / Ceiling

Power Supply	Weight	Video Format Supported	Photo Format Supported
AC100-240V	5.7LB	AVI/MP4/MKV/FLV/MOV RMVB/3GB/MPEG1/ MPEG2/H.264/XVID	BMP/JPG/JPEG/PNG/GIF

Ports	Audio Format Supported		
HDIN*2/USB*1/5VOut*1 VGAPort*1/AVIN*1/ AudioOut*1/SDCardSlot*1	MP2/MP3/PCM/FLAC/ WMA/AAC		

Troubleshooting guide

1. No Sound

*Turn Dolby audio off in your device.

*External speaker is required For VGA cable connection.

2. Blurry Image

*Adjust focus ring/keystone.

*Projector and screen/wall must be in effective distance.

3. Remote Unresponsive

*Make sure remote points at IR receiver directly.

*Do not cover IR receiver.

4. Up Side Down Images

Enter "Menu" on projector or remote to flip the projection image.

If you have any questions about our products and you can contact our customer support any time!

Contact information


North America	<i>support@uomall.com</i>
United Kingdom	<i>support.uk@uomall.com</i>
Deutschland	<i>support.de@uomall.com</i>
France	<i>support.fr@uomall.com</i>
España	<i>support.es@uomall.com</i>
Italia	<i>support.it@uomall.com</i>
日本	<i>support.jp@uomall.com</i>
Website	<i>www.uomall.com</i>



@uomall



@uomall





P6 PRO PROJECTOR

Made in China

RoSH



IC

