

Certificate of Analysis

ELMNT, LLC

560 S 100 W

STE 15

Provo Utah 84601 United States

Sample Name:	Black Shilajit 60 Cap	Eurofins Sample:	15364712
Sample Pass/Fail	PASS	Receipt Date	05-Jun-2025
Project ID	ELMNT_LLC-20250530-0001	Receipt Condition	Ambient temperature
PO Number	NA	Login Date	30-May-2025
Lot Number	12725	Date Started	05-Jun-2025
Sample Serving Size	2 Cap	Sampled	Sample results apply as received
Description	TR174743318452859	Number Composited	20
	B0F8SDF787	Online Order	901-2025-E047209
	Best By: 05-2027		

Analysis	Result	Specifications	Pass/Fail
Amazon 3rd Party COA Received *			
3rd Party COA Received	Yes		
Amazon Certification *			
Adulterants	Pass		
Contaminants	Pass		
Pathogens	Pass		
Microbiological	Pass		
GMP Certification	Pass		
Content Claims	Pass		
Overall Certification	Pass		
Label Review	Pass		
Calculated Sample Weight *			
Entity Weight	0.8729 g		
Entity Weight	0.8797 g		
Entity Fill Weight	0.7435 g		
Targeted Analysis of Sexual Enhancement Adulterants			
Acetaminotadalafil	Not Detected.		
Acetildenafil	Not Detected.		
Acetylvardenafil	Not Detected.		
Aildenafil	Not Detected.		
Aminotadalafil	Not Detected.		
Avanafil	Not Detected.		
Benzamidenafil	Not Detected.		
Benzylsildenafil	Not Detected.		
N-Butylnotadalafil	Not Detected.		
Carbodenafil	Not Detected.		

* This analysis or component is not ISO accredited.

Printed: 26-Jun-2025 11:32 am

Page 1 of 10

Certificate of Analysis

ELMNT, LLC

560 S 100 W
STE 15
Provo Utah 84601 United States

Sample Name:	Black Shilajit 60 Cap	Eurofins Sample:	15364712
Sample Pass/Fail	PASS	Receipt Date	05-Jun-2025
Project ID	ELMNT_LLC-20250530-0001	Receipt Condition	Ambient temperature
PO Number	NA	Login Date	30-May-2025
Lot Number	12725	Date Started	05-Jun-2025
Sample Serving Size	2 Cap	Sampled	Sample results apply as received
Description	TR174743318452859 B0F8SDF787 Best By: 05-2027	Number Composited	20
		Online Order	901-2025-E047209

Analysis	Result	Specifications	Pass/Fail
Targeted Analysis of Sexual Enhancement Adulterants			
Chlordenafil	Not Detected.		
Chloropretadalafil	Not Detected.		
Dapoxetine	Not Detected.		
N-Desethylvarденаfil	Not Detected.		
N-Desmethylsildenafil	Not Detected.		
Dimethylacetildenafil	Not Detected.		
Gendenafil	Not Detected.		
Gisadenafil	Not Detected.		
Homosildenafil	Not Detected.		
Hydroxyacetildenafil	Not Detected.		
Hydroxychlorodenafil	Not Detected.		
Hydroxyhomosildenafil	Not Detected.		
2-Hydroxypropylnortadalafil	Not Detected.		
Hydroxythiohomosildenafil	Not Detected.		
Hydroxythiovarденаfil	Not Detected.		
Hydroxyvarденаfil	Not Detected.		
Imidazosagatriazinone	Not Detected.		
Lodenafil carbonate	Not Detected.		
Mirodenafil	Not Detected.		
Nitrodenafil	Not Detected.		
Noracetildenafil	Not Detected.		
Norneosildenafil	Not Detected.		
Norneovardenafil	Not Detected.		
Nortadalafil	Not Detected.		
N-Octylnortadalafil	Not Detected.		

* This analysis or component is not ISO accredited.

Printed: 26-Jun-2025 11:32 am

Page 2 of 10

Certificate of Analysis

ELMNT, LLC

560 S 100 W
STE 15
Provo Utah 84601 United States

Sample Name:	Black Shilajit 60 Cap	Eurofins Sample:	15364712
Sample Pass/Fail	PASS	Receipt Date	05-Jun-2025
Project ID	ELMNT_LLC-20250530-0001	Receipt Condition	Ambient temperature
PO Number	NA	Login Date	30-May-2025
Lot Number	12725	Date Started	05-Jun-2025
Sample Serving Size	2 Cap	Sampled	Sample results apply as received
Description	TR174743318452859 B0F8SDF787 Best By: 05-2027	Number Composited	20
		Online Order	901-2025-E047209

Analysis	Result	Specifications	Pass/Fail
Targeted Analysis of Sexual Enhancement Adulterants			
Piperiacetildenafil	Not Detected.		
Propoxyphenylhomohydroxysildenafil	Not Detected.		
Propoxyphenylsildenafil	Not Detected.		
Propoxyphenylthiohydroxyhomosildenafil	Not Detected.		
Pseudovardenafil	Not Detected.		
Sildenafil	Not Detected.		
Tadalafil	Not Detected.		
Thioaildenafil (Sulfoaildenafil)	Not Detected.		
Thiohomosildenafil	Not Detected.		
Thiosildenafil	Not Detected.		
Udenafil	Not Detected.		
Vardenafil	Not Detected.		
The reporting limit for each PDE5 inhibitor is 50 ppm in matrix.	-		
Eurycoma Longfolia (Tongkat Ali) *			
13-alpha-(21)-Epoxyeurycomanone	767 mcg/g		
Eurycomalactone	<6210 mcg/g		
Eurycomanone	5.41 mg/Serving Size	5 mg/Serving Size	Pass
Total Quassinoids	4400 mcg/g		
Total Withanolides (USP Modified) *			
Withanoside IV	1410 mcg/g		
Withaferin A	4950 mcg/g		
Withanoside V and VI	1080 mcg/g		
12-Deoxywithastramonolide	<3660 mcg/g		
Withanolide A	<3660 mcg/g		
Withanone	<3660 mcg/g		

* This analysis or component is not ISO accredited.

Printed: 26-Jun-2025 11:32 am

Page 3 of 10

Certificate of Analysis

ELMNT, LLC

560 S 100 W
STE 15
Provo Utah 84601 United States

Sample Name:	Black Shilajit 60 Cap	Eurofins Sample:	15364712
Sample Pass/Fail	PASS	Receipt Date	05-Jun-2025
Project ID	ELMNT_LLC-20250530-0001	Receipt Condition	Ambient temperature
PO Number	NA	Login Date	30-May-2025
Lot Number	12725	Date Started	05-Jun-2025
Sample Serving Size	2 Cap	Sampled	Sample results apply as received
Description	TR174743318452859 B0F8SDF787 Best By: 05-2027	Number Composited	20
		Online Order	901-2025-E047209

Analysis	Result	Specifications	Pass/Fail
Total Withanolides (USP Modified) *			
Withanolide B	52.5 mcg/g		
Total Withanolides	11.1 mg/Serving Size	25 mg/Serving Size	Pass

Non-Testable Claims *

Comments and Conclusions

Eurofins may be unable to meet the minimum test requirement as certain ingredients in this product have no scientifically valid methods available. Per Amazon policy, some of the ingredients are exempt from quantitative analysis.

Photo *

Packaging - Front



* This analysis or component is not ISO accredited.

Printed: 26-Jun-2025 11:32 am

Page 4 of 10

Certificate of Analysis

ELMNT, LLC

560 S 100 W

STE 15

Provo Utah 84601 United States

Sample Name:	Black Shilajit 60 Cap	Eurofins Sample:	15364712
Sample Pass/Fail	PASS	Receipt Date	05-Jun-2025
Project ID	ELMNT_LLC-20250530-0001	Receipt Condition	Ambient temperature
PO Number	NA	Login Date	30-May-2025
Lot Number	12725	Date Started	05-Jun-2025
Sample Serving Size	2 Cap	Sampled	Sample results apply as received
Description	TR174743318452859 B0F8SDF787 Best By: 05-2027	Number Composited	20
		Online Order	901-2025-E047209

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Back



* This analysis or component is not ISO accredited.

Printed: 26-Jun-2025 11:32 am

Page 5 of 10

Certificate of Analysis

ELMNT, LLC

560 S 100 W

STE 15

Provo Utah 84601 United States

Sample Name:	Black Shilajit 60 Cap	Eurofins Sample:	15364712
Sample Pass/Fail	PASS	Receipt Date	05-Jun-2025
Project ID	ELMNT_LLC-20250530-0001	Receipt Condition	Ambient temperature
PO Number	NA	Login Date	30-May-2025
Lot Number	12725	Date Started	05-Jun-2025
Sample Serving Size	2 Cap	Sampled	Sample results apply as received
Description	TR174743318452859	Number Composited	20
	B0F8SDF787	Online Order	901-2025-E047209
	Best By: 05-2027		

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Facts

* This analysis or component is not ISO accredited.

Printed: 26-Jun-2025 11:32 am

Page 6 of 10

Certificate of Analysis

ELMNT, LLC


560 S 100 W

STE 15

Provo Utah 84601 United States

Sample Name:	Black Shilajit 60 Cap	Eurofins Sample:	15364712
Sample Pass/Fail	PASS	Receipt Date	05-Jun-2025
Project ID	ELMNT_LLC-20250530-0001	Receipt Condition	Ambient temperature
PO Number	NA	Login Date	30-May-2025
Lot Number	12725	Date Started	05-Jun-2025
Sample Serving Size	2 Cap	Sampled	Sample results apply as received
Description	TR174743318452859 B0F8SDF787 Best By: 05-2027	Number Composited	20
		Online Order	901-2025-E047209

Analysis	Result	Specifications	Pass/Fail
Photo *			



* This analysis or component is not ISO accredited.

Printed: 26-Jun-2025 11:32 am

Page 7 of 10

Certificate of Analysis

ELMNT, LLC

560 S 100 W

STE 15

Provo Utah 84601 United States

Sample Name:	Black Shilajit 60 Cap	Eurofins Sample:	15364712
Sample Pass/Fail	PASS	Receipt Date	05-Jun-2025
Project ID	ELMNT_LL-20250530-0001	Receipt Condition	Ambient temperature
PO Number	NA	Login Date	30-May-2025
Lot Number	12725	Date Started	05-Jun-2025
Sample Serving Size	2 Cap	Sampled	Sample results apply as received
Description	TR174743318452859	Number Composited	20
	B0F8SDF787	Online Order	901-2025-E047209
	Best By: 05-2027		

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Front 2



* This analysis or component is not ISO accredited.

Printed: 26-Jun-2025 11:32 am

Page 8 of 10

Certificate of Analysis

ELMNT, LLC

560 S 100 W

STE 15

Provo Utah 84601 United States

Sample Name:	Black Shilajit 60 Cap	Eurofins Sample:	15364712
Sample Pass/Fail	PASS	Receipt Date	05-Jun-2025
Project ID	ELMNT_LLC-20250530-0001	Receipt Condition	Ambient temperature
PO Number	NA	Login Date	30-May-2025
Lot Number	12725	Date Started	05-Jun-2025
Sample Serving Size	2 Cap	Sampled	Sample results apply as received
Description	TR174743318452859	Number Composited	20
	B0F8SDF787	Online Order	901-2025-E047209
	Best By: 05-2027		

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Lot



Method References	Testing Location
Amazon 3rd Party COA Received (AMZ_3COA)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
Amazon Certification (AMZN_CERT)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
Calculated Sample Weight (PREP)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA

* This analysis or component is not ISO accredited.

Printed: 26-Jun-2025 11:32 am

Page 9 of 10

Certificate of Analysis

ELMNT, LLC

560 S 100 W

STE 15

Provo Utah 84601 United States

Method References

Testing Location

Calculated Sample Weight (PREP_BREA)

Food Integrity Innovation-Brea

2951 Saturn Street, Unit C Brea, CA 92821 USA

Eurycoma Longfolia (Tongkat Ali) (MISC_OC)

Food Integrity Innovation-Brea

2951 Saturn Street, Unit C Brea, CA 92821 USA

Internally Developed Method

Non-Testable Claims (AMZN_COMMT)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Photo (VIS_PHOTO)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Targeted Analysis of Sexual Enhancement Adulterants (PDE52AMZ_S)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Internally developed LC-MS/MS method for screening and quantification of sexual enhancement adulterants in dietary supplements.

Total Withanolides (USP Modified) (OC_WITHA_S)

Food Integrity Innovation-Brea

2951 Saturn Street, Unit C Brea, CA 92821 USA

USP (modified)

Testing Location(s)

Released on Behalf of Eurofins by

Food Integrity Innovation-Brea

**Marisa Feller - President Eurofins Botanical Testing
Brea**

Eurofins Food Chemistry Testing US, Inc.

2951 Saturn Street

Unit C

Brea CA 92821

800-675-8375

Food Integrity Innovation-Madison

**Edward Ladwig - President Eurofins Food
Chemistry Testing Madison**

Eurofins Food Chemistry Testing Madison, Inc.

6304 Ronald Reagan Ave

Madison WI 53704

800-675-8375

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.

* This analysis or component is not ISO accredited.

Printed: 26-Jun-2025 11:32 am

Page 10 of 10