MAINTENANCE ADVICE

The crib and the mattress have a resistant fabric cover which is completely removable and washable.

The removal/assembly operation should be carried out by adults only. On a regular basis check the condition of the product and presence of any possible damage. In the case of damage do not use it and keep it out of the reach of children. For washing of the fabric, carefully comply with the washing instructions indicated on the label.

For cleaning, do not use solvents, abrasive or agressive products. Hand wash in cold water. Do not bleach. Do not tumble dry. Do not iron. Do not dry clean. After each wash check the condition of the fabric and of the stitching for any signs of damage.

WARNING – During the removal / or application of the lining, handle the fabric carefully in order to avoid accidental damage or tears.

WARNING – The removal and/or application operations may take a few minutes and should be carried out by an adult.

PRODUCT WARRANTY

Nûby's *'Sleep By Me'* Bedside Crib includes a one-year limited warranty against defects from the date of purchase. In the event of a malfunction or defect during the in-warranty period, Luv n' care®, Ltd. at its option, will replace or repair the product under warranty. Upon receipt of the product and the proof of purchase with a valid date of purchase, the defective part will be immediately repaired or replaced and returned to you free of charge. Please send defective unit, proof of purchase with valid date of purchase, and a description of the problem you have encountered to:

Nûby UK LLP
13 Burford Way
Boldon Business Park
Boldon Colliery
Newcastle upon Tyne, NE35 9PZ
Attn: *Nûby Customer Care*

Note: This warranty does not cover a defect that has been caused by negligence, accident or improper use of the product.

Questions:
Call **0800 334 5844 (UK only)** or visit **www.nuby-uk.com**
enquiries@nuby-uk.com

For competitions & offers join us on

@nubyuk

Nûby UK LLP
13 Burford Way
Boldon Business Park
Boldon Colliery
Newcastle upon Tyne, NE35 9PZ
Freephone number: 0800 334 5844
enquiries@nuby-uk.com
www.nuby-uk.com
www.nuby.com

Form PIC/UK: 99819
© 2020 Luv n' care®, Ltd.
Nûby™ is a trademark licensed to
Luv n' care®, Ltd.
PRODUCT DESIGN, TM & ©
Complies with EN1130: 2019
Designed by Luv n' care® in the U.S.A.
Made in China

IMPORTANT! READ CAREFULLY AND KEEP FOR FUTURE REFERENCE

Nûby™

Sleep By Me Bedside Crib



Age: 0-6m
(weight of child maximum 9kg)

Instruction Manual

WARNING – Do not use this product without reading the instruction for use first;
WARNING – Placing additional items in the product may cause suffocation;
WARNING – Do not place the product close to another product, which could present a danger of suffocation or strangulation, e.g. strings, blind/curtain cords, etc.;
WARNING – Do not use more than one mattress in the product;
WARNING – Stop using the product as soon as the child can sit, kneel or pull itself up;
WARNING – Be aware of the risk of burning cigarettes, open fires and other sources of strong heat, such as electric bar fires, gas fires, etc. in the near vicinity of the Bedside Crib.


WARNING!


- NEVER leave the child unattended in the Bedside Crib when in *"Co-sleep mode (fixed to the bed)"*.
- DO NOT use crib if any parts are missing, damaged, or broken. Contact Nuby UK *(enquiries@nuby-uk.com)* for replacement parts and instructional literature if needed. DO NOT substitute parts.
- NEVER use accessories that have not been approved by the manufacturer.
- Only an adult should assemble, fold and unfold the Bedside Crib.
- Before assembly, check that the product and all of its components have not been damaged during transportation. Should any part be damaged do not use and keep out of reach of children. Make sure that users of this product are knowledgeable on its proper operation.
- The Bedside Crib should be locked in the fixed position when a child is unsupervised in it when in *"Stand-alone cot mode"*.
- Before use in *"Co-sleep mode (fixed to the bed)"*, make sure the product is properly anchored and positioned.
- When the product is used in *"Co-sleep mode (fixed to the bed)"*, before laying the child in it, make sure that the connection belts are hooked and tensioned properly. The product must be secured to the parents' mattress and no gaps between the product and the adults' mattress must be present.
- Keep the fastening belts out of the reach of children.
- Do not use the product without the frame.
- The thickness of the mattress must be such that vertical height (upper surface of the mattress to the upper edge of the product's sides) is at least 200mm. Do not use more than one mattress in the Bedside Crib.
- If you purchase a mattress separately, make sure it is suitable for the product.
- Do not leave any object inside the product that could reduce its depth.
- The Bedside Crib should be placed on a horizontal floor.
- Children should not be allowed to play unsupervised in the vicinity of the Bedside Crib.
- The Bedside Crib comes with a mattress - if you need to replace the mattress, ensure it is no deeper than 100mm.

- All assembly fittings should always be tightened properly and care should be taken that no screws are loose, because a child could trap parts of the body or clothing (e.g. strings, necklaces, ribbons for babies' dummies, etc.), which would pose a risk of strangulation.
- Do not position the crib near walls and obstacles to prevent trapping hazards.
- Do not adjust the product with the child inside.
- Do not move the product with the child inside.
- Do not use the product with more than one child at a time.


COMPONENTS


A. Central Supporting Structure
B. Rocking Support Frame
C. Fixing Belts
D. Connecter Knuckle
E. Fabric Lining
F. Mattress with Removable Cover
G. Outer Travel Bag
H. Support Bar for Middle
I. Support Bar for Bottom
J. Storage Basket






A1. Height Adjuster Button & Second Lock
A2. Middle Support Frame Release Button
A3. Adjustable Feet with Wheels & Brakes
A4. Wheels
A5. Front Leg Adjustable Button
A6. Front Bar Release Button
A7. Snap & Hook Fixing Storage Basket
A8. Rocking Function Button






B1. Fixing Pins
C1. Fixing Male Buckles
C2. Belt Length Adjust Buckles


E1. Velcro for Fixing Crib
E2. Zip for Fabric Removal
E3. Zip for Co-sleeping Mode
E4. Mesh Window
E5. Side Support for Restraint




ASSEMBLING THE BASSINET




1. Take product from carton box, hold the Central Supporting Structure (A) , turn the leg outward until you hear the locking click on the top hinges. Repeat the same operation with the other leg, after which the product will resemble as shown in ***1.1***.




2. Hold Connecter Knuckles (D), push it to Rocking tubes on both sides.




3. Hold Middle Support Bar (H), push it in and ensure fixing pins.




4. Hold Bottom Support Bar (I), push it in and ensure fixing pins.




5. Hold Rocking Support Frame (B), push it and ensure Fixing Pins (B1) are locked inside Middle Support Frame Release Button (A2). After this operation, the product will resemble the above.




6. Fix the Fabric Lining (E) to the Central Supporting Structure (A), hooking the 2 belts at the bottom of the lining (E1).



7. Fix the top rail of both sides and then zip up the front panel.




8. Place the mattress on the bottom of the bassinet.




9. Locate the storage basket to Crib.

HEIGHT ADJUSTMENT OF THE COT



1. The crib can be adjusted to different height positions. In order to adjust the height, press Height Adjuster Buttons (A1) on both sides of the cot to the desired position.



2. The base of the crib can be inclined slightly by adjusting the two legs to different heights.

WARNING – The crib can be inclined with a maximum variance of 2 positions between one leg and the other (for example: the right leg In position 3 and the left leg in position 1).
WARNING – The head of the child should always be positioned on the highest side, as shown above in *2.2*.

STAND-ALONE COT MODE

This product can be used as a stand-alone cot but the co-sleeper mesh side panel MUST be zipped up in the closed position.

- The Bedside Crib should be locked in the fixed position when a child is unsupervised in it when in *"Stand-alone cot mode"*.

CO-SLEEP MODE (FIXING TO THE BED)

The crib can be fixed to the parent's bed (co-sleeping mode).

WARNING - IMPORTANT FOR THE SAFETY OF YOUR CHILD:

This method is only possible with bed types that comply with all of the conditions described in this paragraph. In particular the side support of the crib should always be put close to the parent's mattress and the mattress should always be aligned with the height of the side support for restraint of the crib. Furthermore, the crib should be firmly fixed to the structure of the parents bed or to the mattress support (net or slats).


WARNING – To avoid hazards from the child's neck being caught on the top rail on the side that is next to the adult bed, the top rail must not be higher than the adult bed mattress.

WARNING – To avoid the risk of your child being strangled, the attachment system to the adult's bed shall always be kept away from and out of the crib.

WARNING – Check to make sure that the crib in the co-sleeping mode does not interfere with the parent's bed.


- **DO NOT** use Bedside Crib if any parts are missing, damaged, or broken. Only use attachment system provided, contact Nuby UK *(enquiries@nuby-uk.com)* for replacement parts & instructional literature if needed. DO NOT substitute parts.
- Bedside Cribs should never be used in an inclined position when in co-sleep mode;
- **DANGER!** – Always completely raise the drop side when not attached to the adult's bed.


Open the side of the crib with the window using the side zips , then push the release button (A6) and release the tube end from the plastic housing in front bar, repeat on both sides, then open them completely.




Move the crib close to the parent's bed and check the height of the crib compared with the bed's mattress. The open side of the crib should always be lower to ensure containment of the crib.

WARNING – in the co-sleeping mode the 2 legs of the crib should always be adjusted to the same height.






In order to fix the crib to the parent's bed (co-sleeping mode) use the pair of fixing belts (C) provided. Take the end of the belt which has both the male and female connector (as per below image). Locate the female connecter stitched to the side of the Crib. Attached the male connecter into it. Take the belt and wrap securely around the structure of the parents' bed. This could be around the mattress or the bed frame depending on the style of bed. Once complete attach the male connector into the remaining female connecter. During fixing we recommend that the crib is kept a short distance from the parents' bed. Repeat this operation with the second belt on the other side of the crib.



At this point, move the crib to the side of the parent's bed and tighten the loop (C1) by pulling the belts firmly, ensuring you carry out this operation for both belts. Adjust the belts until the crib is firmly in the contact with the parent's mattress.

WARNING!

- Suitable beds for co-sleep mode - the height of the adult bed (incl. mattress) from the floor should be a minimum of 52cm.
- The adult bed mattress must be flush to its frame i.e. the bed frame cannot extend beyond the mattress as this would result in a gap between the adult mattress and the Bedside Crib.
- Check the tightness of the attachment system before each use by pulling the Bedside Crib in a direction away from the adult bed.
- Ensure there are no space between the parents mattress and the side of the Bedside Crib. If there is, pull the belts firmly to tighten until there is no space.
- Always ensure the fixing belts are straight.
- To prevent a suffocation hazard from entrapment, the Bedside Crib shall be properly secured to the adult bed using the attachment system.
- There shall never be a gap between the lower side of the Bedside Crib and the mattress of the adult bed.
- If there is any gap between the Bedside Crib and the adult bed DO NOT use product.
- Gaps should not be filled with pillows, blankets or other items.
- During use, make sure that the parents bed sheets, blankets etc, do not enter and cover the interior of the Bedside Crib.
- When the product is used in the "*Co-sleeping Mode (fixing to the bed)*", it should always be fitted to the long side of access to the bed. Do not fix the product to the head or bottom of the bed.
- Use of the product is only permitted with beds and / or mattress with straight sides. Use of the product with a round bed or mattress or water bed is not permitted.



Check the Adjustable Feet with Wheels and Brakes (A3). Ensure they are firmly in contact with the parent's bed.

If during the fixing operations of the Bedside Crib to the parent's bed, it is not possible to slide the feet of the crib under the parent's bed, it is still possible to fix the crib by pressing the front leg adjustment button (A5) and folding the legs so the crib can be pushed up flush to the parent's bed.


MAKING THE BED

It is possible to unfasten the crib from the parent's bed in order to make the bed easily. Just unfasten the buckles on the crib located below the fabric finish.


To re-secure the crib to the parent's bed, pull once again the belts to make sure the crib is properly and firmly secured to the parent's bed. Pay attention to follow all the steps previously mentioned in paragraph *"Co-sleeping Mode (fixing to the bed)".*

ROCKER FUNCTION


Push the rocking function buttons on both sides, the bassinet can now swing by hand.



LINING REMOVAL AND CLEANING



1. Remove the mattress and release the velcro on the underside part of the fabric structure (E1).



2. Open zips on both sides of the window opening (E3). Open the zipper that runs around the top tube frame (E2). Ease the fabric from the tube then gently pull towards the lowered window, paying attention not to damage the internal part of the lining.