
Kids' Height Adjustable Ergonomic Chair

Instruction Manual



SKU: DESK-V201B-CH/G-CH/P-CH

Scan the QR code with your mobile device or follow the link for helpful videos and specifications related to this product.

https://vivo-us.com/products/desk-v201b-ch

GET IN TOUCH | Monday-Friday from 7:00am-7:00pm CST

help@vivo-us.com

www.vivo-us.com

Chat live with an agent!

309-278-5303

⚠ WARNING!

If you do not understand these directions, or if you have any doubts about the safety of the installation, please call a qualified technician. Check carefully to make sure there are no missing or defective parts. Improper installation may cause damage or serious injury. Do not use this product for any purpose that is not explicitly specified in this manual and do not exceed weight capacity. We cannot be liable for damage or injury caused by improper mounting, incorrect assembly or inappropriate use.

⚠ TIPOVER WARNING

SERIOUS OR FATAL CRUSHING INJURIES CAN OCCUR FROM TIPOVER. TO HELP PREVENT TIPOVER:


- NEVER ALLOW CHILDREN TO CLIMB, STAND, HANG, OR PLAY ON ANY PART OF DESK OR CHAIR

USE OF TIPOVER RESTRAINTS MAY ONLY REDUCE, BUT NOT ELIMINATE RISK OF TIPOVER.

⚠ WARNING: CHOKING HAZARD

SMALL PARTS - NOT FOR CHILDREN UNDER 3 YEARS. ADULT SUPERVISION IS REQUIRED.

PACKAGE CONTENTS



A (x1)
Chair Legs



B (x2)
Foot



C (x2)
Support Tube



D (x1)
Seat Bottom



E (x1)
Seat Back



S-A (x4)
Metal Lock Washer



S-B (x8)
M6x20mm Screw



S-C (x4)
Plastic Washer



S-D (x4)
ST4.8x25mm Screw



S-E (x2)
M6x12mm Screw



T-A (x1)
4mm Allen Wrench

TOOLS NEEDED



Phillips Screwdriver


DO NOT EXCEED WEIGHT CAPACITY.
Failure to do so may result in serious injury.



ASSEMBLY STEPS


STEP 1


Place Chair Legs **(A)** into Feet **(B)**, making sure legs are fully seated in openings. Secure Feet **(B)** using M6x20mm Screws **(S-B)** and Metal Lock Washers **(S-A)**. Tighten with 4mm Allen Wrench **(T-A)**.




STEP 2

Assemble Support Tubes **(C)** to Chair Legs **(A)** using M6x20mm Screws **(S-B)** and Plastic Washers **(S-C)**. Tighten with 4mm Allen Wrench **(T-A)**.









STEP 3

Secure Chair Bottom **(D)** to Support Tubes **(C)** using ST4.8x25mm Screws **(S-D)**. Tighten with a Phillips screwdriver. Slide Chair Back **(E)** onto support Tubes **(C)** and secure using M6x12mm Screws **(S-E)** and 4mm Allen Wrench **(T-A)**.



STEP 4

To adjust chair height, remove the 4 pre-installed screws on Chair Legs **(A)** using 4mm Allen Wrench **(T-A)**. Reinstall screws at desired height using 4mm Allen Wrench **(T-A)**. Level the chair using the pads on the bottom of Feet **(B)**.



Open **Monday - Friday 7:00am - 7:00pm** CST,
our dedicated support team can offer immediate assistance with rapid response times. If any parts are received damaged or defective, please contact us. We are happy to replace parts to ensure you have a fully functioning product.

309-278-5303

AVG. RESOLUTION TIME *(within office hrs)*: **5M 4S**

---

www.vivo-us.com
Chat live with an agent!

AVG. RESOLUTION TIME *(within office hrs)*: **< 15 M**

---

help@vivo-us.com

AVG. RESPONSE TIME *(within office hrs)*: **1HR 8M**
- 23% within < 15m
- 38% within < 30m
- 61% within < 1hr
- 83% within < 2hr
- 92% within < 3hr