
Whirlpool®
HOME APPLIANCES



USE AND CARE GUIDE
WATER PURIFIER

DESTROYER
WORLD SERIES



WHIRLPOOL OF INDIA LIMITED

CORPORATE OFFICE PLOT NO. 40, SECTOR - 44, GURGAON - 122002

For inquiries, please call us at : *1800 208 1800 (Toll free),*
1860 180 4558 (For BSNL & MTNL subscribers).

Visit us @ www.whirlpoolindia.com

Whirlpool® HOME APPLIANCES

CONTENTS

Welcome to the Whirlpool Family 1

Getting to know your Destroyer World Series water purifier system 2

What makes your Destroyer world series special 3

Safety precautions 4

Before using the Destroyer Water purifier 5

Contents of pack 6

Installation 7

Precautions and maintenance 9

Whirlpool service 10

Water purifier disposal 10

Warranty terms & conditions 11

Warranty card 13

Installation report 14

Technical specifications 15

WELCOME TO THE WHIRLPOOL FAMILY

Dear Homemaker,

Congratulations on bringing home the new Whirlpool – Destroyer World Series Water Purifier System. We would like to welcome you to the global fraternity of Whirlpool home makers who believe in giving their families nothing but the best.

You would be proud to know that Whirlpool is the largest home appliance company in the world and that a Whirlpool appliance finds a new home in some parts of the world, every two seconds. This has been possible because homemakers like you choose Whirlpool and reinforce our belief system in Innovation, Operational & Customer Excellence. Our Destroyer World Series are elegantly styled and convenient to use with India's first "Do it Yourself" ***TWISTECH membrane****. This system is fitted with Whirlpool's internationally acclaimed non-electric EAT water purification technology which delivers pure & fresh drinking water. The* ***Electro adsorption Technology (EAT)*** *with positively charge iso electric nano -fibers with powdered activated carbon delivers the benefits of 4 filters in one filter and removes the below contaminants :*

Physical Contaminants : Particulates, Dust, Sand
Chemical contaminants : Chlorine & VOC
Microbial Contaminants : Bacteria, Cysts, Virus & Endotoxin.
*Heavy Metal : Lead & Arsenic * (* For Arsenic the claims is limited to certain conditions like pH, type , restricted life of filter)*

To get the best of our Water Purifier System , use this simple and easy to understand guide and follow the instructions. We would love to assist you with your queries and suggestions at the Whirlpool Home Care Centre number mentioned in this user guide or at www.whirlpoolindia.com. We wish you years of joyful homemaking with your Whirlpool – Destroyer World Series Water Purifier System and look forward to having a great relationship with you.

Your Sincerely,




Rajiv Kapur
Vice President – New Business & Customer Interface.

GETTING TO KNOW YOUR DESTROYER WORLD SERIES WATER PURIFIER SYSTEM

Destroyer World Series water purifier fitted with Whirlpool's internationally acclaimed non electric EAT water purification technology deliverspure & fresh drinking water.

All about Whirlpool Destroyer World Series



*MICRO**BLOCK** feature available in selected SKU's.

WHAT MAKES YOUR DESTROYER WORLD SERIES SPECIAL

Features



The Electro Adsorption Technology (EAT) with positively charge iso electric nano -fibers with powdered activated carbon delivers the benefits of 4 filters in one filter and removes the below contaminants :

1. Physical Contaminants : Particulates, Dust, Sand.
2. Chemical Contaminants : Chlorine & VOC.
3. Microbial Contaminants : Bacteria, Cysts, Virus & Endotoxin.
4. Heavy Metal : Lead & Arsenic *

(* For Arsenic the claims is limited to certain conditions like pH, type , restricted life of filter)



Destroyer World Series do not require electricity to work, but delivers pure and fresh drinking water by way of barrier method with Electro Adsorption Technology.



Its large 6 liters storage tank ensures that you do not run out of water whenever you need it.



Unique MICRO**BLOCK** protection in the storage tank ensures that even the stored water remains free from bacterial contamination.

*MICRO**BLOCK** feature available in selected SKU's.



We understand that space in the kitchen is at a premium. Destroyer World Series purifier's unique & ergonomic design ensure optimal footprint in your kitchen. It is wall mountable , freeing up valuable space on the kitchen counter.



Destroyer World Series Purifier will revolutionize the way water purifiers are serviced and maintained. Unique Twist - tech technology will make changing filters child's play. You do not need to wait for service engineers to change filters, Just order the filter, quarter turn the used filter out, and quarter turn the new filter in.

SAFETY PRECAUTIONS

Your safety and safety of others are very important

We have provided many important safety messages in this manual and on your appliance.

Please read all safety and operating instructions before operating the appliance.

Please retain this manual at all times for reference.

All warnings, cautions and notes on Water Purifier are important; please pay attention to them.

for best result, follow the instructions given in this manual.

Include both the model number and the serial number while corresponding with Whirlpool or your dealer in connection with this product.



This is the safety alert symbol, it alerts you of hazard that can hurt you and others. All safety messages will be preceded by the safety alert symbol and the word "DANGER" or "WARNING"

⚠ DANGER **You can be killed or seriously injured if you don't follow the given instructions.**

⚠ WARNING **You can be killed or seriously injured if you don't follow the given instructions. All safety messages will identify the hazard, tell you how to reduce the chance of injury, and tell you what can happen if the instructions are not followed.**

BEFORE USING THE DESTROYER WATER PURIFIER

The product you have purchased is designed exclusively for domestic use. For best use, please read the instructions carefully. Keep this handbook for future reference. Failure to follow the instructions regarding sanitising can compromise the hygienic safety of the water dispensed.

1. After unpacking the appliance, make sure it is not damaged. Any damage must be notified to the dealer within 24 hours of delivery.

2. Make sure installation of the water connections is carried out by a qualified technician, following the manufacturer's instructions. When using the appliance for the first time and after every filter cartridge change, it is advisable to run the water for 5 litres before drinking the water. This will allow the cleaning of the membrane filtering element.

INSTALLATION
Installation must be carried out by a qualified technician. For correct installation of the product, it is advisable to refer to the installation instructions supplied. Some general advice on positioning and installation is given below.

POSITIONING
- Awaiting installation by qualified person, the appliance can be positioned inside a domestic area.
- A drinking water supply meeting the manufacturer's specifications must be available near the appliance.
- The water supply pipe must not get in the way.
- Do not place the appliance near direct or indirect heat sources, or over other equipment or electrical appliances.
- Place of installation should be dry and ventilated.

WATER CONNECTIONS (DRINKING WATER)
Do not make temporary connections.
The mains water supply must ensure:
- Working Pressure should be more than 4psi.
- Advisable TDS should be less than 500 ppm.

CONTENTS OF PACK

Water purifier comprises of:


- 1 Main unit
- 1 Twistech Membrane with EAT Technology
- 1 Pre-filter unit with accessories
- 1 Pre-filter element
- Inlet pipe 2 meters
- 1 Water tap assembly
- 1 Instruction Manual



INSTALLATION

Installation must be carried out by a qualified technician.


1. Connection to water supply



1.1 Remember to close the main water supply & open the required tap assembly.

1.2 Fit the Water Tap Assembly in water line which comes along with the product & put normal tap at other end as per requirement.

2. Destroyer Installation




2.1 Establish the place where you intend to install the pre-filter assembly and main unit. Take measurements for drilling.

2.2 Drill the holes as per measurement for pre-filter assembly and main unit.

2.3 Insert a raw plug & screw in the holes, do not turn the screw all the way in to allow the hooking of pre-filter & main unit.

2.4 Hang main unit, pre-filter assembly on these screws & cut the pipe to desired length for connecting
a. Water tap to pre-filter inlet.
b. Pre-filter outlet to main unit inlet at the back.



Note: Destroyer and Prefilter should be in same line preferably

3. Inserting the filter in the support


3.1 Make sure your hands are hygenically clean before touching the filters.


3.2 Put the pre-filter unit in the pre-filter assembly.

3.3 Open the top lid and insert the Twistech membrane in the support as shown in the figure.

3.4 Move it by turning until it fits in place. Then turn the filter hard 1/4 of a turn to secure it.


3.5 Close the lid after fitting the membrane.






4. Open the main water supply & water tap assembly should be put at ON position.

5. Let the tank fill then remove the first 5 litres of water & then your purifier is ready to use.



PRECAUTIONS AND MAINTENANCE



1. Before replacing the filters close both water tap assembly supplying water to the product and mains supply.

2. Using a wrench, open the pre-filter.

3. Replace the old pre-filter element with new pre-filter element.

Changing the Twistech membrane

Your Twistech membrane with EAT Technology is designed for 7 ~ 8months of usage considering a daily consumption of 8 -10 litres; which comes to 2200 litres. Please note that the filter life of 2200 litres is based on standard test conditions and actual result my vary basis input water quality and usage conditions. We have provided space in the filter sticker to note the installed date for track. Once the above mentioned life of filter is lapsed either on litres or time, remove the filter from its support, gripping and turning it hard anti-clockwise. Fit the new filter in its support, as shown in the figure. The filter must be secure before it is hooked to the wall. Move it by turning until it fits in place. Then turn the filter hard 1/4 of a turn to secure it.



Note:

Ensure the pre-filter assembly is cleaned after every 15 days of usage.

Caution: If Twistech membrane is not fitted properly the water will not get dispensed to the tank

WHIRLPOOL SERVICE

You may call us at:

Or email us on:
helpdeskindia@whirlpool.com

Or write to us at:
Head - Corporate Consumer Cell
Whirlpool of India Ltd. # 28, N.I.T.,
Faridabad 121 001 (Haryana)India
Email: helpdeskindia@whirlpool.com
Customer Care: 1800 208 1800 (Toll free),
1860 180 4558 (For BSNL & MTNL subscribers)



WATER PURIFIER DISPOSAL



By ensuring this product is disposed off correctly, you will help avoid potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product.

The symbol on the product or on the documents accompanying the product indicates that this appliance may not be treated as household waste. Instead, it shall be handed over to the authorized collection center for the recycling of electrical and electronic equipment waste generated at the end life of the product.

Disposal must be carried out in accordance with local environmental regulations for e-waste disposal, which mandate channelization of e-waste to authorized collection center(s) or registered dismantler(s) or recycler(s) or returned to the pick-up or take back services provided by the manufacturer.

For more detailed information about treatment, recovery, disposal and recycling of this product, please call @ 1800 208 1800 (Toll free), 1860 180 4558 (For BSNL & MTNL subscribers) or please visit www.whirlpoolindia.com

WARRANTY TERMS AND CONDITIONS

Whirlpool of India Limited (WOIL) warrants to the original domestic purchaser of this Water Purifier System that it is free from defects in material and workmanship.

Limitation of Warranty:

1. The warranty does not cover:
(I) Defects caused by rough handling (including, without limitation, defects caused by sharp items, by bending, compressing or dropping etc.)
(ii) Defects or damage caused by misuse of the product, including use that is contrary to the instructions provided by WOIL (e.g. as set out in the Product User's guide) and/or
(iii) Other acts beyond the reasonable control of WOIL.
(iv) Plastics parts cosmetic damage or exterior finish.
(v) Consumable components such as Twist Tech Filter and Pre-filter.

2. This warranty does not apply, where the defects or fault is caused or contributed by:
(i) Improper installation by the purchaser himself or non adherence of the specific installation instructions either supplied within each product box or carton or available on the WOIL website or through the authorised dealer or WOIL's representative; or
(ii) Use of the product in a manner or for a purpose for which it was not designed.
(iii) If damage is caused by accidents, abuse, neglect, fire, water, lightning or other acts of nature.

(iv) If the product is repaired by any person/institution other than the authorized service centre or personnel specifically assigned for the specific purpose.
(v) If the serial number on the product is defaced, missing or altered.
(vi) If the damage is caused by pest infestation.
(vii) If the water purifier is used for commercial purposes.
(viii) If the unit is not cleaned as instructed in the manual.
(ix) If the input water emits pungent smell.

3. Our staff of experienced technical people is ready to serve you with installation of the unit provided necessary inputs of water connection, adequate water pressure etc. is provided by the purchaser. WOIL will not be responsible if the purchaser does not fulfill the prerequisite of installation.

4. Any contrary claim regarding quality of water by domestic purchaser of water purifier shall only be tested/determined by WOIL's authorized personnel at its sole discretion.

5. WOIL has specified the desirable input water conditions in the Technical Specification page of use and care manual. WOIL has no responsibility if the input water conditions differ from recommended operating conditions.

6. The Warranty Period will not be extended or renewed or otherwise affected due to subsequent resale, repair or replacement of the product. However, repaired part(s) will be warranted for the remainder of the original Warranty period.

7. It is mandatory to provide the original bill/invoice copy along with the duly stamped warranty card at the time of any repair work being done by authorized representatives of WOIL. If the customer fails to produce the necessary documentation then the repair work/assistance shall be provided on a chargeable basis.

8. WOIL accepts no responsibility for damage to the product due to usage of any ancillary equipment which is not authenticated, recommended or advised by WOIL.

9. All installations shall be performed in accordance with the local, state and country electrical code. Appropriate regulatory authorities should be consulted where required.

10. In no event will WOIL be liable to the Purchaser for any incidental or consequential damaged arising out of the use or inability to use the product or any claim by any other party. All claims are limited to the repair or the replacement of the defective part only and do not include any labour or transportation charges. The company is not liable for any delay in repairs/replacements due on account of any conditions beyond the control of the company or its representatives.

11. The courts at Delhi shall have exclusive jurisdiction on matters covered under this warranty.

12. It is entirely left to WOIL's discretion to effect repairs/replacements of parts at site of installation or any at service station of its branches or of its authorized representatives/dealers.

13. While WOIL will make every effort to carry out repairs/replacement of parts under this warranty as soon as possible, it is expressly made clear that WOIL shall not be responsible to do so within any specified period of time.

14. In the event of any unforeseen circumstance and spares not being available the WOIL's prevailing depreciation rules will be binding on the purchaser to accept as a commercial solution in lieu of repairs.

WARRANTY CARD

Destroyer Water Purifier

Warranty Registration Card

Serial No._____ Model No. _____

Date of Purchase _____

Purchaser's Name _____ Tel. No._____

Address _____

_____

Dealer's Name _____ Tel. No. _____

Address _____

_____

_____

Dealer's Signature
(with rubber stamp)

Note: I
1. Please retain the bill of purchase.
2. Please quote Serial number, Model & Date of purchase in all your correspondence.

WHIRLPOOL OF INDIA LIMITED (WOIL) warrants to the purchaser of the Whirlpool Water Purifier, provided the Water Purifier continues and remains in the possession of and used by the purchaser, as from the date of purchase.

ONE YEAR WARRANTY ON WATER PURIFIER

WOIL's Obligation under the warranty shall be limited to repairing or replacing ,the defective part of the said Water Purifier product with a functional part within one year from the date of original purchase and which on WOIL's examination discloses to its satisfaction to be defective.

INSTALLATION REPORT

Whirlpool of India Limited - Whirlpool Service

Destroyer World Series

Serial No._____ Model No._____

Magicare Customer ID No. _____

Tel. No._____

Address_____

_____

Installation Check Points

Machine Delivered on _____ Machine Installed on _____

	Tick Appropriate (By Service Engineer)	
1. Any transit damage observed	⬭ Yes	⬭ No
2. If poor earthing, customer has been advised	⬭ Yes	⬭ No
3. User manual delivered	⬭ Yes	⬭ No
4. Demonstrate/explain basic maintenance	⬭ Yes	⬭ No
5. Warranty term explained	⬭ Yes	⬭ No
6. Basic function explained	⬭ Yes	⬭ No
7. Do's & Don'ts explained	⬭ Yes	⬭ No

Installed by: _____

Signature _____

Customer's Response:

1. The Installation person was courteous & helpful. Yes ⬭ No ⬭

2. I would describe my experience with installation. Unacceptable ⬭ Satisfactory ⬭ Not satisfactory ⬭ Very satisfactory ⬭

I certify that the above information & check have been done to my satisfaction & I am fully satisfied with the installation of the Water Purifier System.

Customer's signature:_____ Date: _____ Time:_____

TECHNICAL SPECIFICATIONS

Specifications	Destroyer
Gross Tank Capacity	6 Liters
Filteration Rate	1.0 LPM* @ 8 Psi, 25° C
Dimensions	280*225*365 mm
Weight	2.3 Kg
Filter Cartridges	Pre Filter, Twist Tech 4 in 1 filter
Desirable Input TDS	500 PPM**
Operating Pressure	4 - 30 psi
Operating temperature	5° - 45°C

Note: In line with Whirlpool of India's policy of continuous improvements, specifications are subject to change without prior notice

* Filteration capacity depends on input water quality, pressure and condition of filter

** Delivers best results in TDS < 500 PPM ,Turbidity < 1 NTU