




Ender-3 Pro 3D Printer

Instructions for assembly

- ◆ This guide is for the Ender-3 Pro 3D Printer.
- ◆ Select the correct input voltage to match your local mains (230V or 115V).
- ◆ Because of software/hardware upgrades and model differences, new revisions may not be listed in this guide.
- ◆ Please plug the Power cord into a three-hole power jack.
- ◆ Detailed instructions for use are available in the TF card.



V.2.2

Parameters	
Model	Ender-3 Pro
Printing Size	220*220*250mm
Molding Tech.	FDM
Nozzle Number	1
Slice Thickness	0.1mm-0.4mm
Nozzle Diameter	Standard 0.4mm
Precision	±0.1mm
Filament	φ1.75mm PLA
File Format	STL/OBJ/AMF
Working Mode	Online or TF card offline
Total Power	270W
Bed Temp.	≤100°C
Nozzle Temp.	≤250°C
Resume Print	Yes
Auto Leveing	NO
Filament Detector	NO
Operating System	Windows XP/Vista//7/8/10 MAC/Linux
Printing Speed	≤180mm/s, Normal 30-60mm/s
Slice Software	Creality Slicer/Cura/ Repetier-Host/Simplify3D
Power Supply	Input: AC 115V/230V 50/60Hz Output:DC 24V

The revision date: May 20,2019




SHENZHEN CREALITY 3D TECHNOLOGY CO.,LTD.
 11F & Room 1201,Block 3,JinChengYuan,Tongsheng
 Community,Dalang,Longhua District,Shenzhen,China,5
 18109
 Official Website: www.creality3d.cn
 Tel: +86 755-85234565
 E-mail: info@creality3d.cn cs@creality3d.cn




List 1


Assemblies




01




02




03




04




05




06



07



08




09



2pcs

10



11



2pcs

12




13




14

List 2

Sections





Fasteners







Tools



Step 1




Step 3





Front



Step 4





Step 5






Step 6






Step 7



Step 8






Step 9





*Don't tighten it too tight

Left









Step 10



Step 11



Step 12



Left