

LED Bulb Compatibility
Decora Digital™ Dimmer with Bluetooth Technology - DDL06-BL



| Bulb Type | Bulb Manufacturer | Model # | Wattage | Equivalent Wattage | Color/Temperature (K) | |
|--------------------------------------|-------------------|--------------------------------------|-----------------------------|---------------------------|---------------------------|-------------------------|
| 4 in Retrofit | ConTech | RF4L130KCG-WHT | 12 | 60 | Bright White (3000-3499K) | |
| | | RF4L127KCG-PL | 12 | 60 | Soft White (2400-2999K) | |
| | | RF4L127KCG-WHT | 12 | 60 | Soft White (2400-2999K) | |
| | | RF4L130KCE-PL | 12 | 60 | Bright White (3000-3499K) | |
| | | RF4L130KCE-WHT | 12 | 60 | Bright White (3000-3499K) | |
| | RF4L130KCG-PL | 12 | 60 | Bright White (3000-3499K) | | |
| | Cree | SRDL4-0572700FH-12DE26-1-11* | 8 | 55 | Daylight (4500-6500K) | |
| | | SRDL4-0575000FH-12DE26-1* | 8 | 55 | Daylight (4500-6500K) | |
| TRDL4-0782700FH50-12DE26-1-11* | | 10.5 | 75 | Soft White (2400-2999K) | | |
| TRDL4-0784000FH50-12DE26-1-11004S-D* | | 10.5 | 75 | Cool White (3500-4499K) | | |
| 6 in Retrofit | ConTech | RF6L130KCG-WHT | 15 | 75 | Bright White (3000-3499K) | |
| | | RF6L127KCG-PL* | 15 | 75 | Soft White (2400-2999K) | |
| | | RF6L127KCG-WHT* | 15 | 75 | Bright White (3000-3499K) | |
| | | RF6L130KCE-PL | 15 | 75 | Bright White (3000-3499K) | |
| | | RF6L130KCE-WHT | 15 | 75 | Bright White (3000-3499K) | |
| | | RF6L130KCG-PL | 15 | 75 | Bright White (3000-3499K) | |
| | Cree | TRDL6-0802700FH50-12DE26-1-11004S-D* | 11 | 75 | Soft White (2400-2999K) | |
| | | TRDL6-1102700FH50-12DE26-1-11* | 14.5 | 100 | Soft White (2400-2999K) | |
| | | TRDL6-1602700FH50-12DE26-1-11* | 21 | 150 | Soft White (2400-2999K) | |
| | | TRDL6-0804000FH50-12DE26-1-11004S-D* | 11 | 75 | Cool White (3500-4499K) | |
| | | TRDL6-1104000FH50-12DE26-1-11004S-D* | 14.5 | 100 | Cool White (3500-4499K) | |
| | | TRDL6-1604000FH50-12DE26-1-11004S-D* | 21 | 150 | Cool White (3500-4499K) | |
| | | DL-N34A9ER1-27* | 9 | 65 | Warm White (2000-2399K) | |
| | Halo | LT560WH6930 | 10 | 65 | Bright White (3000-3499K) | |
| | | LT560WH6927 | 9.5 | 65 | Soft White (2400-2999K) | |
| | | LT560WH6935 | 9.6 | 65 | Cool White (3500-4499K) | |
| | | LT560WH6940 | 10.3 | 65 | Cool White (3500-4499K) | |
| | | LT560WH6950 | 9.5 | 65 | Daylight (4500-6500K) | |
| | Lithonia | 65BEMW | 12.1 | 65 | Warm White (2000-2399K) | |
| | A15 | EcoSmart | A15 6.5W E26 DIM 2700K* | 6.5 | 60 | Warm White (2000-2399K) |
| | A19 | Amazon Basic | B01MTO11GI | 6 | 40 | Daylight (4500-6500K) |
| | | | B01MRKXX6E | 11 | 75 | Daylight (4500-6500K) |
| | | Cree | SA19-04627MDFD-12DE26-1-14* | 5.5 | 40 | Soft White (2400-2999K) |
| SA19-04650MDFD-12DE26-1-14* | | | 5.3 | 40 | Soft White (2400-2999K) | |
| SA19-08127MDFD-12DE26-1-14 | | | 9.5 | 60 | Soft White (2400-2999K) | |
| TA19-04527MDFH25-12DE26-1-12* | | | 5.5 | 40 | Soft White (2400-2999K) | |
| TA19-04550MDFH25-12DE26-1-12* | | | 5.5 | 40 | Daylight (4500-6500K) | |
| TA19-08027MDFH25-12DE26-1-12014S-D | | | 10 | 60 | Soft White (2400-2999K) | |
| TA19-08050MDFH25-12DE26-1-12 | | | 10 | 60 | Daylight (4500-6500K) | |
| TA19-11027MDFH25-12DE26-1-11007S-D* | | | 12 | 75 | Soft White (2400-2999K) | |
| TA19-11050MDFH25-12DE26-1-11* | | | 12 | 75 | Daylight (4500-6500K) | |
| TA19-11030MDFH25-12DE26-1-11007S-D* | | | 12 | 75 | Soft White (2400-2999K) | |
| A19-75W-P1-27K-E26-U1* | | | 12 | 75 | Soft White (2400-2999K) | |
| A19-75W-P1-30K-E26-U1* | | | 12 | 75 | Bright White (3000-3499K) | |
| A19-75W-P1-50K-E26-U1* | | | 12 | 75 | Daylight (4500-6500K) | |
| TA19-04530MDFH25-12DE26-1-12014S-D* | | | 5.5 | 40 | Bright White (3000-3499K) | |
| A19-40W-P1-27K-E26-U1* | | | 5.5 | 40 | Soft White (2400-2999K) | |
| A19-40W-P1-30K-E26-U1* | | | 5.5 | 40 | Bright White (3000-3499K) | |
| A19-40W-P1-50K-E26-U1* | | | 5.5 | 40 | Daylight (4500-6500K) | |
| TA19-08030MDFH25-12DE26-1-12014S-D | | | 10 | 60 | Bright White (3000-3499K) | |
| A19-60W-P1-27K-E26-U1 | | | 10 | 60 | Soft White (2400-2999K) | |
| A19-60W-P1-30K-E26-U1 | | | 10 | 60 | Bright White (3000-3499K) | |
| A19-60W-P1-40K-E26-U1 | | | 10 | 60 | Cool White (3500-4499K) | |
| A19-60W-P1-50K-E26-U1 | | 10 | 60 | Daylight (4500-6500K) | | |
| EcoSmart | | B7A19A40WESD34 | 5.7 | 40 | Daylight (4500-6500K) | |
| | | C5A19A40WESD09 | 5.6 | 40 | Daylight (4500-6500K) | |
| | | B7A19A40WESD02 | 5.7 | 40 | Bright White (3000-3499K) | |
| | | B7A19A60WESD14 | 9.5 | 60 | Soft White (2400-2999K) | |

| | | | | | |
|-----------|------------------------|-------------------------------|---------------------------|---------------------------|---------------------------|
| A19 | EcoSmart | ECS A19 40WE W27 FIL 120 3PK* | 4.5 | 40 | Soft White (2400-2999K) |
| | | C5A19A75WESD04* | 12.5 | 75 | Soft White (2400-2999K) |
| | | A19G 5.5W E26 DIM 2200K* | 5.5 | 60 | Warm White (2000-2399K) |
| | | A6A1960WESD81* | 9 | 60 | Warm White (2000-2399K) |
| | | B6A19100WESD01* | 15 | 100 | Warm White (2000-2399K) |
| | | A7A19A75WESD09* | 13 | 75 | Warm White (2000-2399K) |
| | | A8A19A60WESGD03* | 7.5 | 60 | Warm White (2000-2399K) |
| | | A8A19A60WESD01* | 8 | 60 | Warm White (2000-2399K) |
| | | A7A19A75WESD08* | 13 | 75 | Warm White (2000-2399K) |
| | | B7A19A40WESD14 | 5.7 | 40 | Soft White (2400-2999K) |
| | | B7A19A40WESD11 | 5.7 | 40 | Soft White (2400-2999K) |
| | | B7A19A40WESD31 | 5.7 | 40 | Daylight (4500-6500K) |
| | | B7A19A60WESD11 | 9.5 | 60 | Soft White (2400-2999K) |
| | | B7A19A60WESD02 | 9.5 | 60 | Bright White (3000-3499K) |
| | | B7A19A60WESD34* | 9.5 | 60 | Daylight (4500-6500K) |
| | | A7A19A75WESD07* | 13 | 75 | Warm White (2000-2399K) |
| | | GE | LED8DAGDL15-LT4* | 8 | 60 |
| | LED8DAGDL9-LT8* | | 8 | 60 | Warm White (2000-2399K) |
| | LED8DAGRVL-LT2* | | 8 | 60 | Warm White (2000-2399K) |
| | LED8DAGDL9-LT4* | | 8.5 | 60 | Warm White (2000-2399K) |
| | LED8DAGSW9-LT4* | | 8.5 | 60 | Warm White (2000-2399K) |
| | LED8DAGRVL-LT8* | | 8 | 60 | Warm White (2000-2399K) |
| | LED8DAGSW15-LT4* | | 8 | 60 | Warm White (2000-2399K) |
| | LED8DAGSW15-LT8* | | 8 | 60 | Warm White (2000-2399K) |
| | LED5DAGDL15-LT8* | | 5 | 40 | Soft White (2400-2999K) |
| | LED5DAGCSW-LT2* | | 5 | 40 | Daylight (4500-6500K) |
| | LED5DAGSW9-LT8* | | 5 | 40 | Soft White (2400-2999K) |
| | LED5DAGDL15-LT4* | | 5 | 40 | Daylight (4500-6500K) |
| | LED5DAGDL9-LT4* | | 5 | 40 | Daylight (4500-6500K) |
| | LED5DAGDL9-LT8* | | 5 | 40 | Daylight (4500-6500K) |
| | LED5DAGRVL-LT2* | | 5 | 40 | Soft White (2400-2999K) |
| | LED5DAGRVL-LT4* | | 5 | 40 | Soft White (2400-2999K) |
| | Satco | | S21713* | 7.5 | 60 |
| | | S21714* | 7.5 | 60 | Soft White (2400-2999K) |
| | | S29835* | 9.8 | 60 | Soft White (2400-2999K) |
| | | S29836* | 9.8 | 60 | Bright White (3000-3499K) |
| | | S29837* | 9.8 | 60 | Cool White (3500-4499K) |
| | | S29838* | 9.8 | 60 | Cool White (3500-4499K) |
| | | S29842* | 9.8 | 60 | Cool White (3500-4499K) |
| | | S29804 | 11 | 75 | Cool White (3500-4499K) |
| | | S29810* | 11 | 75 | Soft White (2400-2999K) |
| | | S29811 | 11 | 75 | Bright White (3000-3499K) |
| | | S29812* | 11 | 75 | Cool White (3500-4499K) |
| | | S29813 | 11 | 75 | Daylight (4500-6500K) |
| | | S29814 | 11 | 75 | Soft White (2400-2999K) |
| S29815* | | 15 | 100 | Soft White (2400-2999K) | |
| S29816* | | 15 | 100 | Bright White (3000-3499K) | |
| S29817* | | 15 | 100 | Cool White (3500-4499K) | |
| S29818* | | 15 | 100 | Daylight (4500-6500K) | |
| s29831* | 6 | 40 | Bright White (3000-3499K) | | |
| S29830* | 6 | 40 | Soft White (2400-2999K) | | |
| S29832* | 6 | 40 | Cool White (3500-4499K) | | |
| A21 | EcoSmart | A21 11W E26 DIM 2700K* | 11 | 90 | Warm White (2000-2399K) |
| B11 | Cree | TB11-01827MDCH15-12DE12-1-12 | 2.6 | 25 | Soft White (2400-2999K) |
| | | TB11-01850MDCH15-12DE12-1-12 | 2.6 | 25 | Daylight (4500-6500K) |
| | | TB11-03527MDCH15-12DE12-1-12* | 4 | 40 | Soft White (2400-2999K) |
| | | TB11-03550MDCH15-12DE12-1-12* | 4 | 40 | Daylight (4500-6500K) |
| | | B11-25W-P1-27K-E12-U1 | 2.6 | 25 | Soft White (2400-2999K) |
| | | B11-25W-P1-50K-E12-U1 | 2.6 | 25 | Daylight (4500-6500K) |
| | | B11-40W-P1-27K-E12-U1* | 4 | 40 | Soft White (2400-2999K) |
| | B11-40W-P1-50K-E12-U1* | 4 | 40 | Daylight (4500-6500K) | |
| | EcoSmart | B1160WDLE123P | 6 | 60 | Daylight (4500-6500K) |
| | | B1160WFILE123P | 4.5 | 60 | Soft White (2400-2999K) |
| | | ECS B1160WE850DIME12CLR3PKBL | 4.5 | 60 | Warm White (2000-2399K) |
| | | FG-03128* | 4 | 40 | Warm White (2000-2399K) |
| | | FG-03130* | 4 | 40 | Warm White (2000-2399K) |
| FG-03129* | | 4 | 40 | Warm White (2000-2399K) | |

| | | | | | | |
|-----------|-------------|-----------------------------|-------------|-------------------------|---------------------------|---------------------------|
| B11 | EcoSmart | FG-03131* | 4 | 40 | Warm White (2000-2399K) | |
| | | FG-03132* | 2.5 | 25 | Warm White (2000-2399K) | |
| | | FG-03133* | 2.5 | 25 | Warm White (2000-2399K) | |
| | Philips | 9290018423* | 2.7 | 25 | Soft White (2400-2999K) | |
| | | 9290018424* | 2.7 | 25 | Daylight (4500-6500K) | |
| BR20 | EcoSmart | 1003020502* | 12 | 75 | Warm White (2000-2399K) | |
| | | 1003020802* | 12 | 75 | Warm White (2000-2399K) | |
| | | 1003020602* | 12 | 75 | Warm White (2000-2399K) | |
| BR30 | Cree | D-BR30-65WE-2700K* | 8.5 | 65 | Soft White (2400-2999K) | |
| | | SBR30-06527FLFD-12DE26-1-13 | 8 | 65 | Soft White (2400-2999K) | |
| | | SBR30-06550FLFD-12DE26-1 | 7 | 65 | Daylight (4500-6500K) | |
| | | SBR30-06550FLFD-12DE26-1-13 | 7 | 65 | Daylight (4500-6500K) | |
| | EcoSmart | 1003024203* | 10.5 | 65 | Warm White (2000-2399K) | |
| | | 1003025902* | 12.5 | 75 | Warm White (2000-2399K) | |
| | | 1003024702* | 12.5 | 75 | Warm White (2000-2399K) | |
| | | 1003024102 | 12.5 | 75 | Warm White (2000-2399K) | |
| | | 1003024802* | 12.5 | 75 | Warm White (2000-2399K) | |
| | | 1002878703 | 9 | 65 | Daylight (4500-6500K) | |
| | | 1003028503 | 9 | 65 | Soft White (2400-2999K) | |
| | | 1003028602 | 9 | 65 | Bright White (3000-3499K) | |
| | | 1003028703 | 9 | 65 | Daylight (4500-6500K) | |
| | | 1001654525* | 9 | 65 | Bright White (3000-3499K) | |
| | 1001654247* | 9 | 65 | Daylight (4500-6500K) | | |
| | GE | LED9DR30PRVL-LT2 | 9 | 65 | Soft White (2400-2999K) | |
| | | LED9DR30/7-LT6 | 8.5 | 65 | Daylight (4500-6500K) | |
| | | LED9DR30/7-5KLT6* | 8.5 | 65 | Soft White (2400-2999K) | |
| | | LED9DR30/15-LT6* | 8.5 | 65 | Daylight (4500-6500K) | |
| | | LED9DR30/155KL12* | 8.5 | 65 | Daylight (4500-6500K) | |
| | | LED9DR30/15-5KL6* | 8.5 | 65 | Soft White (2400-2999K) | |
| | Philips | LED9DR30/15-LT12 | 8.5 | 65 | Soft White (2400-2999K) | |
| | | 465996* | 9 | 65 | Soft White (2400-2999K) | |
| | Satco | 531749* | 8 | 65 | Daylight (4500-6500K) | |
| | | S9620* | 9.5 | 65 | Soft White (2400-2999K) | |
| | | S9621* | 9.5 | 65 | Bright White (3000-3499K) | |
| | | S9622* | 9.5 | 65 | Cool White (3500-4499K) | |
| | | S9623* | 9.5 | 65 | Daylight (4500-6500K) | |
| | BR40 | EcoSmart | 1003028802 | 13 | 75 | Soft White (2400-2999K) |
| | | | 1003028902* | 13 | 75 | Bright White (3000-3499K) |
| | | | 1003029002* | 13 | 75 | Daylight (4500-6500K) |
| | | Philips | 459826* | 10 | 65 | Daylight (4500-6500K) |
| 457002* | | | 10 | 65 | Soft White (2400-2999K) | |
| Satco | | S9638 | 16.5 | 85 | Soft White (2400-2999K) | |
| | S9615* | 16.5 | 85 | Soft White (2400-2999K) | | |
| C35 | EcoSmart | C35C 4.5W E12 L DIM | 4.5 | 60 | Warm White (2000-2399K) | |
| | | C35C 4.5W E26 L DIM* | 4.5 | 60 | Warm White (2000-2399K) | |
| | | C35C 4.5W E12 DIM* | 4.5 | 40 | Warm White (2000-2399K) | |
| | | C35C 4.5W E26 DIM* | 4.5 | 40 | Warm White (2000-2399K) | |
| Downlight | Cree | CR6T-825L-27K-12-E26GU24* | 11 | 75 | Soft White (2400-2999K) | |
| | | CR6T-825L-30K-12-E26GU24* | 11 | 75 | Bright White (3000-3499K) | |
| | | CR6T-825L-35K-12-E26GU24* | 11 | 75 | Cool White (3500-4499K) | |
| | | CR6T-825L-40K-12-E26GU24* | 11 | 75 | Cool White (3500-4499K) | |
| | | CR4T-790L-27K-12-E26GU24* | 10.5 | 75 | Soft White (2400-2999K) | |
| | | CR4T-790L-30K-12-E26GU24* | 10.5 | 75 | Bright White (3000-3499K) | |
| | | CR4T-790L-35K-12-E26GU24* | 10.5 | 75 | Cool White (3500-4499K) | |
| | | CR4T-790L-40K-12-E26GU24* | 10.5 | 75 | Cool White (3500-4499K) | |
| | | CR6T-1100L-27K-12-E26GU24* | 14.5 | 100 | Soft White (2400-2999K) | |
| | | CR6T-1100L-30K-12-E26GU24* | 14.5 | 100 | Bright White (3000-3499K) | |
| | | CR6T-1100L-35K-12-E26GU24* | 14.5 | 100 | Cool White (3500-4499K) | |
| | | CR6T-1100L-40K-12-E26GU24* | 14.5 | 100 | Cool White (3500-4499K) | |
| | | CR6T-1600L-27K-12-E26GU24* | 21 | 150 | Soft White (2400-2999K) | |
| | | CR6T-1600L-30K-12-E26GU24* | 21 | 150 | Bright White (3000-3499K) | |
| | | CR6T-1600L-35K-12-E26GU24* | 21 | 150 | Cool White (3500-4499K) | |
| | | CR6T-1600L-40K-12-E26GU24* | 21 | 150 | Cool White (3500-4499K) | |
| G16.5 | EcoSmart | FG-03154 | 4 | 40 | Warm White (2000-2399K) | |
| | | FG-03155 | 4 | 40 | Warm White (2000-2399K) | |
| | | FG-03157 | 4 | 40 | Warm White (2000-2399K) | |

| | | | | | |
|------------------|----------|----------------------------|-------------------------|---------------------------|---------------------------|
| G16.5 | Philips | 9290018429* | 2.7 | 25 | Soft White (2400-2999K) |
| | | 477885* | 4.5 | 40 | Soft White (2400-2999K) |
| | | 477901* | 4.5 | 40 | Soft White (2400-2999K) |
| | | 477893* | 4.5 | 40 | Soft White (2400-2999K) |
| | | 477752* | 5.5 | 60 | Soft White (2400-2999K) |
| | | 477745* | 5.5 | 60 | Soft White (2400-2999K) |
| G25 | EcoSmart | G25 7W L E26 DIM* | 7 | 100 | Warm White (2000-2399K) |
| | | FG-03148* | 4 | 40 | Warm White (2000-2399K) |
| | | FG-03149* | 4 | 40 | Warm White (2000-2399K) |
| | | FG-03147* | 4 | 40 | Warm White (2000-2399K) |
| | | FG-03146 | 4 | 40 | Warm White (2000-2399K) |
| | | ECS G2560WE850DIME26FR3PK* | 5.5 | 60 | Warm White (2000-2399K) |
| | | ECS G2560WE827DIME26FR3PK* | 5.5 | 60 | Warm White (2000-2399K) |
| | Philips | 477646* | 5 | 40 | Daylight (4500-6500K) |
| | | 470419* | 4.5 | 40 | Soft White (2400-2999K) |
| | | 9290018409* | 5 | 40 | Soft White (2400-2999K) |
| | | 9290018410* | 5 | 40 | Daylight (4500-6500K) |
| PAR16 | EcoSmart | A6PR16M50WESD02* | 5.3 | 50 | Warm White (2000-2399K) |
| | Megaman | LR5906DHR-75H35D-GU10-27K* | 6 | 50 | Soft White (2400-2999K) |
| | | LR5906DHR-75H24D-GU10-27K* | 6 | 50 | Soft White (2400-2999K) |
| | | LR5906DHR-75H24D-GU10-30K* | 6 | 50 | Bright White (3000-3499K) |
| | | LR5906DHR-75H24D-GU10-35K | 6 | 50 | Cool White (3500-4499K) |
| | | LR5906DHR-75H24D-GU10-40K | 6 | 50 | Cool White (3500-4499K) |
| | | LR5906DHR-75H35D-GU10-30K | 6 | 50 | Bright White (3000-3499K) |
| | | LR5906DHR-75H35D-GU10-35K | 6 | 50 | Cool White (3500-4499K) |
| | | LR5906DHR-75H35D-GU10-40K | 6 | 50 | Cool White (3500-4499K) |
| PAR20 | Cree | SPAR20-0553040TH | 6.2 | 50 | Bright White (3000-3499K) |
| | EcoSmart | A6PR20P50WESD03* | 6.5 | 50 | Daylight (4500-6500K) |
| | GE | LED7DP20GFL-LT2 | 7 | 50 | Bright White (3000-3499K) |
| | | LED7DP20GFL5KLT2 | 7 | 50 | Daylight (4500-6500K) |
| | | LED7DP20GFLRVL2 | 7 | 50 | Bright White (3000-3499K) |
| | | LED7DP20GSP-LT2 | 7 | 50 | Soft White (2400-2999K) |
| | | LED7DP20SP3K7LT2* | 7 | 50 | Bright White (3000-3499K) |
| | Philips | 478578* | 7 | 50 | Daylight (4500-6500K) |
| | PAR30 | EcoSmart | A6PR30P75WESD03* | 8 | 75 |
| B7PR38P100ESD12* | | 13 | 90 | Warm White (2000-2399K) | |
| GE | | LED12DP3LGFLRVL2 | 12 | 75 | Soft White (2400-2999K) |
| | | LED12DP30GFLRVL2* | 12 | 75 | Soft White (2400-2999K) |
| | | LED10DP3LGFL-LT2 | 10 | 75 | Bright White (3000-3499K) |
| | | LED10DP30GFL5KLT2* | 10 | 75 | Daylight (4500-6500K) |
| | | LED10DP30GFL-LT2 | 10 | 75 | Bright White (3000-3499K) |
| | | LED10DP3LGFL5KLT2* | 10 | 75 | Daylight (4500-6500K) |
| | | LED11DP3LGSP-LT2* | 11 | 75 | Bright White (3000-3499K) |
| | | LED11DP30GSP-LT2* | 11 | 75 | Bright White (3000-3499K) |
| Megaman | | LR5210.5DDG-WFL-E26-40K | 10.5 | 75 | Soft White (2400-2999K) |
| | | LR5510.5DDG-WFL-E26-30K | 10.5 | 75 | Soft White (2400-2999K) |
| | | LR5510.5DDG-WFL-E26-35K* | 10.5 | 75 | Soft White (2400-2999K) |
| | | LR5210.5DDG-WFL-E26-30K* | 10.5 | 75 | Soft White (2400-2999K) |
| | | LR5210.5DDG-WFL-E26-35K* | 10.5 | 75 | Soft White (2400-2999K) |
| Satco | | S9412* | 13 | 50 | Cool White (3500-4499K) |
| | | S9415 | 13 | 50 | Soft White (2400-2999K) |
| | | S9416* | 13 | 50 | Bright White (3000-3499K) |
| | | S9417* | 13 | 50 | Cool White (3500-4499K) |
| | | S9418* | 13 | 50 | Cool White (3500-4499K) |
| | | S9419* | 13 | 50 | Daylight (4500-6500K) |
| | | S9424 | 13 | 50 | Daylight (4500-6500K) |
| | | S9425 | 13 | 75 | Soft White (2400-2999K) |
| | | S9426 | 13 | 75 | Bright White (3000-3499K) |
| | | S9427 | 13 | 75 | Cool White (3500-4499K) |
| | | S9428* | 13 | 75 | Cool White (3500-4499K) |
| | | S9429* | 13 | 75 | Daylight (4500-6500K) |
| | S9430* | 13 | 75 | Soft White (2400-2999K) | |
| | S9431* | 13 | 75 | Bright White (3000-3499K) | |
| S9432* | 13 | 75 | Cool White (3500-4499K) | | |
| S9433* | 13 | 75 | Cool White (3500-4499K) | | |
| S9434* | 13 | 75 | Daylight (4500-6500K) | | |
| S9486 | 13 | 50 | Soft White (2400-2999K) | | |

| | | | | | |
|---------|--------------|---------------------------------------|-----|-------------------------|---------------------------|
| PAR38 | Amazon Basic | B079VMHM76* | 14 | 90 | Bright White (3000-3499K) |
| | | B079VP1G43* | 16 | 120 | Bright White (3000-3499K) |
| | Cree | TPAR38-1503025FH25-12DE26-1-11* | 19 | 120 | Bright White (3000-3499K) |
| | | TPAR38-1503040FH25-12DE26-1-11003S-T* | 19 | 120 | Bright White (3000-3499K) |
| | | TPAR38-1803040FH25-12DE26-1-11* | 19 | 150 | Bright White (3000-3499K) |
| | | TPAR38-1504040FH25-12DE26-1-11003S-T* | 19 | 120 | Cool White (3500-4499K) |
| | EcoSmart | A6PR38P90WESD02* | 11 | 90 | Warm White (2000-2399K) |
| | | B7PR38P100ESD11 | 13 | 90 | Warm White (2000-2399K) |
| | GE | B7PR38P100ESD21 | 13 | 90 | Warm White (2000-2399K) |
| | | LED13DP38GFL-LT2 | 13 | 90 | Bright White (3000-3499K) |
| | | LED13DP38GFL5KL2 | 13 | 90 | Daylight (4500-6500K) |
| | Megaman | LED13DP38GFL-LT4 | 13 | 90 | Bright White (3000-3499K) |
| | | LR3218D-250H45D-E26-35K* | 18 | 250 | Cool White (3500-4499K) |
| | | LR3218D-250H45D-GU24-40K | 18 | 250 | Cool White (3500-4499K) |
| | | LR3218D-250H25D-GU24-35K* | 18 | 250 | Cool White (3500-4499K) |
| | | LR3218D-250H25D-GU24-40K* | 18 | 250 | Cool White (3500-4499K) |
| | | LR3218D-250H45D-E26-27K* | 18 | 250 | Soft White (2400-2999K) |
| | | LR3218D-250H45D-E26-30K* | 18 | 250 | Bright White (3000-3499K) |
| | | LR3218D-250H25D-E26-27K* | 18 | 250 | Soft White (2400-2999K) |
| | Philips | LR3218D-250H45D-E26-40K | 18 | 250 | Cool White (3500-4499K) |
| | | 467944* | 14 | 120 | Daylight (4500-6500K) |
| | | 467936* | 14 | 120 | Bright White (3000-3499K) |
| | | 9290013200* | 12 | 90 | Bright White (3000-3499K) |
| Satco | 9290013203* | 12 | 90 | Daylight (4500-6500K) | |
| | S9440 | 15 | 90 | Soft White (2400-2999K) | |
| R20 | EcoSmart | 1003017802* | 8 | 50 | Daylight (4500-6500K) |
| | | 1003028202 | 7 | 50 | Soft White (2400-2999K) |
| | | 1003028402 | 7 | 50 | Daylight (4500-6500K) |
| | Feit | R20DM/10KLED/MP/6* | 7.5 | 45 | Warm White (2000-2399K) |
| Philips | 9290018878* | 6 | 45 | Daylight (4500-6500K) | |
| R30 | GE | LED10DR30EG9SWL2* | 10 | 65 | Soft White (2400-2999K) |
| | | LED10DR30EG9DLL2* | 10 | 65 | Daylight (4500-6500K) |
| | | LED10DR30EG9DLL6* | 10 | 65 | Daylight (4500-6500K) |
| | | LED10DR30EG9SWL6* | 10 | 65 | Soft White (2400-2999K) |
| ST19 | EcoSmart | ST19G 5.5W L E26 DIM 2200K* | 5.5 | 60 | Warm White (2000-2399K) |
| | | FG-03120* | 3.2 | 40 | Warm White (2000-2399K) |
| | | FG-03121* | 3.2 | 40 | Warm White (2000-2399K) |
| Feit | AT19/H/LED | 4.5 | 25 | Warm White (2000-2399K) | |
| T10 | Megaman | LG218025/DM-E26-822 | 2.5 | 25 | Warm White (2000-2399K) |

* The bulbs that display an asterisk (*) after the model# have exceptional performance and compatibility beyond our criteria.