Instruction Manual

PACKAGE INCLUDES



2-in-1 Mason Jar Vacuum Lid

1 pcs



70MM Standard Mouth Sealing Lids

5 pcs



Bottle Opener

1 pcs




86MM Standard Mouth Sealing Lids

5 pcs



Bottle Opener

1 pcs



Instruction Manual

1 pcs

Unboxing and Inspection

Thank you for purchasing our product. Before use, please read the user manual carefully and follow the guidelines to prevent any damage caused by improper operation. Once you receive the product, please inspect it for any signs of damage. If you have any questions about our jar vacuum sealer, please contact us immediately, we will provide you with satisfactory service within 24 hours. Also welcome to tell us your experience of using the sealer or other sealing method, we will continue to upgrade and improve our products.

Warm Tips

1. Before using, please ensure that the 2-in-1 electric Mason jar vacuum lid is charged (Checking method: Press the switch button for 2 seconds; if the product indicator light turns blue, it means it has power; otherwise, you should charge the product);

2. The 2-in-1 electric Mason jar vacuum lid is only suitable for Mason jars with a diameter (standard mouth) of 70MM and a diameter (wide mouth) of 86MM;

3. The product can handle both dry and wet sealing. Before using, ensure that the sealing lid and the rim of the jar are clean and free of oil or grease;

4. When installing it on a Mason jar with a 70mm (standard mouth) diameter, ensure to properly place and press the 2-in-1 electric Mason jar vacuum lid onto the internal sealing area to achieve a flat and secure fit;

5. When removing the 2-in-1 electric Mason jar vacuum lid, be careful not to pull off the successfully sealed Mason jar lid, as it is tightly sealed with the jar mouth.
While removing it, gently lift it upwards while slightly shaking it left and right to safely remove the vacuum lid;

6. When cleaning the product, do not wash it directly with water; please wipe it with a damp cloth instead.

Not compatible with the following models:

FM2000/FM2100/FM2500/FM4800/FM4900/FM5800; VS0160/VS1130/VS0100/VS0150/US220/FM1100.
Please carefully check your vacuum sealer model. If your vacuum sealer comes with an original hose, please use the original hose with our sealing machine kit, or you can directly use our electric pump.

Product Use and Operation Guide



01 Choose the appropriate sealing lid according to the Mason jar opening diameter
(70mm standard mouth or 86mm wide mouth).



02 Place the sealing lid on the jar mouth, then fit the 2-in-1 Mason jar vacuum lid onto the Mason jar. Since the vacuum lid, the sealing lid, and the jar mouth are designed to fit tightly,during the installation process, you need to press down while rotating to ensure a flat and secure fit.



03 Long press the power button for 2 seconds to turnon the device, the indicator light will turn blue.



04 Press the ON button to start the vacuum sealing process.




05 When the red light illuminates, it indicates that the operation is complete, and you can remove the sealing lid.



06 To continue using, press the ON button to enter the next working cycle. When not in use, press the power button to turn off the device.

Product Description





1 Power Button

1. Press and hold the "Power" button for 2 seconds to start.
2. Press the "Power" button when you need to turn off the device.

2 Type-C Charging Port


Fast charging speed, can be used about 200 times on a full charge.

3 Working Button

1. Press the “ON” button to start working after powering on.
2. After sealing one jar, if you want to seal another, press the “ON” button again.

4 Indicator Light

1. The light turns blue when working.
2. The indicator light turns red when the sealing is complete.



Φ:2.7in/70mm

- Regular Mouth Jar Sealer
- Regular Mouth Jar Lids *5

Φ:3.3in/86mm

- Wide Mouth Jar Sealer
- Wide Mouth Jar Lids *5