

Calogy Mini Heat Press



Manual

Know Your Calogy Smart Heat Press

1. Button

2. Display

3. Body

4. Heat Plate

5. Safety Base



Handle With Care

Before use this machine, read this **IMPORTANT SAFETY INSTRUCTIONS.**



CAUTION

Heat plate, and safety base get very hot during use. High voltage, and children should use under the help of their guardian. **No touch the heat plate and safety base. It's very hot.**



ATTENTION

Always return to safety base when not in use.



INDOOR USE

This is design for indoor use only.



NO RUBBISH BIN

Do not discard to rubbish bin.

Size Diagram



Levels Guide

Level	Temperature (°C / °F)
L1 Low Temperature	140°C / 284°F
L2 Medium Temperature	160°C / 320°F
L3 Highest Temperature	180°C / 356°F
 Setting remember function: When power on, the press will use your last setting.	

How to Operate?



Auto power off if no
button pressed in 10 mins

Long press "  " button to
power ON / OFF

Press "  " button 1 time to increase
temp from L1 to L2, L3

Fast press "  " button 2 times to
decrease temp from L3 to L2, L1

Fast press "  " button 3 times to
change temp unit (°C / °F)

FAQ

Q1: How to power on / off?

A1: Plug in and long press to power on. Long press again to power off.

Q2: How to increase temp? How to decrease temp?

A2: Press 1 time to increase from L1, to L2, or L3. Fast press 2 times to decrease from L3, L2 or L1.

Q3: How to switch between °C and °F ?

A3: Fast press 3 times to switch between °C and °F.

Q4: Does it hold a temp?

A4: Yes. Temp will hold on at the temp / level you choose.

Q5: Does it auto stop heating or auto power off?

A5: Yes. It will auto power off if no button pressed in 10 mins.

Q6: Can it remember my setting next time power on?

A6: Yes. It will remember your last setting even power off.

Suggestion Of Heating Time

Material	Temperature	Time
PU HTV	150 ~ 160 °C / 302 ~ 320 °F	15 ~ 20 S
Glitter HTV	150 ~ 160 °C / 302 ~ 320 °F	20 ~ 25 S
Design Patterns HTV	150 °C / 302 °F	15 ~ 20 S
Chameleon HTV	135 ~ 140 °C / 275 ~ 284 °F	15 ~ 20 S
Sublimation Paper	145 ~ 155 °C / 293 ~ 311 °F	15 ~ 20 S
Infusible Ink	185 ~ 200 °C / 365 ~ 392 °F	45 ~ 65 S
Heat Transfer Paper	160 ~ 170 °C / 320 ~ 338 °F	45 ~ 50 S

Main Product Specifications

Machine size	11.5 x 7.5 x 13.0 CM / 4.52 x 2.95 x 5.10 in
Heat plate size	7.29 x 11.25 CM / 2.87 x 4.43 in
Power input	110V ~ 240V
Highest temperature	180°C / 356°F
Cable Length	2.0 M / 6.56 FT
Gross Weight	469G / 1.03 LB

Calogy Mini Press

CHP2301, 110-240V, Max. 300W

SHENZHEN ELIKANG TECHNOLOGY CO., LTD.

4F Bainianjia Industrial Zone, Longgang, Shenzhen, China, 518000

Made in China

