HOW TOS & PLATFORM SETUP



PM-241 Platform Setup

Print and setup labels from various platforms



Contact information: Email: support@phomemo.com

Tel: +1 833 940 3818 (US and CA only) Whatsapp: +86 1 316 066 9859 /

Service time: Mon-Fri 9AM-5PM (EST) +8613928088284

For more tutorial videos, please visit: https://www.youtube.com/channel/UCTFSNuzOPIjap0Hivhg1RVw

 Or Search the "Phomemo" or "Phomemo For Business" on YouTube and go to the home page

- Search for you purchased printer model (PM-241-BT)
- You will find the tutorial videos for an easy setup

The following are the print and setup labels steps from various platforms. If there is still any problem, please feel free to contact us.

How-Tos	.5
1.Label Adjustments	. 5
1.1Adjusting Label Margins	.5
1.2 Cropping a full size 8.5" x 11" page to a 4" x 6" label	. 7
1.3 Cropping multiple pages in the same document at once	12
1.4 Create New Custom Size Labels	17
2.Tips and Tricks	19
2.1 Sharing Label Printer over the network (Windows)	19
2.2 Printing FBA Product ASIN labels	20
2.2 Mac: Select default label size for Label Printer	23
Platform Setup	25
1.1 Printing FBA Product ASIN labels	25
1.2 Amazon.com	28
1.3 UPS.com	29
1.4 UPS WorldShip	30
1.5 Shopify	
1.5 Shophy	32
1.6 Etsy	
	33
1.6 Etsy	33 33
1.6 Etsy	33 33 34
1.6 Etsy 1.7 ShipStation 1.8 ShippingEasy	33 33 34 34
1.6 Etsy31.7 ShipStation31.8 ShippingEasy31.9 BigCommerce3	33 34 34 34
1.6 Etsy 1.7 ShipStation 1.8 ShippingEasy 1.9 BigCommerce 1.10 Sellbrite	33 33 34 34 34
1.6 Etsy	33 33 34 34 35 35

1.14 Paypal	38
PayPal Multi-Order Shipping	39
1.15 Chitchats	40
1.16 Stamps.com	40
1.17 Fedex Ship Manager	45
1.18 QuickBooks Enterprise	49
1.19 Endicia Dazzle (Win)	53
1.20 How to use PM-241 printing with Endicia Dazzle	56
1.21 Pirate Ship	58
1.22 If Labels are blurry	58
1.23: Where is color option?	58

How-Tos

1.Label Adjustments


1.1Adjusting Label Margins

Sometimes your shipping platform or the settings on your application results in prints that are off center or cut-off.


You can adjust these margins and define new paper sizes by the following method.

For Mac:

-> Open desired file (e.g. a PDF). Click "File" and choose "Print". Select "Show Details".



-> Click "Manage Custom Sizes". Adjust the margins as desired on "Non-Printable Area". You may need to do some trial and error to find the perfect combination.



-> Click on "OK" to send these settings to the printer for your next print.

For Win:

-> Go to "Control panel" -> "Devices and Printers"

(Right click on "This PC", choose "Properties", then click on "Control panel"-> "Devices and Printers")








-> Right click on "Label Printer" -> choose "Printer Preferences"



-> Go to "Option", you can adjust the margins as desired on "Position Adjustment". You may need to do some trial and error to find the perfect combination. You may enter both negative and positive values.



-> Click on "OK" to send these settings to the printer for your next print.

1.2 Cropping a full size 8.5" x 11" page to a 4" x 6" label

Some shipping platforms only provide you with a full page (8.5" x 11") document.

Frequently, they use half of the page for the shipping label and the other half for receipt or packing slip.

While there are many ways to split this page into a 4" x 6" label size, here is our favorite method:

1."Take a Snapshot"

2."Crop pages" -> Remove White Margins:

Please see this article for Cropping multiple pages

Download Adobe Reader for "Take a Snapshot"


if you do not have it already from Adobe website (https://get.adobe.com).

1."Take a Snapshot"

①Save your label as a PDF file


For Mac:

- ②Open the file in Adobe Reader
- (3) Go to "Edit" -> "Take a Snapshot"



4) Drag the box over your label, then right click on it and select "Print"





⑤ Select Printer -> Click "Page Setup..."







-> Select Printer from "Format For: " -> Select label size from "Paper Size: "



⑥If the size you need not is not listed, then click "Manage Custom Sizes" -> input width, height and rename the size, then click "OK"




⑦Click "Printer..." -> "Show Details" -> Select "Printer Features" in "Preview"



® You can set up printer properties, such as "Media Tracking", "Darkness" and "Print speed".


(Larger number means higher Darkness)





For Win:


- ②Open the file in Adobe Reader
- ③Go to "Edit" -> "Take a Snapshot"



4 Drag the box over your label, then right click and select "Print"




⑤ Select Printer -> Click "Properties"




-> Go to "Page Setup"-> Select label size from "Paper Name"

If the size you need not is not listed, then then click "New" to create a label size, then click "Ok"




6 Go to "Option". You can change the printing speed and the Darkness of your printing (Larger number means higher Darkness)



(7) Check the created size and "OK"



®Preview, check the print size and Orientation. If preview looks good, click "Print"



Note: If you are shipping more than a few labels, you would benefit from using a commercial solution that create 4 x 6 labels in one-click. See this article: How do I generate labels?

Official guide from Adobe: <u>Print portion of a PDF page using Acrobat or Reader</u> (https://helpx.adobe.com/acrobat/kb/print-portion-page-acrobat-reader.html)

How can I crop multiple pages in the same document at once?

- 1) On Adobe Acrobat you are able to crop several / all pages together.
 Please see: https://helpx.adobe.com/acrobat/using/crop-pdf-pages.html
- 2) Briss is a free open-source application available for cropping PDF pages at once. It may take a little while getting used to it but once you are comfortable with it, it is pretty fast: https://sourceforge.net/projects/briss/

4) For Mac:

There is a third-party company that offers a software for cropping labels

Please download form: https://www.peninsula-group.com

There is an operation tutorial video: https://www.youtube.com/watch?v=Mos4GNnRZ5c

1.3 Cropping multiple pages in the same document at once

Some shipping platforms only provide you with a full page (8.5" x 11") document.

Frequently, they use half of the page for the shipping label and the other half for receipt or packing slip.

While there are many ways to split this page into a 4" x 6" label size, here is our favorite method: 1."Take a Snapshot"

Please see this article for Cropping a 8.5 x 11 pages to a 4 x 6 label

2."Crop pages" -> Remove White Margins

Download Acrobat Pro (need to pay) for "Crop pages" and also "Take a Snapshot"


if you do not have it already from Adobe website (https://get.adobe.com).

2."Crop pages"


①Save your label as a PDF file

For Mac:


- (2)Open the file in Adobe Acrobat Pro
- ③Go to "Edit" -> "Edit Text & Images" -> "Crop Pages" -> Double click white margins



(4)Set "Units"



⑤Tick "Remove White Margins" -> Remember "the Cropped page size" -> Choose "All" and click "OK"




⑥ Select Printer -> Click "Page Setup..."


-> Select Printer from "Format For: " -> Select label size from "Paper Size: "





①If the size you need not is not listed, then click "Manage Custom Sizes" -> input width, height and rename the size, then click "OK"



Click "Printer..." -> "Show Details" -> Select "Printer Features" in "Preview"








For Win:

- ②Open the file in Adobe Acrobat Pro
- 3Go to "Edit" -> "Edit Text & Images" -> "Crop Pages" -> Double click white margins







⑤Tick "Remove White Margins" and remember "the Cropped page size"




6 Choose "All", and click "OK"




7) Click "Print" and select Printer



®Click "Properties" -> Select the label size from "Paper Name"




(9) If the size you need not is not listed, then click "New" to create "the Cropped page size"



(Larger number means higher Darkness)



mPreview, check the print size and Orientation. If preview looks good, click "Print"



Note: If you are shipping more than a few labels, you would benefit from using a commercial solution that create 4 x 6 labels in one-click. See this article: **How do I generate labels?**

Official guide from Adobe: <u>Print portion of a PDF page using Acrobat or Reader</u> (https://helpx.adobe.com/acrobat/kb/print-portion-page-acrobat-reader.html)

How can I crop multiple pages in the same document at once?

1)On Adobe Acrobat you are able to crop several / all pages together.

Please see: https://helpx.adobe.com/acrobat/using/crop-pdf-pages.html

2) Briss is a free open-source application available for cropping PDF pages at once. It may take a little while getting used to it but once you are comfortable with it, it is pretty fast: https://sourceforge.net/projects/briss/

3) For Mac:

There is a third-party company that offers a software for cropping labels

Please download form: https://www.peninsula-group.com

There is an operation tutorial video: https://www.youtube.com/watch?v=Mos4GNnRZ5c

1.4 Create New Custom Size Labels

When you load in a new direct thermal label, there are two actions that need to take place:

- 1) Run the automatic label identification on the printer.
- 2) Set proper label settings on your computer.

1)Run the automatic label identification.

1) Disconnect the USB cable from your printer, then turn the printer off.

Press and hold the Feed Button until you hear one beep, then release.

- 2) Printer will determine the gap size and other properties of your label.
- (3) After the determine, re-connect the USB cable to the printer and resume printing.


Check the segment of video "Automatic label identification":

https://www.youtube.com/watch?v=rddF2KadOl4&list=PL3 AhQ0D1H DgoSgYcMdUBrRnBCitKvP1&index=13

2) Set your custom label size

1) For Mac:

Select or input label width and height that matches label size installed in printer in prompt window.




(2) For Win:

Go to "Control panel" -> "Devices and Printers"


(Right click on "This PC", choose "Properties", then click on "Control panel"-> "Devices and Printers")



->Right click on "Label Printer" -> choose "Printer Preferences"




-> Go to "Page Setup" -> Select the paper type in "Name"



If there is no label size you need, you can click "New" to create a label size.

Change Paper name and input width and height, click "OK"



Third step:

The application you are using (e.g. Adobe Reader) could be over-riding your driver label setting and sending the print in a larger / smaller size to the printer. Look for "Page Setup" or "Paper Size" in the print prompt and ensure it is set to the size you want.

2.Tips and Tricks

2.1 Sharing Label Printer over the network (Windows)

You can share Label Printer with other computers in your network using Windows' Printer Sharing feature.


Windows

Go to "Control panel" -> "Devices and Printers"


(Right click on "This PC", choose "Properties", then click on "Control panel"-> "Devices and Printers")



Right click on "Label Printer" -> choose "Printer properties"



Go to "Sharing" -> tick "Share this printer" -> click "OK".




When done, click or tap OK. The printer is now shared with the other computers on your network, regardless of the operating systems that they are using.

2.2 Printing FBA Product ASIN labels

There are two ways to print your ASIN tags, including Amazon provides way.

Method 1: Amazon Scan & Label

In your Amazon Seller Central account, please click on Inventory -> Manage FBA Shipments.




At the top of the page, click on Scan & Label



Click on Printer Settings, enter your label dimensions, and click on Save






Tip: If your label size is smaller than minimums required by Amazon, just scale both Width and Height together. For example if your label is 20mm x 20mm, you can enter 40mm x 40mm



On the right hand side, you will see Print Label and Download label. Choose one and print the file to Label Printer. Please ensure paper size is correctly selected and that the preview looks correct.




Method 2: Adobe PDF


1.If you do not yet have Adobe Reader or Adobe Acrobat installed, please download and install it from

https://get.adobe.com/reader/

2.During FBA shipment process, choose the label size that correspondence closest to your label. We are not concerned about the number of labels but rather the size (i.e. $63.5 \text{mm} \times 38.1 \text{mm}$ or $1^{\circ} \times 2-5/8^{\circ}$). Then click on "Print Labels for this Page"



- 3. Open the downloaded file in Adobe Acrobat (ATTENTION: NOT Adobe Reader).
- 4.Go to Edit -> Take a Snapshot



5. Click and drag over one of your labels.









6.Click File -> Print. Ensure preview looks good and click Print.




When done, click or tap OK . The printer is now shared with the other computers on your network, regardless of the operating systems that they are using.


2.2 Mac: Select default label size for Label Printer

There are a few ways to set a default label size for your Label printer.


Normally, you can use "Last Used Settings" shown below as a preset to print. This will remember the setting that was previously used.




If this doesn't work for any reason, please follow these steps to set the default size for OS In the Print Prompt Window, under Paper Size, click on "Manage Custom Sizes"




Click on "+" to add a new size.



Create a new size with 4" x 6" dimensions. You may double-click on the left to rename this page or something similar.



Please go to System Preferences -> Printers & Scanners -> Select Label Printer and set the default size.




■ Platform Setup

1.1 Printing FBA Product ASIN labels

There are two ways to print your ASIN tags, including Amazon provides way.

Method 1: Amazon Scan & Label

In your Amazon Seller Central account, please click on Inventory > Manage FBA Shipments.




At the top of the page, click on Scan & Label




Click on Printer Settings, enter your label dimensions, and click on Save





Tip: If your label size is smaller than minimums required by Amazon, just scale both Width and Height together. For example if your label is 20mm x 20mm, you can enter 40mm x 40mm

Enter your UPC / Merchant SKU and press enter



On the right hand side, you will see Print Label and Download label. Choose one and print the file to Label Printer. Please ensure paper size is correctly selected and that the preview looks correct.




Method 2: Adobe PDF

1.If you do not yet have Adobe Reader or Adobe Acrobat installed, please download and install it from


https://get.adobe.com/reader/

2.During FBA shipment process, choose the label size that correspondence closest to your label. We are not concerned about the number of labels but rather the size (i.e. 63.5mm x 38.1mm or 1" x 2-5/8"). Then click on "Print Labels for this Page"



3. Open the downloaded file in Adobe Acrobat (ATTENTION: NOT Adobe Reader).

4.Go to Edit -> Take a Snapshot



5. Click and drag over one of your labels.










6.Click File -> Print. Ensure preview looks good and click Print.



1.2 Amazon.com

There are few different types of labels that Amazon provides for sellers. Please see information about each below:

<u>Amazon Customer Orders</u> - These are orders to fulfill customer orders. You may simply leave the layout as "default" and this will produce a label in 4x6 size in the proper format for Label Printer and other thermal printers.



<u>Amazon ASIN product labels</u> - These are the labels to place on products before sending to Amazon. You may also send these directly to Label Printer from Amazon's Scan & ship page: <u>Printing FBA Product ASIN labels</u>.

<u>Amazon FBA Labels for outside the box</u> - These are the labels that are placed outside of the box containing your product that is being sent to Amazon's warehouse.

1.3 UPS.com

UPS provides a free software for all UPS customers called WorldShip. This application is optimized for printing labels in 4 x 6 format in high-speed and with efficiency. UPS.com website, on the other hand, has more limitations. Please see this article for setting up WorldShip with Label Printer

If you don't like using WorldShip, we then recommend one of the commercial solutions discussed in this article

How do I generate shipping labels

They connect to UPS.com and print your label in 4×6 format using your negotiated rates for your shipments. They are online, user-friendly, and you can set them up in just a few minutes.

If you definitely want to ship from UPS.com directly, then there are two ways to print from UPS.com:

- 1) You may leave the settings as default on UPS.com and crop the label using steps in this article Cropping a full size 8.5 x 11 page to a 4 x 6 label
- 2) One of our customers has created a software to make this process easy: http://www.sroman.com/Software/index.php
- 3) Install Label Printer as a UPS Thermal Printer. Please note UPS.com Thermal Printers only print to 4x8 (not 4x6) label sizes, so you must ensure that you have the correct label. This size limitation does not exist with UPS WorldShip or Commercial Solutions as discussed above. To install the UPS Thermal Printer, please follow this guide from UPS (https://www.ups.com/us/en/resources/ship/create/labels/technical.page?#contentBlock-11) and install Label Printer as the UPS Thermal 2844 printer.


1.4 UPS WorldShip

Follow these simple steps to setup your UPS WorldShip with Label Printer.


If you have not already done so,


please download UPS WorldShip (https://www.ups.com/forms/order/worldship_download?loc=en_US) and install it on your computer.


After your have gone through your initial Setup, please open UPS WorldShip and follow the steps below:














1.5 Shopify


Follow these simple steps to setup your Shopify to Print to Label Printer. Click on Settings on the left hand side menu.




Choose Shipping under Settings.




Set your Shipping Label Printing to "4 x 6 label printers (DYMO or similar). Click on "Print test label" to print a sample label to your Label Printer.



Alternatively, you may update your label settings when you are purchasing postage for your order. Please refer to the screenshot below.





1.6 Etsy

To update your Etsy settings so it generated 4x6 shipping labels:

- 1) Sign in to Etsy.com.
- 2) Click Shop Manager.
- 3) Click Orders & Shipping.
- 4) Click View shipping labels.
- 5) Click Options.
- 6) Select Format my labels for 4x6 Label printers.

Please note that after you change the label format to 4 x 6, only new labels will be generated correctly. Kindly void any previously generated labels and create new ones.

Article content source: https://help.etsy.com/hc/en-us/articles/360001968348?segment=selling

1.7 ShipStation

Please follow the following steps to update your ShipStation document settings to be 4 x 6.


1. Click on Settings gear icon at the top right corner.




2. Choose Document Options.



3.Click on "Document Options" next to "Labels".



1. Choose 4" x 6" or 4" x 6" (w/ Packing Slip) and click Save.



1.8 ShippingEasy

Shipping Easy has provided a quick-how to guide on their website. Please refer to this link: https://support.shippingeasy.com/hc/en-us/articles/203086779-How-to-Save-my-shipping-labels-settings

1.9 BigCommerce

This label printer is compatible with all platforms that offer shipping labels in 4x6 format. This includes BigCommerce.


For setting up BigCommerce, please see the official help link: https://support.bigcommerce.com/articles/Public/Shipping-Labels

1.10 Sellbrite

Once you click the Create Shipping Label button, a popup will appear. Please follow the steps until you arrive to "Select Shipping Rate."

Please change the Label format to "PDF 4x6".

Please note this change only takes place for your new labels.



Reference:

https://support.sellbrite.com/hc/en-us/articles/218780227-Shipping-Orders-from-Sellbrite#creating-labels

1.11 Poshmark

By default Poshmark produces labels in in 8.5 x 11 size which won't fit correctly on 4x6 labels.

Please kindly update your label size setting on Posh Mark to 4x6.

To select your shipping label size, go to: Account Tab -> My Seller tools -> Shipping Label Settings


Reference:

https://support.poshmark.com/articlesDescriptionPage?id=ka01I000000aaxtQAA

1.12 Shippo

To print your label in 4x6 in format, which is compatible with thermal label printers, navigate to the Labels tab https://goshippo.com/login/) by clicking "Settings" then "Labels". Find the "Default label format" drop-down menu and choose "4x6 in PDF," then save your changes at the bottom of the page.

Once you've changed this setting, your labels will print in the correct format for your thermal label printer. Keep in mind that when you change this format, it will only apply to new labels, created after you make the change. Shippo doesn't convert the formats of existing labels. Please note that international UPS labels cannot be created in 4x6 in format because of the attached commercial invoices (for all other carriers, commercial invoices are created separately in Shippo).





Reference:

https://support.goshippo.com/hc/en-us/articles/205639499-How-to-print-labels-with-a-thermal-label-printer

1.13 eBay


On the new eBay Interface, please select 4" x 6" PDF as your label format.





On the "Classic" Interface:

- 1. During the label creation process, please click [Printer and label receipt preferences]
- 2. On the following pop up, you may pick any of the 4×6 label sized printers. For example, you may pick the "Zebra TLP3842 4×6 "
- 3. Click "Save" and continue to purchase your label.



1.14 Paypal


You just need to change your printer settings to a 4 x 6.

Note: For PayPal Multi-Order Shipping, please scroll to the bottom of this article for directions.


Business PayPal Accounts

To access this setting on PayPal, please


- Log in to PayPal and click the Gear Icon in the far top right corner.
- Choose Account Settings




- On the left-hand side, please choose Shipping



- Under Shipping Preferences, click Update



- Pick Label Printer and one of the 4 x 6 printers, such as the "Zebra TLP 3844-Z 4.0 x 6.0"



Note: PayPal stores labels as files on their website. After you change your label size to 4x6, only new labels will be created in this size. Previously generated labels will remain in the old size. You can always void an old label and when it is created again, it will be in the new size.

Personal PayPal Accounts

- 1. Login to PayPal www.PayPal.com
- 2. Visit https://www.paypal.com/shiplabel/createbulk
- 3. Click on Shipping Preferences

Shipping Preferences

4. Select the Label Printer and any of the 4.0"x6.0" sizes




PayPal Multi-Order Shipping

After you are logged into your Multi-Order shipping platform, click on Edit > Settings



Choose the "Print Settings" settings from the left menu, click on the "Label Printer" and choose any of the 4 x 6 labels. To Save, click OK.



1.15 Chitchats

This label printer is compatible with all platforms that offer shipping labels in 4x6 format. This includes Chitchats.

For setting up Chitchats, please see the official help

link: https://support.chitchats.com/support/solutions/articles/47000426810-how-do-i-print-postage


1.16 Stamps.com

Note: We recommend that you switch to Stamps.com's newest acquisition ShipStation for reliable, fast, and easy printing.

1.16.1 Web Version

We recommend that you use the web version of Stamps.com. You may access it via https://print.stamps.com

1. Choose 4 x 6 in the drop down menu



2. Click on "Print" and choose your Label Printer ensuring that the label size is set to 4x6.



Note: If you are using the old Stamps connect application:

Due to a software bug on Stamps.com connect, we need to first rename the Label Printer in your computer as "Zebra LP2844".

To do this on Windows, go to Control Panel > Printers > Right click on Label Printer > Properties > Change the name to Zebra LP2844 and then click OK.

To do this on Mac, please go to the System Preferences -> Printers -> Right click on Label Printer > Rename > Change the name to Zebra LP2844 and click OK.

You will need to quit Stamps.com and re-open it. You will now see Zebra LP2844 in your Stamps.com drop down menu.

1.16.2 Stamps.com Pro Software

Stamps.com software requires a few steps to successfully print to a thermal printer. This software was originally produced in late 90s and the set up steps reflect that era. Essentially, we will install Label Printer as a EPL printer.


- 1. Download the Zebra Printer Driver (ftp://ftp.fedex.com/pub/us/software/ZebraFedEx_driver_4500_self_extracting15.exe)
- 2. After opening the downloaded file, please click on "Install Zebra Printer"

You can check the video to know:

How to install Zebra 2844 Driver with PM-241 on Win: How to install Zebra EPL2 Driver with PM-241 on MAC: How to intall Zebra EPL2 Driver




3. Select Zebra 2844 and click "Next"



4. (1)To know which USB Port is connected, please go to "This PC" and right click on, choose "Manage"




(2) "Device Manager" -> "Universal Serial Bus controllers" -> Double click on "USB Printing Support" to check which USB port is connected




5.We will now go back to the installation window and pick the same port and click "Finish"




6. Go to "Control Panel" -> "Devices and printers" -> Right click on "Zebra 2844" -> choose "Printer properties"




7. Go to "Stocks" to choose the label size



8. Go to "General", click on "Print Test Page" to check the Zebra 2844 driver is installed successfully and connect the right printer




9. Next, open the Stamps.com software and select "Tools" -> "Configure Printer"




10. Choose "Yes" and click "Next," and then "Finish"



11. In the Packages tab, if not already selected, please select "Zebra / Eltron Type - Standard 4x6 label - roll" - Click on Print Sample or Print Postage



12. For your printer, please pick Zebra 2844 and click "Print"



1.17 Fedex Ship Manager

The easiest way to print your shipping labels from Fedex is to use a commercial platform, such as XPSShip (free) or ShipStation (paid but great). They are approved Fedex partners and use your negotiated rates to provide you with a 4 x 6 shipping label which you can then easily print to PM-241. You will also be able to compare rates from other carriers and pick the best option.

We recommend this because Fedex Ship Manager is a bit cumbersome to set up. If you contact Fedex for support, they may inform you that they only provide support for printers that are supplied directly by them.

If you would like to use Fedex Ship Manager, please download and install the latest version from the Fedex Website.

During installation, you will be prompted to call Fedex to obtain your activation code. After verifying your account information, your activation code will be emailed to you.

Note: Fedex Ship Manager software requires a few more steps than other platforms to work. Essentially, We need to install PM-241 as a EPL printer to work with Fedex Ship Manager.


- 1. Download the Zebra Printer Driver (ftp://ftp.fedex.com/pub/us/software/ZebraFedEx_driver_4500_self_extracting15.exe)
- 2. After opening the downloaded file, please click on "Install Zebra Printer"

You can check the video to know:

How to install Zebra 2844 Driver with PM-241 on Win: How to install Zebra 2844 Driver
How to install Zebra EPL2 Driver with PM-241 on MAC: How to intall Zebra EPL2 Driver




3. Select Zebra 2844 and click "Next"




4. (1)To know which USB Port is connected, please go to "This PC" and right click on, choose "Manage"




(2) "Device Manager" -> "Universal Serial Bus controllers" -> Double click on "USB Printing Support" to check which USB port is connected




5.We will now go back to the installation window and pick the same port and click "Finish"




6. Go to "Control Panel" -> "Devices and printers" -> Right click on "Zebra 2844" -> choose "Printer properties"




7. Go to "Stocks" to choose the label size



8. Go to "General", click on "Print Test Page" to check the Zebra 2844 driver is installed successfully and connect the right printer



5. Next, go to Fedex Ship Manager, click on the "Utilities" -> "Printer Setup"




6. Select Zebra 2844 under the "Label Printer" and click OK



7. We now need to change the default label size to 4 x 6. Click on "Customize" -> "Shipping Profiles"



8. Select the appropriate domestic or international shipping profile and click "View/Edit". You may want to update all of them to the correct size.



13. If you are using Fedex Provided Labels, their sizes and part numbers are as follows.

153078-077 - Indicates a Format 77 label. (4" x 5" Thermal Label with FedEx Logo)

154254-354 - Indicates a Format 354 label. (4" x 6 3/4" Thermal Label with Doc Tab)

156295-434 - Indicates a Format 354 label. (4" x 6" Thermal Label without Doc Tab)

156297-435 - Indicates a Format 435 label. (4" x 6 " Thermal Label without Doc Tab)

a. To change the label format for FedEx Express domestic shipments, click the 2 - FedEx Express Prefs tab. In the Label Format section, select the appropriate label format for the label part number and click OK.

b. To change the label format for FedEx Express international shipments, click the 2 - FedEx Express Prefs tab. In the Label Format section, select the appropriate label format for the label part number and click OK.

- c. To change the label format for FedEx Ground domestic shipments, click the 5 FedEx Ground Prefs tab. In the Label Format section, select the appropriate label format for the label part number and click OK.
- d. To change the label format for FedEx Ground international shipments, click the 4 FedEx Ground Prefs tab. In the Label Format section, select the appropriate label format for the label part number and click OK.
- 14. After making your changes, click OK on the View Shipping Profiles screen.
- 15. Reboot (exit and relaunch) the software and attempt to ship a package.

Source for Steps 6-15 is: http://www.fedex.com/us/software/printerfags1.html

1.18 QuickBooks Enterprise

Quickbooks is not currently on our official supported platform list: What platforms does PM-241 work with? Note: QuickBooks software requires a few more steps than other platforms to work. Essentially, we will install PM-241 as a EPL printer.

Quickbooks Enterprice Software:


- 1. Download the Zebra Printer Driver (ftp://ftp.fedex.com/pub/us/software/ZebraFedEx_driver_4500_self_extracting15.exe)
- 2. After opening the downloaded file, please click on "Install Zebra Printer"

You can check the video to know:

How to install Zebra 2844 Driver with PM-241 on Win: How to install Zebra 2844 Driver
How to install Zebra EPL2 Driver with PM-241 on MAC: How to intall Zebra EPL2 Driver




3. Select Zebra 2844 and click "Next"



4. (1)To know which USB Port is connected, please go to "This PC" and right click on, choose "Manage"




(2) "Device Manager" -> "Universal Serial Bus controllers" -> Double click on "USB Printing Support" to check which USB port is connected




5.We will now go back to the installation window and pick the same port and click "Finish"




6.Go to "Control Panel" -> "Devices and printers" -> Right click on "Zebra 2844" -> choose "Printer properties"



7. Go to "Stocks" to choose the label size



8. Go to "General", click on "Print Test Page" to check the Zebra 2844 driver is installed successfully and connect the right printer



1.19 Endicia Dazzle (Win)

Note: We need to install PM-241 as a EPL printer to work with Dazzle.

- 1.Download the Zebra Printer Driver (ftp://ftp.fedex.com/pub/us/software/ZebraFedEx_driver_4500_self_extracting15.exe)
- 2. After opening the downloaded file, please click on "Install Zebra Printer"

You can check the video to know:

How to install Zebra 2844 Driver with PM-241 on Win:


"https://www.youtube.com/watch?v=QS80_4XJedg&list=PL3_AhQ0D1H_DgoSgYcMdUBrRnBCitKvP1&index=6"

How to install Zebra EPL2 Driver with PM-241 on MAC:

"https://www.youtube.com/watch?v=9H0DcJnzUo0&list=PL3 AhQ0D1H DgoSgYcMdUBrRnBCitKvP1&index=5"




3.Select Zebra 2844 and click "Next"




4.(1)To know which USB Port is connected, please go to "This PC" and right click on, choose "Manage"




(2) "Device Manager" -> "Universal Serial Bus controllers" -> Double click on "USB Printing Support" to check which USB port is connected




5.We will now go back to the installation window and pick the same port and click "Finish"




6. Go to "Control Panel" -> "Devices and printers" -> Right click on "Zebra 2844" -> choose "Printer properties"



7. Go to "Stocks" to choose the label size




8. Go to "General", click on "Print Test Page" to check the Zebra 2844 driver is installed successfully and connect the right printer



9. Next, open Dazzle and click on the "Printer Setup"




10. Choose "Zebra 2844" and Click OK



1.20 How to use PM-241 printing with Endicia Dazzle


1. Ensure you are in the Design Tab.



2. Click on "File" -> "Printer"



3. Set your Printer and Label Values as shown. Click on "Test Print." If it all looks good, click "OK."



Note: Due to a software bug in Dazzle, "Quick Label" does not produce 4 x 6 labels. Please create your own labels from the "Design" tab.

Per Endicia Support:

The Design tab would be the correct route. You would need to change layouts on the Design tab as you change from a domestic address to an international one, or an APO. The main reason for the Quick Label tab was to shield users from the need to change label layouts. Dazzle changes the layout based on the address and mail class.

The layouts you may need to set up would be:

Zebra Label.lyt - for all domestic labels, with the exception of Priority Mail Express

Zebra Express Mail Shipping Label.lyt - for Priority Mail Express

APO and US Territory Label - Small 6x4.lyt - for any military mail or territories, like Guam International Label - Small 6x4.lyt - for any international addresses.



1.21 Pirate Ship

This Printer is compatible with all platforms that offer shipping labels in 4x6 format. This includes Pirate Ship.

For setting up Pirate Ship, please see the official help link:

https://support.pirateship.com/en/articles/2610080-windows-how-to-print-with-a-4x6-label-printer

1.22: If Labels are blurry

1. Most of the poor printing results are printed with low quality source files. Print the sample label to test if your printer is working well.

2. Please try reducing your print speed (try 3 in/sec) and density (try 12 as well) to see if you get a better result.

For Mac-Software: Labelife

Select "Printer Features" in "Preview" Set the print density in "Darkness"

Set the print speed in "Print Speed"

For Windows-Software: Labelife

Open "Devices and Printers" -> right click on "Label Printer" -> choose "Printer Preferences

Set the print speed in "Print Speed"

Set the print density in "Print Density"

- 3. Please use a PDF reader to print, as printing from a web page will cause the file to be compressed.
- Please use alcohol wipes to clean the print head to ensure that there is no stain on the print head.
- Please try other labels to print. Poor quality labels can affect printing results.
- Most of the poor printing results are printed with low-quality source files. Print the sample label to test if your printer is working well.

1.23: Where is color option?

For Mac-Software: Labelife

Select "Printer Features" in "Preview" Set the print density in "Darkness"

Set the print speed in "Print Speed"

For Windows-Software: Labelife

Open "Devices and Printers" -> right click on "Label Printer" -> choose "Printer Preferences

Set the print speed in "Print Speed"

Set the print density in "Print Density"