NANPING SHI YANPING QU MENG QIAN SI COMMERCE CO., LTD

Tel: +86-15959938365

Add: Zhu xi lu 32-9 hao, China Pioneering Park,Nanping, Fujian353000, P.R.China

INSTRUCTIONS and MAINTENANCE INSTRUCTIONS

Product Name: JKSPORTS Fishing Life Jacket

Product Type: JKSPORTS-FISH

Safety certification standards for life jackets: UL1177

Main materials: 10% EPE AND 90% NEOPRENE

Suitable weight: 100KG

MADE IN CHINA

JKSPORTS-FISH Document

Number pages: 6 pages in all Effective

TABLE OF CONTENTS

SECTION Ⅰ PURPOSE.....2

SECTION Ⅱ DESCRIPTION 2-3

SECTION Ⅲ Use INSTRUCTIONS.....4

SECTION IV SAFETY 5

SECTION Ⅴ INSPECTION.....5

SECTION VI MAINTENANCE 6

SECTION VII MANUFACTURER INFORMATION 6

SECTION Ⅰ PURPOSE

The Instructions and maintenance instruction is used to guide users how to operate and maintain JKSPORTS Fishing Life Jacket properly.

SECTION Ⅱ DESCRIPTION

2.1 Introduction

Lifejacket+fishing vest dual-use product (detachable foam straddle)

Product weight with foam floating material 0.7KG each.

The foam floating material is one piece in the front left and one piece in the right chest. The back area. (With one strap in the front pocket)

Detachable, multi pocket, one size fits all adjustable up, down, left, right, vest life jacket

This life jacket is made of composite EPE board inside

Ergonomic partitions are comfortable to wear without tightness.

2.2 Product Structure

2.2.1 JKSPORTS Fishing Life Jacket consists of fishing clothes and high-density polyester foam.

JKSPORTS Fishing Life Jacket Product Dimensional Drawing The structure is shown as Figure2-1:

Manual Switch



Figure 2-1 Product Dimensional

2.2.2

Product Function and Structure as figure 2-2 ,figure 2-3,figure 2-4.



figure 2-2



figure 2-3



figure 2-4

SECTION Ⅲ Use INSTRUCTIONS

3.1 Usage Scenarios

JKSPORTS-FISH can be used on the sea, riverbanks, and various lakes.

3.2 Usage steps**(Figure 3-2)**



Figure 3-2

3.2.1 Put on the life jacket and zip up the middle life jacket.

3.2.2 Tighten the shoulder and waist buckles and tighten them..

3.2.3 Fasten the crotch buckles on both sides and tighten them tightly.

SECTION Ⅳ SAFETY

4.1 Put on the life jacket, Pull up the zipper and tighten the front collar strap and waist strap with both hands.

4.2 Children must use it under adult supervision.

4.3 Please ensure that the buoyancy foam is intact.

4.4 After putting on the life jacket, check if everything is securely fastened.

4.5 Life jackets are not toys and are strictly prohibited from being disassembled or modified.

SECTION Ⅴ INSPECTION

5.1 Overall appearance

Check if the life jacket is severely worn, cut, punctured, or has torn stitches. Especially the stressed areas such as armpits, shoulder straps, and crotch straps.

Check for traces of oil stains or chemical corrosion, which may damage the fabric or buoyancy materials.

5.2 Reflective tape

Reflective tape: whether it is complete, clean, and has good reflective effect.

5.3 Straps and buckles

All straps (shoulder, waist, cross straps): Pull and check for firmness, powdering, brittleness, or wear.

All buckles (buckles, D-rings): Open and close repeatedly several times to check for flexibility, cracks, and reliable fastening and unlocking.

Zipper (if any): Pull back and forth to ensure smooth and unobstructed operation, without automatically slipping open.

5.4 Fit and Wearing Inspection

Correct wearing: Wear the life jacket correctly according to the instructions or markings (such as on board/shoulders).

Tighten all straps: Tighten all adjustable straps to a snug fit, especially the cross straps (thigh straps), which can prevent the life jacket from jumping up in the water.

SECTION Ⅵ MAINTENANCE

6. Maintenance after daily use

6.1 Thoroughly clean:

· After use, especially when in contact with seawater, sediment, or sweat, rinse gently with fresh water.

· Gently wipe the dirty area with a soft cloth and neutral soap solution. Do not use strong cleaning agents, bleach, or washing machines to avoid damaging the fabric, stitching, and reflective materials.

· Thoroughly dry in a cool and ventilated place, and do not use a dryer, heat source, or fire to expose to sunlight. The ultraviolet ray in the sun is the main culprit for the aging of life jacket materials (especially foam).

6.2 Check and reset:

· Before and after drying, conduct a brief visual inspection (refer to the "Pre use Inspection" checklist).

· For inflatable life jackets, ensure that the airbags are completely dry before folding them back into the bag to prevent mold growth.

· Ensure that all buckles and zippers are restored to their original positions, straps are neatly folded, and knots are avoided.

SECTION Ⅶ MANUFACTURER INFORMATION

Company name: NAN PING SHI YAN PING QU MENG QIAN SI COMMERCE CO., LTD.
Add: Zhu xi lu 32-9 hao, Nan ping, Fujian,China（353000）
Tel：+86-15959938365
Email：npdjm@hotmail.com